

SHO-FLINE

2019-20 CATALOG



INNOVATIVE PRODUCT ADDITIONS

Shor-Line leads the animal care industry in product development because we listen to our customers. Four of our biggest product introductions focus on the evolving areas of shelter and veterinary medicine.

FELINE COMFORT SUITE

We continue to expand our revolutionary Feline Comfort Suites with new assembly options and an interactive Viewing Dome. See page 48. We also retooled the popular **Stainless Steel Cat Suite** to offer the **Serenity Suite** that mimics the Feline Comfort Suite in Stainless Steel. See page 41.

LOW STRESS EXAM OPTIONS AND ACCESSORIES

We offer two options for exams—the **Fear Freesm Table** and the **Mark III LS Exam Table**. The **Fear Freesm Table** provides a warm, welcoming table with a pre-set heated table that you can clip on comfy towels. The pull-down stairs lets the pet control getting on the table, offering confidence building control. See page 67. The **Mark III LS Exam Table** is an extension of our Mark Series exam tables. This version has a pre-set heated top and six drawers and a door for storage. See page 71. We also have expanded our low-stress products to help pets enjoy their visits and stays. See page 52.

DURABLE, COLORFUL T-KENNEL RUNS

As boarding, sheltering and luxury housing for strong dogs expands, we responded with even stronger kennels. Our new, improved T-Kennel side and back panels withstand roughhousing from the strongest large breeds. And we improved our cross-contamination system to provide triple protection! See page 5.

OXYGEN THERAPY EXPANDED AND IMPROVED

The good news is that pets are living longer with heart disease and chronic elements. This triggers the need for step-down units with oxygen therapy. We listened to your suggestions and offer improved O2 therapy products. See page 99.



Serenity Suite



Fear Freesm Table



Cage with Oxygen Therapy Door



T-Kennel Runs

TABLE OF CONTENTS

HOUSING	5
Kennels	5
Kennel Run Accessories	23
Cages	27
Cage Accessories	36
Cat Condos + Suites	41
Low Stress Housing Options	51
Feeding Accessories-	55
GROOMING	57
Tables-	64
Tubs	59
Grooming Accessories	61
Dryer Cages	63
TABLES	64
Exam	69
Utility Chases	71
Corner Guards and Kick Plates	71
Exam + Treatment	73
Tub Tables	74
Surgery	78
Utility	82
Table Accessories	84
LIGHTING	86
LED	86
ANESTHESIA	88
Anesthesia Machines	90
Oxygen Concentrator	91
Accessories	93
SCALES	95
Blue-Line	96
K9-W8	97
CRITICAL CARE	98
Warming Pads	98
Oxygen Therapy-	99
IV Products	102
TERMS + CONDITIONS	104
CONTACT US	107

CRAFTING THE CHANGING FACE OF COMPANION ANIMAL EQUIPMENT

Shor-Line has enjoyed being the equipment leader in change for companion animal medicine and sheltering throughout our 91-year history.

This catalog represents some of our most innovative products launched, including the Feline Comfort Suite. We talked with our customers and thought leaders to craft products that address how you want to house and treat pets in the 21st Century.


While we are innovating, we keep the high standard of craftsmanship my grandfather insisted upon. To name a few:

- All welds are "clean" and extend product longevity.
- All products are manufactured to help avoid pet injuries.
- What we produce reflects the professional care of those who use our products.

We want customers for life... and generations. So, inspect the details that go into our products and comparison shop.

We believe our high-quality products will not only efficiently serve you but they will reflect well on your business.

Your partner in excellence,



Joe Schroer
President



HELP FOR PLANNING RENOVATIONS AND BUILDS

Our new website will launch in early 2019. There you will find more ways to explore our products and services.

We will have configurators that walk you through our various options for products from kennel runs to tub tables. Customers can learn about our various product combinations and options on our standard products that will aid them in the decision process.

We also are offering more help guides than ever:

- Troubleshooting videos for making adjustments to your long-lasting equipment.
- Quick parts ordering when you need to replace screws or hinges due to wear.
- Cage and Kennel Galleries for seeing what others have done with our products.
- **Kennel Run Guide** is the definitive beginner's guide to buying run systems.
- **Feline Comfort Suite** brochure explains this revolutionary product.
- **Adventures in Shelter Housing** shows the different shelter products we provide.
- **Cage Basics** explains how Shor-Line cages mix and match for your different needs.

And our most popular offering is the new FREE consultation. You receive time with one of our highly experienced (average 25+ years) sales team members. It is low pressure and focused ONLY on what you want to learn about. Just email contact@shor-line.com to request a consult.

KENNELS/RUNS

Shor-Line continues to innovate T-Kennel and Shor-Line Runs. In 2019, we will introduce a new line of side panels and back panels that are our strongest yet.

Driven by the desire to combine looks and function, we crafted the new **T-Core with Perfect Panel Design™** that:

- Adds strength with bonded but lightweight panels.
- Provides triple protection from cross contamination with the Perfect Panel's channel design.
- The channel is constructed from durable, corrosion-proof PVC that adds longevity.
- Offers attractive styling with a modern Stainless Steel trim.

Shor-Line Kennels are our flagship brand. Beautiful and spacious runs are 78"H with clean lines and premium features to provide superior housing


We offer FREE consultations on how to build a custom look at standard pricing with either kennel line. Our online (www.shor-line.com) configurators help you with planning and visualizing your look.



NEW! T-Core with Perfect Panel Design™. This new side panel uses a special laminating process that bonds a structural foam core to two Acrylic PVC sheets. This process makes a quiet, strong and lightweight panel. The customer can choose from different top sections (wire, glass, or full isolation) to fit their needs.



Shor-Line Kennels are our flagship run product. Premium features are built in.



ANATOMY OF A SHOR-LINE RUN SYSTEM

Shor-Line Stainless Steel Kennels are the crown jewel of our Shor-Line family. Years of craftsmanship have gone into creating our industry leading kennels that will last decades in your facility.

These runs are entirely constructed of Stainless Steel components, including a 1 1/4" Stainless Steel tube frame and Stainless Steel door. Two heavy-gauge Stainless Steel panels are sandwiched between a Sound Dampening Technology core to help reduce sound and add strength.

The shine of Stainless will reflect the quality of your organization, so we are committed to making it available in many sizes and designs to meet the unique needs of your facility.

Optional Glass Colors



PERFORMANCE FEATURES:

- 6'6" run height.
- 1 1/4" Stainless Steel tubing with mitered corners.
- 1/4" Stainless Steel wire panel spaced every 6" for security.
- Wire panel rods welded at every intersection.
- Choose from Tempered Glass or Wire Doors.
- Tempered Glass available on doors, side panels and/or back panels.
- Rods pass into gate frame tube for added security.
- 16-gauge Stainless Steel hardware.
- Dual Pin Latch for security (can be locked).
- Hands-free latch operation.
- Side panels available in 48" isolation or full isolation.
- Nylon, brass or flag hinges are available.
- Wedge Kennel Run System follows the slope of the floor to prevent cross contamination.
- Inside run width is specified gate size.
- Gates mount between side panels or walls.
- Optional feeding systems for food and water available, but must be ordered when doors are made because it can't be retrofitted.



ANATOMY OF A T-KENNEL RUN SYSTEM


NEW! T-Kennel Run Systems just got better with our new **T-Core with Perfect Panel Design™**. The new side and back panels use state-of-the-art lamination process that bonds two sheets of Acrylic PVC to an extra-dense foam core. The result is an extremely strong, lightweight and sound-dampening panel that lowers pet stress.

The new two-piece construction lets you easily choose the upper flag piece—Stainless or galvanized wire, glass or full isolation panel. This new design works both indoors and outdoors!



PERFORMANCE FEATURES:

- 6' run height.
- 1" tubing with mitered corners (Stainless Steel or galvanized available).
- 3/16" Stainless Steel wire panel spaced every 6" for security. (Galvanized is 0.177 diameter wire).
- Wire panel rods welded at every intersection.
- Choose between Stainless Steel, Galvanized Steel or Tempered Glass gate.
- Gate can open in or out and is completely removable.
- Tempered Glass available on doors, side panels and/or back panels.
- Rods pass into gate frame tube for added security.
- 16-gauge Stainless Steel hardware.
- Single Pin Latch for security (can be locked) and Hands-Free latch operation.
- Side and back panels use our **NEW! T-Core with Perfect Panel Design™** with Stainless Steel trim that provides strength, sound deadening and extra protection against chewing.
- Side and back panels can have top sections of Stainless or galvanized steel, tempered glass or PVC isolation panels.
- Provides triple protection from cross contamination with the Perfect Panel's channel design. We construct the channel from durable, corrosion-proof PVC that adds longevity.
- Optional feeding systems for food and water available.

Standard PVC Colors



Premium PVC Colors




HOW TO BUY SHOR-LINE KENNELS

FLOOR STYLES

Overall benefits: Here are a listing of some typical floor styles for typical facilities. Choosing the type of floor systems you will use will determine the best kennel options. Drainage and panel slope are determined here as well.


Sloped Concrete Floor with a Trench Drain

The facility is built with a sloped floor that drains to a trench drain system. The kennel side panels will hug the slope, sitting on the concrete floor.




Sloped Concrete Floor on a Curb

The facility is built with a trench drain or hole drain and side panels sit on a curb.




Elevated PVC-Coated Floor

Raised Floor System that utilize elevated PVC Floors suspended from the side panels.




Concrete Floor with Hole Drain

The facility usus a hole sloped concrete floor to a hole drain.



Concrete Floor with No Drain

Your facility uses a concrete floor with no slope and no drain.



GATE STYLE

Overall benefits: All gate frames are constructed of welded 1¼"-square tubing and wire mesh (when applicable). All gates are Stainless Steel and are 6'6" high.

Full Stainless Steel Frame

Gate frame and gate panel are constructed of welded 1¼"-square Stainless Steel tubing and Stainless Steel wire mesh.



Stainless Steel Frame + Glass Door Gate

Gate frame and door are constructed of welded 1¼" square Stainless Steel tubing. Tempered glass is encased by an aluminum extrusion mounted to the gate and door frame.



Stainless Steel without Bottom Bar

Door is constructed of welded 1¼"-square Stainless Steel tubing with reinforced frame and Stainless Steel wire mesh.



Stainless Steel Frame+ Partial Isolation

The Gate utilized two Stainless Steel sheets to form an isolation panel on the bottom of the Gate with a wire upper.



Note: Any Shor-Line door can have a Swivel feeder added. (See page 26.)

SIDE PANEL TYPE

Overall benefits: All side panels utilize an adjustable wedge system that conforms to the slope, Once sealed, it creates a barrier against cross contamination.


Full Isolation

Strong Stainless Steel panels add brightness and make cleaning easy. Two heavy-gauge Stainless Steel panels are sandwiched between a Sound Dampening Technology core to help reduce sound and add strength. Also available in tempered glass or PVC. Full isolation covers the entire 6'6".



48" Isolation Grill


Stainless wire mesh for the 30" top section and your choice of Stainless Steel, or PVC for the bottom 48" section. Uses the same Sound Deadening Technology as full isolation.



Side Panel with Transfer Door


Guillotine transfer door can operate on one side and allow pet to travel between kennels. Door is 1/8" thick aluminum, H channel is 3/16" aluminum and cable is 3/32" aircraft-grade Stainless Steel cable.

- 16"W x 24"H opening with 18"W x 28"H door
- 16"W x 32"H opening with 18"W x 35"H door
- 24"W x 32"H opening with 26"W x 35"H door



Full Height or 48" Cement Masonry Unit

Benefits are no cross contamination possibilities and total isolation. Disadvantage is that it is a permanent structure and the block width reduces kennel size. (Shor-Line does not install nor sell concrete block). You can place our 30" Stainless Steel or tempered glass flag panels on top.



48" Isolation Glass

Tempered glass for the 30" top section and your choice of Stainless Steel, or PVC for the bottom 48" section. Uses the same Sound Deadening Technology as full isolation.



BACK PANEL TYPE

Full Isolation

Stainless Steel panels add brightness and make cleaning easy. Full isolation covers 6'6".



48" Isolation

Heavy duty Stainless Steel mesh covers the 30" top section. Choose Stainless Steel or PVC panels for the bottom 48".



Back Panel with Transfer Door

Guillotine transfer door can operate on two sides and allow pet to travel between kennels. Door is 1/8"-thick aluminum "H" channel is 3/16" aluminum and cable is 3/32" aircraft-grade Stainless Steel cable.

- 16"W x 24"H opening with 18"W x 28"H door
- 16"W x 32"H opening with 18"W x 35"H door
- 24"W x 32"H opening with 26"W x 35"H door
- Special Transfer Door sizes upon request



No Back Panel

In many spaces, you can use your existing wall as the kennel back panel. (This includes CMU walls.)



SHOR-LINE SINGLE KENNEL

Benefits:

The quality of this kennel is evident in the extra premium features, such as welds at every intersection and the smooth feel of crafted Stainless Steel. A pet in a Shor-Line kennel is protected by our well-crafted kennel that will withstand decades of use.

You choose the width and length to fit your needs, and mix and match side and back panels to make a statement. If you can dream it, we will make your vision sparkle!

Features:

- Our most durable kennel system features full Stainless Steel throughout this kennel.
- Frame is made up of 1¼"-square tubing.
- Stainless Steel is the best and easiest surface to clean and disinfect.
- Installed freestanding or against a wall using modular components.
- Stainless Steel side panels are sloped ¼" per foot. Other slopes available by request.
- Optional PVC Isolation side panels are available in multiple colors to complement your decor.
- Two heavy-gauge Stainless Steel panels are sandwiched between a Sound Dampening Technology core to help reduce sound and add strength.
- **Optional accessories:** Top wire panel, side transfer door, Stainless Steel glass door, elevated PVC floor and swivel feeding system.
- **Specs:** standard widths: 30", 36" and 48"; standard depths: 5' and 6'; height 6'6" (approx.) 7' 2" (approx.) on elevated PVC Floor.

See "How to Buy Shor-Line Run Systems" on page 8 for outline of options.



SHOR-LINE SIDE-TO-SIDE KENNEL

Benefits:

The Side-to-Side connects two single kennels. It gives more space for dog families or can protect your staff because the operator can make the transfer without animal contact.


The side transfer door works with a pulley system, enabling the operator to open the transfer door to move the animal from one side to the other. Rotating dogs has never been easier! Can be free-standing or mounted to an existing structural wall. Works well against a wall.

Features:

- Our most durable kennel, this kennel's Stainless beauty will last for years.
- Frame is made up of 1¼" square tubing.
- May be installed freestanding or against a wall.
- Stainless Steel side panels are sloped ¼" per foot. Other slopes available by request.
- Stainless Steel is the best and easiest surface to clean and disinfect.
- Tempered glass or multiple colors of PVC panels are available to complement your decor.
- Two heavy-gauge Stainless Steel panels are sandwiched between a Sound Dampening Technology core to help reduce sound and add strength.
- **Optional accessories:** Top wire panel, side or back transfer door, Stainless Steel glass door, elevated PVC floor, swivel feeding system.
- **Specs:** standard widths: 30", 36" and 48"; standard depths: 5' and 6'; height 6'6"(approx.) on concrete. 7' 2" (approx.) on elevated PVC Floor



See "How to Buy Shor-Line Run Systems" on page 8 for outline of options.



Shown with CMU sides with transfer door and top flag..

SHOR-LINE FRONT-TO-BACK KENNEL

Benefits:

The Shor-Line Front-to-Back Kennel System places two Single Kennels back to back. Comes with a counter-weighted transfer door to link them. The enclosed double pulley system enables the operator to open the transfer door from either side allowing the animal to transfer from one side to the other. The operator does not have to handle the animal.

Features:

- Our most durable kennel, this kennel's Stainless beauty will last for years.
- Frame is made up of 1¼"-square tubing.
- Installed freestanding.
- Stainless Steel side panels are sloped ¼" per foot. Other slopes available by request.
- Stainless Steel is the best and easiest surface to clean and disinfect.
- Tempered glass or multiple colors of PVC panels are available to complement your decor.
- Two heavy-gauge Stainless Steel panels are sandwiched between a Sound Dampening Technology core to help reduce sound and add strength.
- **Optional accessories:** Top wire panel, side or back transfer door, stainless steel glass door, elevated PVC floor, swivel feeding system.
- **Specs:** standard widths: 30", 36" and 48"; standard depths: 10' and 12'; height 6'6"(approx.) on concrete. 7' 2" (approx.) on elevated PVC Floor

See "How to Buy Shor-Line Run Systems" on page 8 for outline of options.



Tempered glass panels fit into Stainless Steel frames for durability




HOW TO BUY T-KENNEL RUN SYSTEMS

FLOOR STYLES

Overall benefits: Here are a listing of some typical floor styles for typical facilities. Choosing the type of floor systems you will use will determine the best kennel options. Drainage and panel slope are determined here as well.


Concrete Floor with Trench Drain Cover

The facility is built with a sloped floor that drains to a trench drain system. The kennel side panels will hug the slope, sitting on the concrete floor.



Sloped Concrete Floor with a Curb

The facility is built with a sloped floor that drains to a trench or a hole drain and the panels sit on the elevated curb.




Elevated PVC Floor

The raised floor allows you to disassemble and move the runs, if needed. It also allows you to connect to a drain or not (trench drain covers optional). The flooring is 0.187 PVC in a variety of colors.



Concrete Floor with Hole Drain or No Drain

Either the facility slopes everything to a hole drain or there is no drain. The side panels will sit on the concrete floor.



FRAME STYLE


Stainless Steel

Best looking frame. Holds up well to liquids and cleaning products and is virtually maintenance free.




Galvanized

Durable frame at lower price. Galvanized steel does require some maintenance because the metal dulls over time. Not as forgiving of cleaning solutions



Stainless Steel + Galvanized

A money-saving option is to go with a stainless steel gate that will withstand wear better and then use a galvanized frame for the remaining sides. If you are covering the sides with PVC, the difference will barely be noticeable.



■ Stainless Steel ■ Galvanized

GATE STYLE

Overall benefits:

All 6' H gate frames and panels are constructed of welded 1"-square tubing and wire mesh (when applicable). All gate frames can come with or without feeding slots.


Stainless Steel

Solid Stainless Steel frame provides maximum durability and clean look.



Galvanized

Not as durable as stainless steel but is more economical. All our galvanized gates and frames are hot dipped after fabrication to increase durability, strength and longevity.




Tempered Glass

The gate frame is constructed of Stainless Steel Tubing. Tempered glass is encased in an aluminum extrusion, and we mount that to the gate frame.



Half PVC

The frame is Stainless Steel or galvanized, and the top 24" wire mesh matches it (Tempered glass is an option). The lower 48" can be PVC of various colors.



SIDE PANEL TYPE

Overall benefits:

Our new 48" isolation panel side panels utilize our new **T-Core with Perfect Panel Design™** with a triple seal protection. Our T-Core Panel uses 2 PVC sheets that are laminated to a dense foam core. This special process makes our panel stronger and lighter than current systems. Our full isolation and side panel with transfer door use our current system.


Full Isolation

The PVC panels add color and make cleaning easy. Full isolation 6'.



48" Isolation


Choose between Stainless Steel mesh, hot-dipped galvanized mesh or tempered glass for the 24" top. Uses the new T-Core Perfect Panel System with the triple seal channel.



Side Panel with Transfer Door


Guillotine transfer door operates from one side only, and allows pet to travel between to kennels. This uses our traditional side panels. Two transfer door styles are available.

- 18"W x 24"H opening held with carabiner
- 18"W x 24"H opening counter weighted
- Special Transfer Door sizes upon request



Full Height or 48" Cement Masonry Unit

Benefits are no cross contamination possibility and total isolation. Disadvantage is that it is a permanent structure and the block width reduces kennel size. (Shor-Line does not install nor sell concrete block.) You can place our 24" stainless steel or galvanized wire mesh, tempered glass or PVC panels on top.



⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

BACK PANEL TYPE

Overall benefits:

NEW! Our standard back panels are now stronger with extra-dense foam core laminated to PVC panels. This greatly increases strength and sound-dampening ability.

Full Isolation

Choose between one sheet for cosmetic appeal or the full two PVC sheets laminated to a foam-core panel for strength and sound-dampening. Full isolation covers the 6' height.



Back Panel with Transfer Door

Guillotine transfer door operates from two sides and allows pet to travel between kennels. The opening runs the full width, so size depends on kennel width.

- Full width opening counter weighted, (3', 3'6", 4')




Cement Masonry Unit with Transfer Door

We can install an exterior-mounted transfer door to a CMU system. We have doors available in most sizes. Door is 1/8" thick aluminum, H channel is 3/16" aluminum and cable is 3/32" aircraft-grade stainless steel cable.




No Back Panel

In many facilities you can use your existing back wall as the back panel. (This includes CMU walls.)




PVC PANEL COLORS

Standard PVC Colors



Premium PVC Colors




* Premium PVC panel colors and custom colors must be special ordered and require a buying minimum.

Low Stress Color Palette

Encourages lighter shades, try in standard 7327, 3530, 8343 or 2357. For Premium try 7300 or 2354.

GLASS PANEL COLORS



T-KENNEL SINGLE KENNEL

Benefits:

This functional T-Kennel Run System allows you to design a room (or a row of rooms) that makes good use of space. Our **T-Core with Perfect Panel Design™** adds strength and extra sound-dampening. Our options for colored PVC, tempered glass, Stainless and galvanized steel let you mix and match your look to fit budget and aesthetic choices.

Features:

- Durable frame is made up of 1" square tubing.
- You can install freestanding or against a wall.
- Includes one 2' wide gate that opens inward and outward, and it is completely removeable.
- Has two slots for optional slide-in feed and water trays. (Any Kennel less than 4' wide will receive only one feed tray slot.)
- Raised floor systems can run 32' in either direction before a stub out is needed and feature leveling legs to rectify floor imperfections.
- Our **T-Core with Perfect Panel Design™** bonds two PVC panels to an extra-dense foam core. The heat and pressure from the sandwiched foam and PVC help reduce sound and add strength. New Stainless Steel trim adds styling and strength.
- **NEW!** Triple sealing channel follows the slope of the floor (up to to ¼" per foot) to prevent cross contamination. Special design provides extra sealing power. Other slopes available by request.
- Raised Floor Systems include a back panel.
- Easy to clean PVC Panels are available in multiple colors to complement your decor.
- **Optional accessories:** top wire panel, side transfer door, Half T-Cover, Stainless Steel wire door and Stainless Steel glass door. Choice of Stainless or galvanized steel components.
- **Specs:** standard Widths: 3', 3'6", & 4'; standard lengths: 3', 4', 5', 6' & 8'; standard height: 6' on concrete (approx.), 6' 10" on raised floor (approx.).



See "How to Buy T-Kennel Run Systems" on page 14 for outline of options.



Trench drain
with half T-Cover.

T-KENNEL SIDE-TO-SIDE KENNEL

Benefits:

This is ideal for housing family groups or people-aggressive dogs. You can fit the Side-to-Side Kennel Run System with a side transfer door. The pulley system enables the operator to make a hands-free transfer by opening the transfer door to move the animal to the other side. Can be freestanding or mounted on an existing structural wall.

Features:

- Durable frame is made up of 1" square tubing.
- Has two slots per compartment for optional slide-in feed and water trays. (Any Kennel Run System less than 4' wide will receive only one feed tray slot.)
- Raised floor systems can run 32' in either direction before a stub out is needed and feature leveling legs to rectify floor imperfections.
- Each compartment has one 2' wide gate that opens in or out, and it is completely removable.
- Our **NEW! T-Core with Perfect Panel Design™** bonds two PVC panels to an extra-dense foam core. The heat and pressure from the sandwiched foam and PVC help reduce sound and add strength. New Stainless Steel trim adds styling and strength.
- **NEW!** Triple Sealing Channel follows the slope of the floor (up to to ¼" per foot) to prevent cross contamination. Special design provides extra sealing power.
- Easy to clean PVC Panels are available in multiple colors to complement your decor.
- **Optional accessories:** top wire panel, side transfer door, half T-cover, stainless steel wire door and Stainless Steel glass door. Choice of Stainless or galvanized steel components.
- **Specs:** standard widths: 3', 3'6", & 4'; standard depths: 4', 5', 6' & 8'; standard height: 6' on concrete (approx.), 6' 10" on raised floor (approx.).



See "How to Buy T-Kennel Run Systems" on page 14 for outline of options.



Side Transfer Door


T-KENNEL FRONT-TO-BACK KENNEL

Benefits:

The Front-to-Back Kennel Run System places two single kennels back to back, separated by a full width, counterweighted, transfer door. The enclosed double pulley system enables the operator to open the transfer door from either side. This allows the animal to transfer to the other side without operator contact. This is a time saver as well as a safety feature.

Facility managers have reported quieter and calmer dogs because the animals are not facing each other.

This System can sit directly on the finished floor or have a raised floor system with an integrated trench drain system covered by the full T-Cover.



Features:

- Each kennel has two compartments—a full-width transfer door is included.
- An enclosed double-pulley system operates a full-width, counter-weighted transfer door that you can open from either end to make transferring animals easy.
- Each compartment has one 2' wide gate that opens in or out, and it is completely removeable.
- Includes two slots per compartment for optional slide-in feed and water trays. (Any kennel less than 4' will receive only one feed tray slot.)
- Raised floor systems can run 32' in either direction before a stub out is needed and features leveling legs to rectify floor imperfections.
- Full T-Cover, with baffle, bridges the trench at the midsection to prevent cross-contamination when cleaning.
- Our **NEW! T-Core with Perfect Panel Design™** bonds two PVC panels to an extra-dense foam core. The heat and pressure from the sandwiched foam and PVC help reduce sound and add strength. New Stainless Steel trim adds styling and strength.
- **NEW!** Triple Sealing Channel follows the slope of the floor (up to ¼" per foot) to prevent cross contamination. Special design provides extra sealing power. Other slopes available by request.
- Easy to clean PVC Panels are available in multiple colors to complement your decor.
- **Optional accessories:** top wire panel, side transfer door, stainless steel wire door and stainless steel glass door. Choice of Stainless or galvanized steel components.
- **Specs:** standard widths: 3', 3'6", & 4'; standard depths: 8', 10', 12' & 16'; standard height: 6' on concrete (approx.), 6' 10" on raised floor (approx.).

See "How to Buy T-Kennel Run Systems" on page 14 for outline of options.



Note the durability of the panels with the new side panel [See Page 15] and the strong, full size transfer door.

T-KENNEL DOUBLE DECKER KENNEL

Benefits:

The Double Decker Kennel Run System saves valuable floor space by stacking two kennels on top of each other. The top unit floor is 35" off the floor (if unit is ground level), so you are at about counter height. Use color on the PVC panels or select tempered glass to create a statement. Flexibility can be beautiful!

Features:

- Frame is made up of 1" tubing, and wire is welded to the frame. Wire mesh top piece included.
- One door per compartment is included. All gates open inward and outward.
- Great for placement against a wall or freestanding.
- Has two slots for optional slide-in feed and water trays. (Any Kennel Run System less than 4' wide will receive only one feed tray slot.)
- Raised floor systems can run 32' in either direction before a stub out is needed and features leveling legs to rectify floor imperfections.
- Standard side panels are sloped ¼" per foot. Other slopes available by request.
- Two strong PVC panels are sandwiched between a Sound Dampening Technology core to help reduce sound and add strength.
- Easy to clean PVC Panels are available in multiple colors to complement your decor.
- **Optional accessories:** Side transfer door and stainless steel or tempered glass door.
- **Specs:** standard widths: 3' and 4'; standard depths: 3' and 4'; each opening is 34" high, overall height: 6' on concrete (approx.), 6' 10" on raised floor (approx.).

See "How to Buy T-Kennel Run Systems" on page 14 for outline of options and "Door Styles for T-Kennel Double Decker, Tri and Quad Kennels" on page 23.



Combines Stainless Steel and glass panels for a professional look

Half T-Covers plus drain system that connects top trench drain below

T-KENNEL TRI KENNEL

Benefits:

This unit pairs our Double Decker Kennel with a Single Kennel to create a flexible housing unit. The full-width, counter-weighted, transfer door allows the pet to travel from one lower unit to the other.

This works best in large rooms where there is space enough to get to both sides of the Kennel Run System. It can be a good choice for housing dog families.

Features:

- Frame is made up of 1" tubing, and wire is welded to the frame. Wire mesh top piece included for the Double Decker side, optional on other side.
- The Tri Kennel contains three separate compartments, so it's great for boarding dogs of all sizes.
- A full width, counter-weighted transfer door between the bottom two compartments is operated by an enclosed double pulley system. You can open the transfer door from either side for easy animal transfer.
- Has two slots for optional slide-in feed and water trays. (Any Kennel Run System less than 4' wide will receive only one feed tray slot.)
- One gate per compartment is included. All gates open inward and outward.
- The upper floor drain is covered by a half T-Cover.
- The lower floor drains are covered by a full T-Cover that bridges the trench at the midsection to prevent cross-contamination when cleaning.
- Raised floor systems feature leveling legs and can run 32' in either direction to rectify floor imperfections before a stub out is needed.
- Can be manufactured to fit most common slopes.
- On the single kennel section, our **T-Core with Perfect Panel Design™** bonds two PVC panels to an extra-dense foam core. The heat and pressure from the sandwiched foam and PVC help reduce sound and add strength. New Stainless Steel trim adds styling and strength.
- Easy to clean PVC Panels are available in multiple colors to complement your decor.
- **Optional accessories:** Top wire panel, side transfer door and stainless steel or tempered glass door.
- **Specs:** standard widths: 3', 3'6", & 4'; standard depth 8', 10', 12'; standard height: 6' on concrete (approx.), 6' 10" on raised floor (approx.)



See "How to Buy T-Kennel Run Systems" on page 14 for outline of options and "Door Styles for T-Kennel Double Decker, Tri and Quad Kennels" on page 23.

Double Decker unit opening height 34"H, Single Kennel Height 6' H, overall height 6' (approx.) on concrete 6'10" (approx.) raised floor.

T-KENNEL QUAD KENNEL

Benefits:

The Quad Kennel System saves floor space while giving you the flexibility of stacked housing with the space of a kennel run. With the Double Decker Kennels back to back, a full width, counter-weighted, transfer door allows a pet to move freely between the lower units.

The top unit floor is 35" off the floor (if unit is ground level), so you are at about counter height. This works well in large areas in which you can move down one row tending to needs and back up the other side.

The Quad Kennel System can sit directly on the floor, or have a raised floor system with an integrated trench drain system covered by the full T-Cover for the lower kennel and two half T-Covers for the upper kennels.

Features:

- The Quad Kennel has two separate top and bottom compartments on either side and is designed to provide maximum space.
- Frame is made up of 1" tubing, and wire is welded to the frame. Wire mesh top piece standard.
- Includes two slots per compartment for optional slide-in feed and water trays. Any kennel less than 4' wide will receive only one feed tray slot.
- Raised floor systems can run 32' in either direction before a stub out is needed and features leveling legs to rectify floor imperfections.

- Four swing doors that open in or out.
- Includes a full width transfer door between the lower units operated by a counter-weighted pulley system.
- The upper floor drains are covered by two half T-Covers.
- The lower floor drains are covered by a full T-Cover that bridges the trench at the midsection to prevent cross-contamination when cleaning.
- Interconnecting drain systems permit up to 16 kennels (64 compartments) to share one centrally located drain outlet.
- Two strong PVC panels are sandwiched between a Sound Dampening Technology core to help reduce sound and add strength.
- Easy to clean PVC Panels are available in multiple colors to complement your decor.
- **Optional accessories:** Side transfer door and stainless steel or tempered glass door.
- **Specs:** standard widths: 3', and 4'; standard depths: 6', 8'; each opening 34" high, overall height 6' (approx.) on concrete 6'10" (approx.) on raised floor.



DOOR STYLES FOR T-KENNEL DOUBLE DECKER, TRI AND QUAD KENNELS

Stainless Steel Doors and Gate Frame

Gate frame and gate panel are constructed of welded 1" stainless steel square tubing and stainless steel wire mesh. You can open the doors inward or outward for maximum flexibility.



Galvanized Doors and Gate Frame

Gate frame and gate panel are constructed of welded 1" square galvanized tubing and welded wire mesh. Both are hot-dip galvanized after fabrication for durability, strength and longevity. You can open the doors inward or outward for maximum flexibility.



Stainless Steel + Glass Doors and Gate Frame

Gate panel is constructed of welded 1" stainless steel square tubing and stainless steel wire mesh. The 23½"W by 32½"H doors are constructed of 1" stainless steel square tubing and ¼" tempered glass. The door opens inward or outward for maximum flexibility.



KENNEL RUN ACCESSORIES


PVC FLIP-UP RUN BENCH

Benefits:

Perfect solution to provide a large dog resting area inside an existing run.

Features:

- Retrofits to most 36" or 48" kennels. If there is a trench drain in the back, the bench sits over the drain but does not interfere with it. It lifts up easily for hosing down the run.
- Available in various colors.
- Specs: 33¾ "W x 22"L x 3"H and 45¾ "W x 22"L x 3"H



Part number determined at time of order.

RESTING BENCH FOR RUNS

Benefits:

Allows pets a comfortable bed above a cold or wet run floor.

Features:

- Thermoformed, one-piece construction of high-density polyethylene.
- Surface has a comfortable, non-slip texture that is slightly crowned for fluid run-off.
- Specs: 40½"L x 22¼"W x 4"H.



Resting Bench for Runs 909.0067.00 14 lbs.

⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

SPECIALTY KENNELS

SHOR-LINE FOLDING KENNEL

The Folding Kennel is a unique and groundbreaking concept in dog kenneling. You now have the ability to turn a room into a play area during the day and overnight accommodations in the evening.

Our Folding Kennel gives you a wall of kennels when it is unfolded and then folds up against a wall to a 7-inch footprint.

Yes, 7 inches!

Specs: Available opening sizes: 36"W x 37¼ "L or 18"W x 49¼"L.
Folding Kennel U.S. Patent #8,438,995

A GREAT SPACE SAVER!

Customers who have purchased the Folding Kennel since it was introduced have found great uses for it.

- Can fold out one kennel at a time, maximizing floor space.
- Provides resting areas for dogs in daycare or safe "time out" room.
- Gives emergency kennels for overflow boarding times.
- Offers flexible multi-purpose housing for special services (grooming, dog training, physical therapy).



This facility made use of a narrow area.



When not in use, the kennels stay tucked away. Store against the wall; 7" footprint.



You have the option of opening up just one or two rooms. Pull out just one room...



...or two rooms while others stay against the wall



Fully unfolded, the kennel is approximately 3'W x 3'L or 4'W x 4'L.

BARKOLYN BOUDOIR DUTCH DOOR KENNEL™

Benefits:

Dogs are living the "suite" life with an extra large, home-style kennel complete with a tempered glass Dutch door you can open part way or close tight. You can chose colored panels to decorate in style.

Attach components to existing walls to make additional rooms.

Features:

- Extra sturdy 1½" square Stainless Steel tube door frame.
- Tempered glass Dutch door with glass encased in aluminum extrusion.
- Optional smoked glass for lower door.
- Add a Resting Bench for luxury sleeping. (See page 23.)
- Choice of tempered glass or colorful PVC panels on side and back door.
- Optional accessories: swivel feeder.
- Specs: standard widths: 4' or 5' W; standard depths: 6' or 8'; overall height 6'6" (approx.) on concrete 7'4" (approx.) raised floor.



PUPPY KENNEL

Benefits:

Shor-Line's Puppy Kennel gives puppies the "big dog" experience. The double decker unit has a carabiner pulley system that opens and shuts a transfer door that allows puppies to travel side to side. You can close the door for seperate units.

Features:

- Frame is 1" square tubing and wire is welded to the frame.
- Includes welded galvanized steel mesh top panel.
- Two carabiners independently operate each transfer door.
- Aluminum transfer doors are 12"W x 14"H.
- Insulated PVC panels in a variety of colors. (See page 7)
- Four units with interior space 34"W x 25"L x 31"H.
- **Specs:** Exterior 73"W x 27"L x 66"H

KENNEL FEEDER SYSTEMS

SHOR-LINE SWIVEL FEEDER

Benefits:

Makes quick work of feeding and watering animals. Simply place the food and water in the holders at the correct height and swivel the items into the kennel. Lock in place.

Features:

- Made of durable stainless steel.
- Fits 21¾"W x 10½"H opening.
- For Shor-Line kennels, choose between Options A, B or C. For T-Kennel, choose Option B or C.

Option A – Feeder system with 2-Quart Double Bowl;

Option B – Feeder system with 1-Quart Double Bowl system;

Option C – Feeder System with 4-Quart pail and 1-Quart bowl.



2-Quart Double Bowl



1-Quart Double Bowl



4-Quart pail and 1-Quart bowl

Part number determined at time of order.

Note: These feeders can't retrofit, they must be ordered when kennel is built.



SHOR-LINE SLIDE-IN VERTICAL FEEDER SYSTEM

Benefits:

This provides an economical, time-saving option for a kennel feeder system. The feeding slots will be built slightly larger to accommodate a slide-in 2-Quart double bowl feeding system. It locks into position for feeding and the slides out again for easy clean-up.

Features:

- ONLY available on NEW T-Kennel purchases of 36"W or larger.
- Includes two durable 2-Quart stainless steel bowls.

Double Bowl, Vertical - 809.0012.01 4 lbs.

SHOR-LINE SLIDE-IN HORIZONTAL FEEDER SYSTEM

Benefits:

This provides an economical, time-saving option for a kennel feeder system. The feeding slots will be built slightly larger to accommodate a slide-in 2-quart double bowl feeding system. It locks into position for feeding and the slides out again for easy clean-up.

Features:

- ONLY available on NEW T-Kennel purchases of 48"W or larger.
- Includes two durable 2-Quart Stainless Steel bowls.

Double Bowl, Horizontal - 809.0012.00 2.5 lbs.



KENNEL GEAR™ VERSA FEEDER

Benefits:

Convenient swivel feeding system swivels 180 degrees for you to attach filled food and water containers and then swivels another 180 degrees to lock into the opening so the pets can eat and drink.

Features:

- Made of aluminum.
- Fits 21¾"W x 10½"H opening.
- Works with range of pails and bowls that are sold separately (See page 56)

Versa Feeder - -041.0017.64

SHOR-LINE STAINLESS STEEL FEED TRAY

Benefits:

The Feed Tray keeps food in the tray and makes feeding easy. Just slide in and pull out. Only available on T-Kennel doors.

Features:

- Made of durable Stainless Steel.
- Available in locking or non-locking.
- You can fill and clean without entering the kennel.
- Specs: 8"W x 9.625"L x 1.813"D.

Stainless Steel Feed Tray - 041.0018.07 3 lbs.

⚠WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

CAGES

Shor-Line began making animal cages mid-century to meet the needs of veterinarians. We have continued to improve our cages, evolving with veterinary, boarding and shelter professionals.

If you need cages, we can find a solution! Our standard cages are made in 6" increments, starting with 18"W x 18"H. All cages are 28¼" deep, not including the latch. Your best value comes from purchasing standard sizes, but if you can dream it, we can build it.

Our cages are often handed down from practice to practice because they are so durable. There is a reason why animal professionals have been purchasing our cages for almost **seven decades**.



CAGES

BENEFITS OF A DOUBLE DOOR CAGE

Looking for a housing solution for your large dogs? Try our Double Door (DD) cage. It comes in a variety of sizes with these features:

- 48", 60" or 72"W
- 24", 30" or 36"H
- Removable middle cage post adds strength and integrity when securing the latch, but it also allows for easy opening.
- Removing the cage post allows you to slide in a recumbent patient.
- Insert cage dividers to house more small animals. We designed the cage to provide a secure environment when you divide the cage.
- Patented Hinge Design U.S. Patent #7,805,808

ANATOMY OF A CAGE

Radiused hardware minimizes sharp corners

Patented quiet closing polymer encased stainless steel hinge

One-piece door with welds on every intersection

Rounded corners for easy cleaning

Fluid-retaining lip


Tight spacing near latch keeps paws away! (30" W and smaller)

Sound-dampening, durable latch with Acetal bushings

Sound-dampening patch

Top, Bottom, and Sides made from one Stainless Steel sheet. Back is a separate sheet.

Stainless Steel 1"-square tube frame for strength




INTRODUCING: CAGES WITH PORTALS

Last year, we introduced the **Kat Portal** that we developed on with researchers from University of California, Davis. Our Kat Portal package includes a spacer for proper installation. See full listing on page 55.

The Kat Portal is now so popular that we are offering it as a option for new cages. We will cut the portal openings for you, and the portals install with the cage bank. We've even added a Puppy Portal! See full listing on page 55.

BENEFITS OF A PORTALIZING

Studies show double compartment housing reduces pet stress by providing more room and more choices. The Kat Portal has an 8"-diameter opening and the Puppy Portal has a 10"-diameter opening. **Puppy portals are designed for puppies or small dogs only.**



Puppy Portal




Kat Portal

ORDERING NEW CAGES WITH PORTALS

You can specify one or more of your new cages have portal openings pre-cut during the construction phase. Talk with your sales representative (800.444.1579) about your options and needs. The standard sizes are listed at right.

Note: Portals will not fit into 18"H cages.



PORTAL AVAILABILITY

CAGE SIZE	PORTAL AVAILABILITY
18" x 24"	Incompatible
24" x 18"	Incompatible
24" x 24"	Cat or Dog
24" x 30"	Cat or Dog
24" x 36"	Cat or Dog
30" x 24"	Cat or Dog
30" x 30"	Cat or Dog
30" x 36"	Cat or Dog
36" x 24"	Cat or Dog
36" x 30"	Cat or Dog
36" x 36"	Cat or Dog
42" x 30"	Cat or Dog
42" x 36"	Cat or Dog
48" x 30"	Cat or Dog
48" x 30"	Cat or Dog
48" x 36"	Cat or Dog
48" x 36"	Cat or Dog
60" x 36"	Cat or Dog
72" x 36"	Dog Only

WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

4' STAINLESS STEEL CAGE ASSEMBLIES



4' ASSEMBLY, OPTION A

Top: 2 - 24"W x 24"H cages
Bottom: 1 - 48"W x 30"H double door cage
Without Platform - - - - - 902.0103.19 180 lbs.
Mobile Platform - - - - - 902.0103.20 200 lbs.
Stationary Platform - - - - - 902.0103.21 198 lbs.



4' ASSEMBLY, OPTION B

Top: 2 - 24"W x 30"H cages
Bottom: 1 - 48"W x 30"H double door cage
Without Platform - - - - - 902.0103.16 204 lbs.
Mobile Platform - - - - - 902.0103.17 224 lbs.
Stationary Platform - - - - - 902.0103.18 222 lbs.



4' ASSEMBLY, OPTION C

Top: 2 - 24"W x 24"H cages
Middle: 2 - 24"W x 18"H cages
Bottom: 1 - 48"W x 30"H double door cage
Without Platform - - - - - 902.0105.33 350 lbs.
Mobile Platform - - - - - 902.0105.34 370 lbs.
Stationary Platform - - - - - 902.0105.35 368 lbs.

5' STAINLESS STEEL CAGE ASSEMBLIES




5' ASSEMBLY, OPTION A

Top: 2 - 30"W x 30"H cages
Bottom: 2 - 30"W x 30"H cages
Without Platform - - - - - 902.0104.19 252 lbs.
Mobile Platform - - - - - 902.0104.20 275 lbs.
Stationary Platform - - - - - 902.0104.21 273 lbs.



5' ASSEMBLY, OPTION B

Top: 2 - 24"W x 30"H cages
Bottom: 1 - 60"W x 36"H double door cage
Without Platform - - - - - 902.0104.22 212 lbs.
Mobile Platform - - - - - 902.0104.23 235 lbs.
Stationary Platform - - - - - 902.0104.24 233 lbs.



5' ASSEMBLY, OPTION C

Top: 2 - 30"W x 24"H cages
Middle: 2 - 30"W x 24"H cages
Bottom: 2 - 30"W x 30"H cages
Without Platform - - - - - 902.0104.25 212 lbs.
Mobile Platform - - - - - 902.0104.26 235 lbs.
Stationary Platform - - - - - 902.0104.27 233 lbs.

⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

6' STAINLESS STEEL CAGE ASSEMBLIES

MOST POPULAR ASSEMBLY



6' ASSEMBLY, OPTION A

Top: 3 - 24"W x 30"H cages
Bottom: 2 - 36"W x 30"H cages

Without Platform	- - - - -	902.0105.36	314 lbs.
Mobile Platform	- - - - -	902.0105.37	345 lbs.
Stationary Platform	- - - - -	902.0105.38	343 lbs.

6' ASSEMBLY, OPTION B

Top: 2 - 36"W x 30"H cages
Bottom: 1 - 72"W x 36"H double door cage

Without Platform	- - - - -	902.0105.39	354 lbs.
Mobile Platform	- - - - -	902.0105.40	385 lbs.
Stationary Platform	- - - - -	902.0105.41	383 lbs.

6' ASSEMBLY, OPTION C

Top: 3 - 24"W x 24"H cages
Bottom: 1 - 48"W x 30"H double door cage, 1 - 24"W x 30"H cage

Without Platform	- - - - -	902.0105.42	385 lbs.
Mobile Platform	- - - - -	902.0105.43	349 lbs.
Stationary Platform	- - - - -	902.0105.44	347 lbs.

7' STAINLESS STEEL CAGE ASSEMBLIES



7' ASSEMBLY, OPTION A

Top: 2 - 30"W x 30"H cages, 1 - 24"W x 30"H cage
Bottom: 1 - 48"W x 30"H double door cage, 1 - 36"W x 30"H cage

Without Platform	- - - - -	902.0106.16	385 lbs.
Mobile Platform	- - - - -	902.0106.17	419 lbs.
Stationary Platform	- - - - -	902.0106.18	417 lbs.

7' ASSEMBLY, OPTION B

Top: 2 - 30"W x 30"H cages, 1 - 24"W x 30"H cage
Bottom: 1 - 36"W x 30"H cage, 2 - 24 x 30"H cages

Without Platform	- - - - -	902.0106.19	377 lbs.
Mobile Platform	- - - - -	902.0106.20	411 lbs.
Stationary Platform	- - - - -	902.0106.21	409 lbs.

8' STAINLESS STEEL CAGE ASSEMBLIES



8' ASSEMBLY, OPTION A

Top: 4 - 24"W x 24"H cages
Bottom: 2 - 36"W x 30"H cages, 1-24"W x 30"H cage

Without Platform	902.0109.16	378 lbs.
Mobile Platform	902.0109.17	413 lbs.
Stationary Platform	902.0109.18	411 lbs.



8' ASSEMBLY, OPTION B

Top: 4 - 24"W x 24"H cages
Bottom: 2-48"W x 30"H double door cages

Without Platform	902.0109.19	436 lbs.
Mobile Platform	902.0109.20	471 lbs.
Stationary Platform	902.0109.21	469 lbs.



8' ASSEMBLY, OPTION C

Top: 4 - 24"W x 24"H cages
Middle: 2 - 36"W x 30"H cages, 1 - 24"W x 30"H cage
Bottom: 2 - 48"W x 30"H double door cages

Without Platform	902.0109.22	562 lbs.
Mobile Platform	902.0109.23	597 lbs.
Stationary Platform	902.0109.24	595 lbs.



8' ASSEMBLY, OPTION D

Top: 1 - 36"W x 30"H cage, 2 - 30"W x 30"H cages
Bottom: 1 - 60"W x 36"H double door cage, 1 - 36"W x 36"H cage

Without Platform	902.0109.25	450 lbs.
Mobile Platform	902.0109.26	487 lbs.
Stationary Platform	902.0109.27	485 lbs.

9' STAINLESS STEEL CAGE ASSEMBLIES



9' ASSEMBLY, OPTION A

Top: 3 - 36"W x 30"H cages
Bottom: 1 - 72"W x 36"H double door cage, 1 - 36"W x 36"H cage

Without Platform	902.0110.19	496 lbs.
Mobile Platform	902.0110.20	542 lbs.
Stationary Platform	902.0110.21	539 lbs.



9' ASSEMBLY, OPTION B

Top: 2 - 30"W x 30"H cages, 2 - 24"W x 30"H cages
Bottom: 1 - 48"W x 30"H double door cage, 2 - 30" W x 36"H cages

Without Platform	902.0110.22	456 lbs.
Mobile Platform	902.0110.23	494 lbs.
Stationary Platform	902.0110.24	492 lbs.



9' ASSEMBLY, OPTION C

Top: 2 - 30"W x 24"H cages, 2 - 24"W x 24"H cages
Middle: 2 - 30"W x 24"H cages, 2 - 24"W x 24"H cages
Bottom: 3 - 36"W x 30"H cages

Without Platform	902.0110.25	619 lbs.
Mobile Platform	902.0110.26	665 lbs.
Stationary Platform	902.0110.27	662 lbs.

⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

10' STAINLESS STEEL CAGE ASSEMBLIES



10' ASSEMBLY, OPTION A

Top: 4 - 30"W x 30"H cages
Bottom: 2 - 60"W x 36"H double door cages

Without Platform	- - - - -	902.0112.13	576 lbs.
Mobile Platform	- - - - -	902.0112.14	617 lbs.
Stationary Platform	- - - - -	902.0112.15	615 lbs.



10' ASSEMBLY, OPTION B

Top: 5 - 24"W x 24"H cages
Middle: 4 - 30"W x 24"H cages
Bottom: 1 - 72"W x 36"H cage, 1 - 48"W x 36"H double door cage

Without Platform	- - - - -	902.0112.16	743 lbs.
Mobile Platform	- - - - -	902.0112.17	790 lbs.
Stationary Platform	- - - - -	902.0112.18	787 lbs.



10' ASSEMBLY, OPTION C

Top: 5 - 24"W x 24"H cages
Middle: 4 - 30"W x 30"H cages
Bottom: 1 - 48"W x 30"H double door cage, 2 - 36"W x 30"H cages

Without Platform	- - - - -	902.0112.19	710 lbs.
Mobile Platform	- - - - -	902.0112.20	757 lbs.
Stationary Platform	- - - - -	902.0112.21	754 lbs.

12' STAINLESS STEEL CAGE ASSEMBLIES



12' ASSEMBLY, OPTION A

Top: 4 - 30"W x 30"H cages, 1 - 24"W x 30"H cage
Bottom: 1 - 72"W x 36"H double door cage, 2 - 36"W x 36"H cages

Without Platform	- - - - -	902.0114.13	644 lbs.
Mobile Platform	- - - - -	902.0114.14	722 lbs.
Stationary Platform	- - - - -	902.0114.15	719 lbs.



12' ASSEMBLY, OPTION B

Top: 6 - 24"W x 24"H cages
Middle: 4 - 30"W x 30"H cages, 1 - 24"W x 30"H cage
Bottom: 3 - 48"W x 30"H double door cages

Without Platform	- - - - -	902.0114.16	576 lbs.
Mobile Platform	- - - - -	902.0114.17	617 lbs.
Stationary Platform	- - - - -	902.0114.18	615 lbs.

14' STAINLESS STEEL CAGE ASSEMBLIES



14' ASSEMBLY, OPTION A

Top: 4 - 30"W x 30"H cages, 2 - 24"W x 30"H cages
Bottom: 1 - 72"W x 36"H double door cage, 1 - 60"W x 36"H double door cage, 1 - 36"W x 36"H cage

Without Platform	902.0117.13	813 lbs.
Mobile Platform	902.0117.14	877 lbs.
Stationary Platform	902.0117.15	874 lbs.

14' ASSEMBLY, OPTION B

Top: 7 - 24"W x 24"H cages
Middle: 4 - 30"W x 30"H cages, 2 - 24"W x 30"H cages
Bottom: 2 - 48"W x 30"H double door cages, 2 - 36"W x 30"H cages

Without Platform	902.0117.16	1002 lbs.
Mobile Platform	902.0117.17	1064 lbs.
Stationary Platform	902.0117.18	1061 lbs.

LOW STRESS CAGE OPTIONS

There are many accessories you can add to make Shor-Line cages even more low stress. All of these items can either be ordered when cages are built or as retrofits.

The standard latch is durable and gentle, but the Quiet Closing Latch (p39) is near silent. Available in single or double door. The Quiet-Time Cage Door Cover (p37) lets pets recover behind a blue, washable cover. Fold it up so you can peak at them.



Shor-Shelf® Cat Perching Shelf (p37) adds a 7"D shelf for feline lounging. Fits 18"W, 24"W and 30"W cages. Another option is the Kat Kave (p54) that provides a removable, washable concave bench that lets cats hide underneath and wiggle through the three openings or snuggle down in the concave top. Recommended for 30"W and larger cages.

INDUSTRY STANDARD CAGE SIZES

	Part	Weight
18" x 18"	902.1818.70	34 lbs.
18" x 24"	902.1824.70	40 lbs.
24" x 18"	902.2418.70	42 lbs.
24" x 24"	902.2424.70	47 lbs.
24" x 30"	902.2430.70	56 lbs.
24" x 36"	902.2436.70	63 lbs.
30" x 24"	902.3024.70	56 lbs.
30" x 30"	902.3030.70	64 lbs.
30" x 36"	902.3036.70	73 lbs.
36" x 24"	902.3624.70	70 lbs.
36" x 30"	902.3630.70	73 lbs.
36" x 36"	902.3636.70	79 lbs.
42" x 30"	902.4230.70 SD	79 lbs.
42" x 36"	902.4236.70 SD	83 lbs.
48" x 30"	902.4830.70 SD	92 lbs.
48" x 30"	902.4830.73 DD	95 lbs.
48" x 36"	902.4836.70 SD	101 lbs.
48" x 36"	902.4836.73 DD	103 lbs.
60" x 36"	902.6036.73 DD	162 lbs.
72" x 36"	902.7236.73 DD	198 lbs.

We can make almost any cage bank if you follow these guidelines: The width of each row needs to be the same. For example, two 24"W cages can sit on top of one 48"W cage. When deciding on how high to build cage banks, keep in mind those cleaning need to be able to reach to the back corners 28¼"D.

⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

OTHER CAGE OPTIONS



CUSTOMIZING STANDARD CAGES

You can provide extra function to your standard cages by adding a tempered glass back or creating pass through cages for an additional charge and longer lead time.

The Glass Back is a tempered glass set into a Stainless Steel frame (see left). It is perfect for adoption units.

The Pass Through cage (see right) has a Stainless Steel door on each side, allowing technicians on both sides of the cage wall to access the pet. This is ideal for active treatment holding areas.



SPECIALTY CAGES

ISOLATION/PARVO CAGE


Benefits:

Isolates potentially infectious patients from healthy patients and uses a unique drainage system that makes clean-up fast and easy.

Features:

- Easy-to-clean, disinfectant safe polyethylene cage shell.
- Raised floor system keeps the patient elevated, minimizing contact with their waste.
- Lexan door splatter guard and raised bottom retaining lip helps to contain liquids.
- Sloped rear drainage system.
- **Interior dimensions:** 35"W x 27½"H x 28"D.
- **Exterior dimensions:** 38¾"W x 31"H x 34"D (including drain).

Isolation/Parvo cage	925.3931.01	130 lbs.
Upper Isolation/Parvo Cage	925.3931.02	130 lbs.
2 Unit Isolation/Parvo Cage	925.3931.03	260 lbs



MOBILE TRANSPORT UNIT

Benefits:

Mobility and design allow this unit to be used for receiving and releasing patients, moving them, as a temporary holding kennel, or even as an emergency exam and treatment table.

Features:

- Built like the Shor-Line modular cages, the mobile transport unit is insulated and finished with polished stainless steel side and top panels.
- The universal door is designed for right-hand or left-hand opening.
- Large 5" heavy-duty corrosion resistant casters let you maneuver the unit easily through most door openings.
- All casters feature locking mechanisms to hold the unit stationary when not in use.
- Full width bar handle for easy control.
- **SPECS:** 40¾"W x 38"H x 30¾"D

Mobile Transport Unit	902.0001.50	119 lbs.
-----------------------	-------------	----------

⚠ **WARNING:** This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

PLASTIC CAGES

STANDARD PLASTIC CAGES

Benefits:

A cost-effective alternative approach to animal cages, the plastic cages are corrosion-resistant and constructed of technologically advanced materials for durability and sanitation. More durable and serviceable than fiberglass or wood/laminate dog cages.

Features:


- One piece, rotationally molded polyethylene eliminates stress points and adds overall uniformity and rigidity.
- Plastic material resists stains, daily exposure to disinfectants and makes clean up a snap.
- Urine retaining lip catches spills.
- Stainless steel doors and hardware.
- Optional raised PVC coated floors and high impact, polystyrene pans available.
- **Medium cage:** 24¼”W x 325/16”H x 28¾”D.
- **Large cage:** 48½”W x 34½”H x 28¾”D.
- Platforms sold separately on page 36.
- See “High Impact Pans for Plastic Cages” on page 36.



925.2430.12



925.4836.03



3-Unit Assembly
925.3000.02



2-Unit Assembly
925.1000.02



4-Unit Assembly
925.4000.12
(Floors + Pans included)



6-Unit Assembly
925.6000.12
(Floors + Pans included)

2 Unit Assembly	- - - - -	925.1000.02	175 lbs.
3 Unit Assembly	- - - - -	925.3000.02	160 lbs.
4 Unit Assembly	- - - - -	925.4000.02	148 lbs.
6 Unit Assembly	- - - - -	925.6000.02	222 lbs.
2 Unit Assembly with Floor and Pans	- - - - -	925.1000.11	190 lbs.
3 Unit Assembly with Floor and Pans	- - - - -	925.3000.12	163 lbs.
4 Unit Assembly with Floor and Pans	- - - - -	925.4000.12	152 lbs.
6 Unit Assembly with Floor and Pans	- - - - -	925.6000.12	244 lbs.
Medium Cage	- - - - -	925.2430.02	42 lbs.
Large Cage	- - - - -	925.4836.03	86 lbs.
Medium Cage with Floor and Pan	- - - - -	925.2430.12	51 lbs.
Large Cage with Floor and Pan	- - - - -	925.4836.13	85 lbs.

⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

PLASTIC CAGE ACCESSORIES

PLATFORM FOR PLASTIC CAGES

Benefits:

Two platform options. Casters provide easy maneuverability that aids in cleaning and bank rearranging. Adjustable feet in each leveling leg allows for easy leveling. Works with Plastic Cages (page 35).

Features:

- Platform comes in a black powder coat finish for durability.
- Choose 5" corrosion proof reinforced nylon locking casters with polyurethane wheels that will not "flat spot" or mar floors OR Stainless Steel leveling legs to complete your platform purchase.



48" Platform for Plastic Cages-	725.4800.01	24 lbs.
72" Platform for Plastic Cages-	725.7200.01	31 lbs.
Caster with Brake	086.5012.11	5 lbs.
Leveling Leg Adapter	702.0004.00	2 lbs.

DIVIDER FOR LARGE PLASTIC CAGES



Benefits:

This removable cage divider converts a large cage into two medium cages. Works with Plastic Cages only. (page 35).

Large Cage-	314.0535.01	12 lbs.
Large Cage with Floor+Pan-	314.0535.00	10 lbs.

HIGH IMPACT PAN FOR PLASTIC CAGES



Benefits:

Plastic cage pan makes cleanup simple and fast without disturbing the patient. Works with Plastic Cages only. (See page 35)

Features:


- Made of polystyrene.
- Ideal for patients experiencing containment problems.
- Fits below cage floor to collect fluids and waste from patients.

Pan	181.0018.00	6 lbs.
---------------	-------------	--------

PVC COATED FLOORS FOR PLASTIC CAGES

Benefits:

Raised floors slide into cage bottom, helping to keep patients clean and dry. Use two mediums for a large cage Works with Plastic Cages only. (page 35).



Medium Cage Floor with Legs-	725.2128.01	12 lbs.
Medium Cage Floor without Legs	725.2128.00	10 lbs.

STAINLESS STEEL CAGE ACCESSORIES

END & TOP PANELS



Benefits:

Top and End Panels are the easiest way to give your individual cage or cage assemblies an attractive, one piece finished look.

Features:

- Constructed of the same high-quality Stainless Steel used on the cage itself.
- End and Top Panels are ordered separately and are easily attached at your facility.

End Panels for 18"H Cage	- - -	802.0018.51	10 lbs.
End Panels for 24"H Cage	- - -	802.0024.51	12 lbs.
End Panels for 30"H Cage	- - -	802.0030.51	14 lbs.
End Panels for 36"H Cage	- - -	802.0036.51	16 lbs.
Top Panel for 18" Cage	- - -	802.1800.00	10 lbs.
Top Panel for 24" Cage	- - -	802.2400.00	12 lbs.
Top Panel for 30" Cage	- - -	802.3000.00	14 lbs.
Top Panel for 36" Cage	- - -	802.3600.00	16 lbs.
Top Panel for 48" Cage	- - -	802.4800.00	18 lbs.
Top Panel for 60" Cage	- - -	802.6000.00	20 lbs.
Top Panel for 72" Cage	- - -	802.7200.00	23 lbs.

QUIET-TIME CAGE DOOR COVER



Folded View



Benefits:

Instead of hanging old towels over your cage doors to calm aggressive or nervous dogs, use Shor-Line Quiet-Time Cage Door Covers. Most dogs stop their nuisance barking when you block their visibility of people and other animals. Quiet-Time Cage Door Covers provide some isolation and solitude for patients during treatment or recovery.

Features:

- Color-fast blue nylon construction is stain and snag resistant.
- 3" deep pocket fits snugly over the top of door and secured with plastic snaps.
- Clear vinyl window to display client/patient information.
- Machine washable.

24"W x 24"H Cage Door	- - - - -	179.2424.00	1 lbs.
24"W x 30"H Cage Door	- - - - -	179.2430.00	1 lbs.
30"W x 30"H Cage Door	- - - - -	179.3030.00	1 lbs.
36"W x 30"H Cage Door	- - - - -	179.3630.00	1 lbs.

SHOR-SHELF® CAT PERCHING SHELF



Benefits:

The removable Shor-Shelf® allows cats to follow their natural instinct to jump and perch above the floor.

Features:

- The shelf is 7" deep and adjusts to fit all 18", 24" and 30" wide cages.
- Unique flex-ends with special non-slip pads automatically adjust to taper of kennel—no drilling or modification of cage required.

Shor-Shelf® Cat Perching Shelf	- - - - -	802.0006.00	41 lbs.
--------------------------------	-----------	-------------	---------

⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

DIVIDER FOR DOUBLE DOOR CAGES



Benefits:

There are now two options for cage dividers--Stainless Steel or heavy duty ABS. Both cage divider provide a quick, affordable method to convert 48", 60" and 72" wide double door Shor-Line cage into two smaller units.

Features:

- Provides heavy-gauge Stainless Steel construction.
- The double-door latch system removes quickly and easily when you need to slide a large patient in or out of the cage.
- The bracket at the back of the cage holds the door snug to maintain secure separation between the cage spaces.

24"H Double Door Cage - 29"W x 21"H	- - - - -	802.0024.00	12 lbs.
30"H Double Door Cage - 29"W x 27"H	- - - - -	802.0030.00	14 lbs.
36"H Double Door Cage - 29"W x 33"H	- - - - -	802.0036.00	17 lbs.


PVC COATED CAGE FLOORS

Benefits:

Keeps patients dry and clean.

Features:

- 14 gauge perforated sheet steel
- Openings are approximately 3/8"-diameter after PVC coating.
- Non-toxic PVC coating is approximately 1/8" thick and seals entire floor.
- Floor height is approximately 2 1/4".



Floor, 18"W Cage	- - - - -	317.0098.00	11 lbs.
Floor, 24"W Cage	- - - - -	317.0098.01	20 lbs.
Floor, 30"W Cage	- - - - -	317.0098.02	25 lbs.
Floor, 36"W Cage	- - - - -	317.0098.03	28 lbs.
Floor, 48"W Single Door Cage	- - - - -	317.0098.04	33 lbs.
Floors, 48"W Double Door Cage (2 pieces*)	- - - - -	317.0098.05	41 lbs.
Floors, 60"W Double Door Cage (2 pieces*)	- - - - -	317.0098.45	51 lbs.
Floors, 72"W Double Door Cage (2 pieces*)	- - - - -	317.0098.46	57 lbs.

* These cages require 2 pieces. Part numbers above are 1 piece; they are Double Door cages.

THERMAL FORMED ABS DIVIDER



Features:

- The ABS divider provides lightweight durability and cleaning ease.
- The formed handle makes one-handed opening and closing easy.

30"H Double Door Cage	- - - - -	802.0030.01	30 1/2" W x 27" H	1 lb.
36"H Double Door Cage	- - - - -	802.0036.01	30.688" W x 33" H	1 lb.


LIGHTWEIGHT CAGE MAT

Benefits:

Flexible PVC flooring lifts the pet off the cage floor by providing a smooth, cushioned surface that is easy to clean yet comfortable to the pet.

Features:

- Two-level grid provides a sturdy floor. Sits a little more than 1/2" off the cage floor.
- Smooth floor texture resists fur snags, making the pet more comfortable.
- Made from 100% Virgin PVC that inhibits growth of bacteria.
- Resists most acids, alkalines and oils so it will work with common veterinary and shelter cleaning practices.
- Features excellent sound absorption properties.
- Lifts easily for cleaning and hosing down...no heavy floors to lift.
- **Specs** : Available to fit standard Shor-Line cage sizes. The product will arrive cut to fit the ordered size. It will rest up against the cage sides and front.



Floor, 18"W Cage	- - - - -	170.0000.00
Floor, 24"W Cage	- - - - -	170.0000.01
Floor, 30"W Cage	- - - - -	170.0000.02
Floor, 36"W Cage	- - - - -	170.0000.03
Floor, 48"W Single Door Cage	- - - - -	170.0000.04
Floors, 48"W Double Door Cage (2 pieces*)	- - - - -	170.0000.05
Floors, 60"W Double Door Cage (2 pieces*)	- - - - -	170.0000.06
Floors, 72"W Double Door Cage (2 pieces*)	- - - - -	170.0000.07

⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

SQUEEZE RESTRAINT



Closed View

Benefits:

Puts non-cooperative patients in a secure but tighter space, creating a safer vaccination and treatment environment.

Features:

- The squeeze mechanism is designed with two 1" diameter Stainless Steel handles affixed to a wire door panel, similar to our cage doors.
- The push/pull system allows the squeeze restraint to gently ease the patient to the front of the cage for treatment.
- When the wire door panel is pushed to the back of the cage, the handles discreetly blend in with the cage frame.

24" x 18" cage	924.0200.00	19 lbs.
24" x 24" cage	924.0200.01	22 lbs.
24" x 30" cage	924.0200.02	25 lbs.
30" x 30" cage	924.0200.03	29 lbs.

STAINLESS STEEL LITTER PANS



Benefits:

Heavy-gauge Stainless Steel to provide easy care and cleanup.

12¾"W x 20¾"L x 4"H-	190.9000.03	4 lbs.
12¾"W x 10¾"L x 2½"H-	190.9000.08	2 lbs.

QUIET-CLOSING LATCH



Benefits:

The Silent Latch Mechanism eliminates noise and reduces animal stress. Can retrofit most Shor-Line cages.

Single Door	702.0030.52
Double Door	702.0030.51

STATIONARY PLATFORM FOR STAINLESS STEEL CAGES



See standard cage assemblies for applicable item numbers or call to speak with a sales representative about a custom configuration. (page 107)

Benefits:

Allows cleaning under cages and raises bottom cages to an easier access level.

Features:

- Adjustable feet in each leg easily facilitates leveling.
- For planning purposes, allow for a 9¼" height increase when adjustable feet are fully extended and an 8" height increase when they are not extended.
- 702.0004.00 Leveling Leg Adapter.

MOBILE PLATFORM



Height Reducing Platform available upon request. Recessed casters reduce overall height by about 4".

See standard cage assemblies for applicable item numbers or call to speak with a sales representative about a custom configuration. (page 107)

Benefits:

Platform provides easy maneuverability that aids in cleaning and bank rearranging. Easier access to bottom level cages.

Features:

- Large reinforced nylon casters and polyurethane wheels that will not "flat spot" or mar floors. Rotates 360° for easy maneuverability.
- All casters feature locking mechanisms to hold your kennel assembly stationary between moves.
- Allow 8½" height increase for mobile platforms when planning your space requirements.
- 086.5012.11 Caster with Brake.

⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

UNIVERSAL CAGE ACCESSORIES

CAGE VALETS



Benefits:
Holds medications, toys, collars, leads, ID cards and forms.

- Features:**
- Stainless Steel tension clip secures your patient's paperwork.
 - Polycarbonate material is crack and shatter resistant.

Small - 5½"W x 10½"H x 3"D - - - - - 915.0200.04 1 lb.
Large - 9"W x 15"H x 3"D - - - - - 915.0200.05 2 lbs.

CAGE VALETS FOR GLASS DOOR



Benefits:
Holds medications, toys, collars, leads, ID cards and notes.

- Features:**
- Four suction cups hold valet securely to the glass door.
 - Stainless Steel tension clip secures your patient's paperwork.
 - Polycarbonate material is crack- and shatter-resistant.

Small - 5½"W x 10½"H x 3"D - - - - - 915.0200.11 1 lb.
Large - 9"W x 15"H x 3"D - - - - - 915.0200.10 2 lbs.


RECORD HOLDERS



Benefits:
Keep your records and notes in order.

- Features:**
- Twist and turn method attaches holders easily to the horizontal bar of Shor-Line and most other wire cage doors.
 - Holders keep patient records securely attached to cage or kennel doors.

8½"W x 8¼"H Tension Clip - - - - - 802.0010.05 1 lb.
9"W X 12"H Tension Clip - - - - - 802.0010.06 2 lbs.



Benefits:
Quickly and easily identify your patients.

- Features:**
- Three-sided pocket holds an index card.
 - Twist and turn method attaches holders easily to the horizontal bar of most Shor-Line cages or other wire doors cages.

5"W x 3"H - - - - - 802.0000.01 1 lb.
8"W x 5"H - - - - - 802.0000.02 1 lb.

⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

CAT CONDOS AND SUITES

INTRODUCING THE NEW FELINE COMFORT SUITE

Shor-line is revolutionizing cat housing with the NEW Feline Comfort Suite. It's made from a unique fine-celled foam board that is strong yet gentle for feline paws.

We developed this with our customers and university thought leaders. It results in more open space and uses a Kat Kave instead of a shelf because cats want hiding and perching.



Premium, low-stress features fill the unit. You can choose between four door styles and an optional Viewing Dome. The Viewing Dome only works with the Tri-Door (shown below).

These units work like our former feline housing. You can mix and match litters and main units to produce housing assemblies. (See pages 42-45.) We recommend keeping double compartment housing because it is more beneficial to the cat. And, if you develop capacity issues, you can close off one or more of the portals.

Request a FREE consultation today by calling 800.444.1579.

NEED STORAGE?

You can add storage areas to the bottom, middle or top of almost any cage bank. You choose between doors or drawers and standard sizes of 12" or 24"H.



HOW TO BUY MODULAR CAT CONDOS + SUITES


You can go to the Shor-Line website (shor-line.com) and use the Feline Housing Configurator to build a unit. This is a helpful offline tool for reviewing your options.

MATERIAL


- **Stainless Steel Cat Suite.** Feline option. There are three Stainless Steel cat housing options. (See page 49.)
- **Durable Fine-Celled Foam Board.** This revolutionary new material is strong and durable yet impervious to moisture.




CONDO AND LITTER SIZES MAIN UNITS



24"W x 30"H x 28¾"D
(Interior dimension is 22½"W x 28½"H x 28"D)



30"W x 30"H x 28¾"D
(Interior dimension is 28½"W x 28½"H x 28"D)



42"W x 30"H x 28¾"D
(Interior dimension is 40½"W x 28½"H x 28"D)

DOORS




Clear, Polycarbonate Door. This has four oval-shaped diagonal slots for ventilation at the corners. This gives the feline and caregivers a direct view into the housing.



Tri-Panel Door. This has a Stainless Steel grill front with a wide Polycarbonate band to give the cat a clear view at eye level at the corners. This gives the feline and caregivers a direct view into the housing.




Full Grill Door. This is a full Stainless Steel door that gives optimum ventilation.



Optional Viewing Dome. The Tri-Panel Door ONLY can be fitted with a Viewing Dome on the left or right side for an additional charge. It allows the cat to poke its head in as enrichment.

LITTER AREA




18"W x 30"H x 28¾"D (Interior dimension is 22½"W x 28½"H x 28"D). All units use the same litter size—part Stainless Steel front with a Polycarbonate bottom with a record clip. (Note: there is no shelf in the litter.)

PLATFORMS


- Stationary Platform
- Mobile Platform

PASS THROUGH



Side-to-Side pass through comes standard on attached units. It includes a unique divider with a cleaner edge that removes debris as it slides through. It also allows you to keep the port open or closed.


BACK PANELS



Solid fine-celled foam board is standard.




Optional vents are an option available for an additional charge.




Plexiglass back is an option available for an additional charge.

STORAGE

All storage options can be 12" or 24"H. You can place the storage either in the middle or the bottom.




- **Door Storage.** Widths must match up with the assembly, and standard widths are 24", 30", 36", 42" or 48"W.



- **Drawer Storage.** Easy-sliding drawers span the width of the assembly. You can choose between one large drawer or two smaller matching ones. Standard sizes are 24", 30", 36", 42" or 48"W.

EDGE BANDING COLORS



VENTILATION OPTIONS

As options, Shor-Line provides both a passive and an active ventilation system for the Feline Comfort Suite. *You must order vents to be cut when you order the housing.*


PASSIVE VENTILATION

Two 3¾" vents in the main and one in the litter allow air to flow through the unit. We place them high to capture flow through all our door styles. Cost is per vent.



ACTIVE VENTILATION

An active ventilation system provides optimum air flow and circulation. This system attaches to your air system duct through a standard 4" diameter opening. The angled air registration column on the top unit fits snugly in the corner and in the top corner of the bottom unit (see picture), optimizing living space. A cover attaches magnetically, allowing you to easily remove it through the cage for cleaning, and the sturdy cover protects the column from feline mischief. The 4" diameter vents adjust with a screwdriver. Cost is per top or bottom unit.



STAINLESS STEEL FELINE HOUSING

We have expanded our Stainless Steel feline housing from the flagship Stainless Steel Cage Suite that we led the market introducing years ago to the latest Serenity Suite and Kat Portal assembly options.

STAINLESS STEEL CAT SUITE

Developed to reduce feline stress, this unit has quiet-closing latches, a polyethylene resting shelf in the main unit as well as a clear door and spacious litter area connected with a pull through pass through. (See page 49)

FELINE SERENITY SUITE

Introduced in 2019, this unit combines the best of the Stainless Steel Cat Suite with the new Feline Comfort Suite. It comes standard with the Tri-Door that provides ventilation and feline viewing. The extra-large 18" litter allows proper feline posturing and the whole unit is our most durable Stainless Steel for longevity and easy cleaning. (See page 49.)



BUILT-IN KAT PORTALS

Our popular Kat Portals also are available built into new Stainless Steel cages. This gives you housing flexibility from the start. (See page 55.)



CAT CONDO AND SUITE ASSEMBLIES

CAT CONDOS



3 1/2' WIDE CAT SUITE, OPTION A

2- 24"W x 30"H Tri-Door Main Units
2-18"W x 30"H Litters, includes pass throughs

Standard	- - - - -	929.0038.10	415 lbs.
Mobile	- - - - -	929.0038.11	452 lbs.
Stationary	- - - - -	929.0038.12	446 lbs.



3 1/2' WIDE CAT SUITE, OPTION B

2- 24"W x 30"H Tri-Door Main Units
2-18"W x 30"H Litters, includes pass throughs

Standard	- - - - -	929.0038.13	415 lbs.
Mobile	- - - - -	929.0038.14	452 lbs.
Stationary	- - - - -	929.0038.15	446 lbs.



4' WIDE CAT SUITE, OPTION A

2- 30"W x 30"H Tri-Door Main Units
2-18"W x 30"H Litters, includes pass throughs


Standard	- - - - -	929.0038.10	419 lbs.
Mobile	- - - - -	929.0039.11	456 lbs.
Stationary	- - - - -	929.0038.12	450 lbs.



4' WIDE CAT SUITE, OPTION B

2- 30"W x 30"H Tri-Door Main Units
2-18"W x 30"H Litters, includes pass throughs

Standard	- - - - -	929.0039.13	419 lbs.
Mobile	- - - - -	929.0039.14	456 lbs.
Stationary	- - - - -	929.0039.15	450 lbs.



4' WIDE CAT CONDOS

4- 24"W x 30"H Tri-Door Main Units
Includes pass throughs

Standard	- - - - -	929.0040.10	439 lbs.
Mobile	- - - - -	929.0040.11	476 lbs.
Stationary	- - - - -	929.0040.12	470 lbs.



5' WIDE CAT CONDOS

4- 30"W x 30"H Tri-Door Main Units
Includes pass throughs

Standard	- - - - -	929.0050.10	503 lbs.
Mobile	- - - - -	929.0050.11	540 lbs.
Stationary	- - - - -	929.0050.12	534 lbs.



6' WIDE CAT CONDOS

6- 24"W x 30"H Tri-Door Main Units
Includes pass throughs

- Standard - - - - - 929.0060.10 657 lbs.
- Mobile - - - - - 929.0060.11 456 lbs.
- Stationary - - - - - 929.0060.12 694 lbs.



7' WIDE CAT SUITES

4- 24"W x 30"H Tri-Door Main Units
4-18"W x 30"H Litters, includes pass throughs

- Standard - - - - - 929.0070.10 657 lbs.
- Mobile - - - - - 929.0070.11 456 lbs.
- Stationary - - - - - 929.0070.12 694 lbs.



7½' WIDE CAT CONDOS

6- 30"W x 30"H Tri-Door Main Units
Includes pass throughs

- Standard - - - - - 929.0075.10 753 lbs.
- Mobile - - - - - 929.0075.11 790 lbs.
- Stationary - - - - - 929.0075.12 784 lbs.



8' WIDE CAT SUITES

4- 30"W x 30"H Tri-Door Main Units
4-18"W x 30"H Litters, includes pass throughs


- Standard - - - - - 929.0080.10 987 lbs.
- Mobile - - - - - 929.0080.11 1024 lbs.
- Stationary - - - - - 929.0080.12 1018 lbs.



8' WIDE CAT CONDOS

8- 24"W x 30"H Main Units
Includes pass throughs

- Standard - - - - - 929.0088.10 875 lbs.
- Mobile - - - - - 929.0088.11 912 lbs.
- Stationary - - - - - 929.0088.12 906 lbs.



10' WIDE CAT CONDOS

8- 30"W x 30"H Tri-Door Main Units
Includes pass throughs

- Standard - - - - - 929.0010.10 833 lbs.
- Mobile - - - - - 929.0010.11 870 lbs.
- Stationary - - - - - 929.0010.12 864 lbs.

⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

10½' WIDE CAT SUITES

6- 24"W x 30"H Tri-Door Main Units
 6-18"W x 30"H Litters, includes pass throughs

- Standard - - - - - 929.0115.10 833 lbs.
- Mobile - - - - - 929.0015.11 870 lbs.
- Stationary - - - - - 929.0015.12 864 lbs.



12' WIDE CAT SUITES

6- 30"W x 30"H Tri-Door Main Units
 6-18"W x 30"H Litters, includes pass throughs

- Standard - - - - - 929.0120.10 987 lbs.
- Mobile - - - - - 929.0120.11 1024 lbs.
- Stationary - - - - - 929.0120.12 1018 lbs.



KAT KAVE



The two-level Kat Kave lets felines choose between lounging on the concave top or hunkering down in the “cave” section that opens on three sides. (Read more on page 54.)

VIEWING DOME



This is an option on the Tri-Door main unit only. The polycarbonate dome is 7¼” in diameter and sticks out 2¼” from the cage. You can place the dome on the left or right side of the cage.

STAINLESS STEEL CAT SUITE

Looking for the space of a Laminate Condo Suite in durable Stainless Steel? This Suite is for you. The Double Unit Stainless Steel Cat Suite provides 18.7 square feet of living space, meeting the new industry standards for feline housing! (9.35 square feet for our Single Unit)

Benefits:

Field-tested by felines and their caretakers! We developed this product with leading University thought leaders, reflecting the latest trends in animal housing. Stainless Steel construction provides the best surface for disinfection and an incredibly long service life. We've made this our quietest cage, designed to relieve the stress of the occupant, thus leading to a healthier and safer habitat.

Features:

- Patented Hinge Design: US Patent #7,805,808
- Stainless Steel door design features tight spacing near the latch, which discourages paw entrapment.
- Lockable door latch to prevent escapes.
- Quiet Closing Latch eliminates noise and creates a stress-free environment for patients.
- You can remove integrated compartment divider for cleaning.
- Grip allows you to open or close portals from the outside without opening cage doors or disturbing occupants.
- Interior polymer resting shelf and other components are made of chemical resistant Polyethylene (PE).
- **Specs:** 48"W x 30"H x 28¼"D or 36"W x 30"H x 28¼"D
- **Single Units:** End and Top Panels are not included, but may be purchased separately.
- **Double Unit:** End and Top Panels are included with purchase.
- Optional Quiet-Time Cover available. (See Page 53)



Single Unit, Main space 48"W	902.4830.22	200 lbs.
Single Unit, Main space 36"W	902.3630.20	190 lbs.
Double Unit with Mobile Platform	902.0103.24	440 lbs.

FELINE SERENITY SUITE



The Feline Serenity Suite offers the low-stress features of our Feline Comfort Suites in a Stainless Steel housing. The Tri-Door has grill at the top and bottom for ventilation and a polycarbonate band at pet eye level for a clear view. The quiet-closing latch provides a near-silent close.

The large (18"W) litter area is full cage height to allow proper elimination posturing, which reduces boarding stress. The grill on top gives ventilation and a polycarbonate bottom area offers a clip for records.

Premium features abound, including tight spacing at the latch to protect paws, rounded corners for easy cleaning and a Kat Portal to allow the pet to pass between litter and main units. Popular options include the Kat Kave that provides both lounging and hiding options and the Privacy Quiet-Time Cover to reduce stress in post-op or shy felines.

Standard main units are 24"W, 30"W or 42"W with an 18"W litter attached at left or right side. Tri-Doors are standard but Tri-Door with Viewing Dome or Polycarbonate doors are optional. All units are 28¼"D.

NEW!

3½' Unit, Main Space 24"W	902.0000.51
4' Unit, Main Space 30"W	902.0000.52
5' Unit, Main Space 42"W	902.0000.53

⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

SPECIALTY CAT HOUSING

KAT KLOWDER

Benefits:

This stylish structure lets potential adopters see the playful side of cats while giving you extra space. Shelters, rescues and disaster assistance organizations frequently take in clowders (groups of unrelated felines). This can be a holding area or become an adoption showplace.

Features:

- The polycarbonate panels provide a rugged but clear barrier that allows the cats to see out.
- It expands for ample room to set up feeding, watering and litter areas for feline comfort.
- The sliding doors make entry and exit simple, even with multiple cats. It can accept a lock.
- The back and side panels are made from PVC panels with a choice of beige (3530) or jade (7327), both considered “low-stress” colors. Other colors are available for additional time and cost.

NEW! IN TEAL



- Four resting benches attach in a zig-zag course across the back. This provides exercise and lounging for the resident cats.
- Resting benches are 20”W x 10”D and made from a fine-celled foam board that is impervious to moisture.
- PVC-coated mesh on the top, front and sides allow good ventilation and protection from corrosion. It also is strong enough to handle feline climbers.
- Openings also make a great option for attaching feline enrichment.
- You can transport the Kat Klowder to adoption events or remote locations, if you use a large-enough truck and secure it tightly.
- It is intended for indoor use.
- It is not constructed to withstand canine use or rough canine play.
- **Specs:** Standard size is 81”W x 22”D x 75”H. For additional lead time and cost, you can customize the panels with different PVC color or different clear vs color panels.
- Optional Kat Kaves, Stainless Steel Litter boxes and feeding bowls are available.



*Play area shown here without door

Benefits:

Create a playful, colorful environment for your feline friends with a large play area attached to four lounging quarters with feeding and sleeping space. Provides exercise without having to move the cats!

Features:

- Large center play area has two horizontal lookout shelves (6"W and two side resting benches (6"W).
- Spacious sleeping areas have attached litter/bedroom areas with pass thrus you can open or close from the outside.
- Optional color accents available through edge band colors shown on page 43.
- Total height as shown: 72"H, or 77"H with caster base.
- **Specs:** 4 - 30"W x 30"H main units each with attached 18"W litters; 4 - 24"W drawers and 2-12"W storage doors. All areas are 28 ¾"D. Play area is 24"W x 60"H.



Kat Play-Around™

KAT PLAY-AROUND™

Benefits:

Need a bigger place for cats to play? The Kat Play-Around lets cats climb, jump and play with the benefits of being safely enclosed.

The kennel has proven durability, standing up to anything a cat can bring. Yet its color and tempered glass options lets you showcase the frolicking felines, making the unit as good for your facility as it is for the cats.

Features:

- Sturdy Stainless Steel or galvanized steel frame with 1"-square welded tubing.
- 16-gauge single pin latch (can be locked).
- Two lower resting lounges and one large upper lookout perch.
- **Specs:** 49"W x 86½"H x 48"D. (Height includes caster base)
- Lower Lounges: 12"W x 24"D
- Lookout Perch: 26"W x 12"D

⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Low-Stress

SHOR-LINE


The growth of the low stress movement in veterinary medicine compares to the evolution of pediatric medicine when baby boomers started taking their children to pediatricians.

A kinder, gentler, "whole child" treatment concept emerged that benefited providers and patients alike.

Shor-Line started our Shor-Line Low Stress line of products about 10 years ago. Today, we offer more low stress products than ever with more coming.

MARK III LS EXAM TABLE

This combines an exam table with storage and a heated (93°F) table. Safety is built into the controller, and the popular low stress blue adds to the soothing atmosphere. See page 71.



FEAR FREESM EXAM TABLE

We developed this stationary exam table in conjunction with Dr. Marty Becker and Fear Freesm. It provides a heated surface and fold-down steps for the pet to walk up. Add a towel with the built-in clips. See page 67.



Heat Controller attaches to side



FEAR FREE
RECOMMENDED

MAKING PROCEDURES EASIER

FELINE LS SCALE

Our popular Feline Scale LS has high sides that let felines crouch down for comfort...and an accurate weight. Capacity is 44 lbs. See page 95.



ELITE GROOMING TUB



Ergonomics are built into this product. The dog can decide to walk up the stairs or you can set it inside. There are two placement options for the tub floor, and the restraint ring runs along the back to give the pet a sense of choice. See page 60.

SURGERY/POST-SURGERY



CLASSIC V-TOP SURGERY TABLE, HEATED

Our new + improved heated surgery table has a preset temperature (98.8°F) that helps maintain pet body temperature during surgery and anesthesia. See page 78.



WARMING PAD

Cats and small dogs lose heat more rapidly during surgery, and a cold pet is a stressed pet. The warming pad helps maintain body temperature. It is UL/CSA listed for safety. See page 98.



QUIET-TIME CAGE DOOR COVER

Washable, blue nylon cage cover can provide half or full privacy to nervous pets. This reduces stress post-surgery because the pet can "hide securely." See page 37.

BUILDING IN ENRICHMENT



VIEWING DOME

See page 48



QUIET-TIME DOOR COVER FOR STAINLESS STEEL CAT SUITE

SS Cat Suite - - - - - 179.3330.00 1 lb.

Benefits:

Give felines some privacy with the new Quiet-Time Door Cover. These covers allow a feline a sense of isolation and comfort during boarding, treatment or recovery.

Features:

- Color-fast blue nylon construction is stain and snag resistant.
- 3" deep pocket fits snugly over the top of door and secured with plastic snaps.
- Clear vinyl window to display client/patient information.
- Machine washable.

⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

HOUSING

KAT KAVE



Benefits:

The two-level Kat Kave lets felines choose between lounging on the top resting area or hunkering down in the “cave” section that opens on three sides. You will like how easy it is to disinfect and move to different cages. Cats like how warm and secure it makes them feel.

Features:

- Sits against the back side of the cage to allow felines to move through the three openings.
- Concave top resting shelf allows the feline to sink about an inch down to feel secure while enjoying the enrichment of a vertical space 14” off the cage floor.
- Feline experts agree that hiding places can provide an important coping mechanism to lower stress for cats. The lower level provides 18½” wide area to curl against, warming with the feline’s body heat.
- The front opening is 13¼”W x 8”H and the side openings are 8”W x 11½”H.
- The side opening aligns with the pass through for feline enrichment.
- The Kat Kave tapers from base to top, making them easy to stack.
- Made of durable, easy-to-clean polyethylene in black to match the cage hinges.
- It is lightweight (less than 3 lbs.), durable and easy to move.
- **Specs:** Overall 20¾”W x 14”H x 14¾”D. Both sides taper to a top concave resting bench of 18¾”W x 7½”D.

Kat Kave - - - - - 802.0007.01 3 lbs.

BITEGUARD KENNELPLEX™ DOOR



Benefits:

Pets like choice, and Biteguard KennelPlex™ door lets dogs choose when to go outside. It saves staff time and increases canine satisfaction. The door closes automatically, so minimizes the impact of an open door.

Features:

- Weather seals help minimize temperature shifts.
- Heavy-duty anodized aluminum frame for durability.
- Clear, shatter-resistant composite acrylic doors resist damage from sunlight, extreme temperatures and impact.
- Swinging doors allow large dogs to go through both doors and smaller dogs to pass through either side.
- Chew-proof with 5-year commercial warranty that includes a warranty against dog chewing destruction.
- Designed to reduce canine stress.
- **SPECS:** Available in two sizes:
- Rough opening 16.125”W x 24”H. Dog passage is 13.375”W x 24.375”H.
- Rough opening 16.125”W x 32.375”H. Dog passage is 13.375”W x 31.375”H.

16”W x 24”H - - - - - 909.0002.00 30 lbs.
 16”W x 32”H - - - - - 909.0002.01 32 lbs.

⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov



KAT PORTAL

Benefits:

Current research shows that felines benefit from having double compartment housing. The Kat Portal connects two Stainless Steel cages to allow the cat to move effortlessly from area to area. The sturdy ABS portal also includes a PVC spacer that helps protect the integrity of the Stainless Steel sides.

Features:

- Kat Portal creates an 8”-diameter opening with a 9½” lip.
- ABS door can close, providing flexibility to operate as two cages or make cleaning easier. Simple latch pin holds it in place.
- Template is available to ensure the holes cut are uniform. (One template must be purchased per order, and can be used on multiple installations.)
- Kat Portals can be purchased for retrofitting or for new cage purchases. We will cut the holes for you on new purchases.

Kat Portal (spacer included)	-	902.0000.25
Template	-	300.2229.00



PUPPY PORTAL

Benefits:

Small dogs and puppies in bonded groups also benefit from portalizing cages. The Puppy Portal connects two Stainless Steel cages to allow the canines to move effortlessly from area to area. The sturdy ABS portal also includes a PVC spacer that helps protect the integrity of the Stainless Steel sides.

Features:

- Puppy Portal creates an 10”-diameter opening with a 11½” lip.
- ABS door can close, providing flexibility to operate as two cages or make cleaning easier. Simple latch pin holds it in place.
- Template is available to ensure the holes cut are uniform. (Can be used on multiple installations but one purchase is required.)
- Puppy Portals can be purchased for retrofitting or for new cage purchases. We will cut the holes for you on new purchases.

Puppy Portal (spacer included)	-	902.0000.33
Template	-	300.2224.00



PRIVACY PANEL

This removable panel makes it easy to give nervous kennel guests some extra privacy. They get to hide, but you can still check on them.

- Small - 20¾"W x 27¾"H
- Large - 36"W x 27¾"H



SHOR-SHELF® CAT PERCHING SHELF

This is the perfect way to make smaller Shor-Line cages more feline friendly. The 7”W shelf fits 18”, 24” and 30”W cages. See page 37.



QUIET-CLOSING LATCH

This is the latch we use on our new Feline Comfort Suite because of its quiet closing. It can retrofit to most Shor-Line Type 3 cages. See page 39.

⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

KENNEL GEAR™ STAINLESS STEEL BOWLS

Benefits:

A clean and efficient food and water solution for all size animals.

Features:

- Manufactured from Stainless Steel for durability.
- Bowls are designed to be used with the various Kennel Gear Mounting Systems.

1 Pint Stainless Steel Bowl	- - - - -	041.0017.12	1 lb.
1 Quart Stainless Steel Bowl	- - - - -	041.0017.23	1 lb.
2 Quart Stainless Steel Bowl	- - - - -	041.0017.14	1.5 lbs.
Double 1 Pint Stainless Steel Bowl	- - - - -	041.0017.13	2 lbs.
Double 1 Quart Stainless Steel Bowl	- - - - -	041.0017.48	2 lbs.



041.0017.48

041.0017.12

KENNEL GEAR™ MOUNTING SYSTEMS

Features:

- A variety of mounting options available: door, surface and table.
- Kennel Gear Door Mounts fit most standard kennels.
- Two 3/4" thumbscrews are provided with door mounts.
- Table mount fits up to 3 1/2" thick tables.



Surface Mount, Aluminum	- - - - -	041.0017.16	1 lb.
Kennel/ Cage Bar Mount, Aluminum	- - - - -	041.0017.17	1 lb.
Kennel/Cage Bar Mount, Plastic	- - - - -	041.0017.39	1 lb.
Chain Link Fence Mount, Aluminum	- - - - -	041.0017.18	1 lb.
Universal (Grooming) Table Mount	- - - - -	041.0017.57	1 lb.

FELINE ECONOMY BOWLS + MOUNTING BRACKETS

Benefits:

Many felines prefer their food off the floor, so this Stainless Steel bowl and bracket attaches easily to a cage.

Features:

- Rounded Stainless Steel bowl reduces feline stress by making eating easier.
- It is available in 10 oz. bowl only.



890.0200.01

890.0200.01

10 oz. Feline Bowl + Bracket	- - - - -	890.0200.01
------------------------------	-----------	-------------

ECONOMY BOWLS + MOUNTING BRACKETS

Benefits:

Cost-effective Stainless Steel bowls and mounting options allow you to secure the bowls to the cage to help prevent bowls from being turned over, spilling food and water.

Features:

- Stainless Steel bowls are easy to clean and can sit on the floor or be combined with a bracket.
- Bowls nest for easy storage.
- Bracket attaches bowls to Shor-Line cage doors and other wire cage doors.
- The Stainless Steel bracket installs easily.
- Bowls and brackets are sold separately.



190.9000.09

190.9000.05

190.9000.06

1 Pint Stainless Steel Bowl	- - - - -	190.9000.09
1 Quart Stainless Steel Economy Bowl	- - - - -	190.9000.05
2 Quart Stainless Steel Economy Bowl	- - - - -	190.9000.06
1 Pint Economy Bowl Ring Bracket	- - - - -	702.0004.03
1 Quart Economy Bowl Ring Bracket	- - - - -	802.0002.00
2 Quart Economy Bowl Ring Bracket	- - - - -	802.0003.01

⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

GROOMING

GROOMING TABLES

We crafted our grooming tables with premium features that last for decades...and then we gave you the color you asked for just for fun!

BIG TOP™ GROOMING TABLE

Benefits:

Ergonomics were at the forefront when we developed this table. It effortlessly lifts the pet on a secure, coated table. The pivoting grooming arm adjusts to how YOU want to groom the pet. It's so durable that it will be your grooming partner for years! We're told it's the best in the industry.

Shor-Line tables are designed for animal use only.

Features:

- Pivoting grooming arm travels 180° around the end of the table. The arm locks into five positions horizontally, any position between 22" and 39" vertically and the loop hook has six position choices.
- Proprietary polyurethane coated table top provides a secure and comfortable surface for the pet. Plus, it's very durable and easy to clean.
- Smooth and quiet lifting system can be operated from both sides of the table.
- Silicone ball at end of arm protects pets and prevents floor damage.
- Other features include: leveling legs; powder coated heavy-gauge steel construction; actuator lifts up to 200 lbs. from 20" to 41" high and new, super-sized 48"L x 26"W table top.
- The ONLY CSA/UL certified grooming table.



903.3220.55

Electric Lift, Plum Perfect	- - - - -	903.3220.53	190 lbs.
Electric Lift, Screamin' Green	- - - - -	903.3220.55	190 lbs.
Electric Lift, Burnt Orange	- - - - -	903.3220.57	190 lbs.
Electric Lift, Electric Pink	- - - - -	903.3220.59	190 lbs.
Electric Lift, Silver Vein	- - - - -	903.3220.61	190 lbs.
Electric Lift, Shor-Line Blue	- - - - -	903.3220.63	190 lbs.
Hydraulic Lift, Plum Perfect	- - - - -	903.3220.65	145 lbs.
Hydraulic Lift, Screamin' Green	- - - - -	903.3220.66	145 lbs.
Hydraulic Lift, Burnt Orange	- - - - -	903.3220.67	145 lbs.
Hydraulic Lift, Electric Pink	- - - - -	903.3220.68	145 lbs.
Hydraulic Lift, Silver Vein	- - - - -	903.3220.69	145 lbs.
Hydraulic Lift, Shor-Line Blue	- - - - -	903.3220.70	145 lbs.

Colors Available



KENNEL GEAR™ PROFESSIONAL GROOMING CADDY

Benefits:

The Professional Grooming Caddy helps extend the life of your tools, keeps you organized and increases your productivity.

Features:

- The Professional Grooming Caddy comes with a Universal Table Mount that fits up to 3½" wide tables.
- Two large inner bays hold spray bottles or the Wahl Clipper Comb Tray, outer bays for combs, clippers, files and a specially designed graduated scissors slot.

KENNEL GEAR™ SPORT CADDY

Benefits:

This single-opening supply caddy increases your productivity.

Features:

- Constructed of durable polypropylene.
- Provides a convenient, accessible place for you to place supplies, tools and other items.
- Available in black or blue.



Blue with Plastic Bar Mount	- - - - -	041.0017.61	2 lbs.
Blue with Table Mount	- - - - -	041.0017.62	2 lbs.
Black with Table Mount	- - - - -	041.0017.20	2 lbs.



Professional Grooming Caddy - - - - - 041.0017.59 7 lbs.

⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

ELITE GROOMING TABLE

Benefits:


Ergonomics were at the forefront when we developed this table. It effortlessly lifts the pet on a secure, coated table. The pivoting grooming arm adjusts to how YOU want to groom the pet. It's so durable that groomers retrofit non-Shor-Line tables with this arm!

Shor-Line tables are designed for animal use only.

Features:

- The ONLY CSA/UL certified grooming table on the market.
- Pivoting grooming arm travels 180° around the end of the table.
- The arm locks into five positions horizontally, any position between 22" and 39" vertically. The loop hook has six position choices. All features allow the groomer to operate the table efficiently and comfortably.
- Proprietary polyurethane coated table top provides a secure and comfortable surface for the pet. Plus, it's durable and easy to clean.
- You can operate our smooth and quiet lifting system from both sides of the table.
- Bright color lasts because of the powder coated, heavy-gauge steel construction.
- Silicone ball at end of grooming arm protects pets and prevents floor damage.
- The actuator lifts up to 200 lbs. from 20" to 41" high.
- **Specs:** Large 26"W x 42.44"L table top.

Colors Available



Hydraulic Lift, Plum Perfect	- - - - -	- 903.3220.36	137 lbs.
Hydraulic Lift, Screamin' Green	- - - - -	- 903.3220.37	137 lbs.
Hydraulic Lift, Burnt Orange	- - - - -	- 903.3220.38	137 lbs.
Hydraulic Lift, Electric Pink	- - - - -	- 903.3220.39	137 lbs.
Hydraulic Lift, Silver Vein	- - - - -	- 903.3220.11	137 lbs.
Hydraulic Lift, Shor-Line Blue	- - - - -	- 903.3220.44	137 lbs.
Electric Lift, Plum Perfect	- - - - -	- 903.3220.19	187 lbs.
Electric Lift, Screamin' Green	- - - - -	- 903.3220.20	187 lbs.
Electric Lift, Burnt Orange	- - - - -	- 903.3220.21	187 lbs.
Electric Lift, Electric Pink	- - - - -	- 903.3220.22	187 lbs.
Electric Lift, Silver Vein	- - - - -	- 903.3220.10	187 lbs.
Electric Lift, Shor-Line Blue	- - - - -	- 903.3220.42	187 lbs.



GROOMING

ANATOMY OF A GROOMING TABLE



⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

GROOMING TUBS

SMALL ANIMAL BATHING TUB

Benefits:

The perfect tub for your smaller animals! The Small Animal Bathing Tub has ergonomics in mind with bathing height of 29" after you set the pet over the 36" lip onto the Stainless Steel grill. The supply caddy keeps everything you need within reach.

Need the tub higher? Sturdy tubular legs can adjust the height and then anchor the tub with triangular Stainless Steel flat feet flush against a wall or corner. The high backsplash keeps the water in the tub.

Features:

- This sturdy tub will last for decades. It's fabricated from 18-gauge Stainless Steel and strengthened with a tubular frame.
- Adjust the height of the Stainless Steel tubular legs with new Stainless Steel triangular feet that feature two mounting holes to secure the tub to the floor.
- The triangular feet allow you to mount the tub directly against the wall or corner.
- The grill sits 4" off the tub floor.
- Backsplash is 30"W x 27"H from the bottom of the tub. Left and right side splashes are 24"L x 27"H.
- Stainless Steel Tie-Down Ring mounted on backsplash.
- Mounting holes centered on the backsplash and side splashes on 4" centers for optional plumbing fixture with sprayer handle and Supply Caddy.
- **Includes:** Stainless Steel Supply Caddy, 4"H Stainless Steel grill floor, plastic Hair Strainer Insert and plugs for mounting holes not in use.
- **Specs:** 52"H x 30"W x 24"L. Tub is 11" deep and the lip of the tub is 36" (counter-height) from the floor.
- Plumbing fixtures not included.



Small Animal Bathing Tub - - - - - 904.0752.30 367 lbs.

CLASSIC GROOMING TABLE

Benefits:

This basic grooming tub is filled with features. Durability comes standard with a sturdy tube frame construction strengthening the one-piece backsplash. Adjustable feet make it durable whether it is freestanding or placed against a wall.

Features:

- Constructed with radiused corners along all the corners of the tub (the ONLY one on the market to do so!)
- 45° angles on the front edges add safety and aesthetic appeal.
- Move the included PVC Coated Tub Floors onto the rails to raise the grooming platform and help reduce strain on your back.
- Sliding restraint ring design allows you to turn dogs around without detaching the safety lead.
- Use the Supply Caddy or remove it, using the two provided plugs.
- **Includes:** Supply Caddy, 2 PVC Coated Tub Floor Panels, Plastic Hair Strainer Insert and Restraint Rings.
- **Specs:** 60"H x 55¼"W x 24"D
- Plumbing fixtures not included.



Left Hand Drain - - - - - 904.0702.35 367 lbs.

Right Hand Drain - - - - - 904.0702.34 376 lbs.

⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

ELITE GROOMING SHOWER

Benefits:

Bathing animals is easier with the new Elite Grooming Shower. This shower's sturdy Stainless Steel tube frame construction—one piece-backsplash and adjustable feet—make it sturdy whether it's free-standing or placed against a wall.

Features:

- Constructed of durable Stainless Steel and crafted with radiused corners along all the corners of the shower (the ONLY shower to do so!).
- 45° angles on the front edges add safety and aesthetic appeal.
- Sliding restraint ring design allows you to turn dogs around without detaching the safety lead.
- Use the Supply Caddy or remove it, using the two provided plugs.
- **Includes:** Supply Caddy, 2 PVC Coated Floor Panels, Plastic Hair Strainer Insert and Restraint Rings.
- **Specs:** 56"W x 50½"H x 24½"D.
- Plumbing fixtures not included.



Right Hand Drain 904.0702.32 367 lbs.
 Left Hand Drain 904.0702.33 367 lbs.

ELITE GROOMING TUB



Benefits:

Washing animals gets a little easier with the new Elite Grooming Tub. This tub's durable construction features the same 1"-square tube frame as our cages. The frame adds strength to the one-piece backsplash, and adjustable feet let you place on most any surface. The Stainless Steel tub stays stable whether it's free-standing in a room or placed against a wall.

Features:

- Constructed with radiused corners along all the corners of the tub. (The ONLY on the market to do so!)
- 45° angles on the front edges add an element of safety and aesthetic appeal.
- Steps slide in and slide out with the touch of your foot, allowing you to keep your hands free and not bend down.
- Slip resistant tread on steps.
- PVC Coated Tub Floors have the option of a floor panel set upon the rails to raise the showering platform to an ergonomic showering level.
- Door is completely removable and features the hinges that are used on our cages.
- Door latch is easy to use and constructed of the same long lasting material as our hinges.
- Sliding restraint ring design allows dogs to be turned around in the tub without detaching the safety lead.
- Removable Supply Caddy comes with 2 plugs to close unused mounting holes.
- **Includes:** Supply Caddy, 2 PVC Coated Tub Floor Panels, Hair Trap
- Drain Insert and Restraint Ring.
- Plumbing fixtures are not included and may be purchased separately.
- **Specs:** 55¼"W x 60"H x 24"D

OUR MOST POPULAR GROOMING TUB

Left Hand Door, Right Hand Drain 904.0702.40 367 lbs.
 Right Hand Door, Left Hand Drain 904.0702.41 367 lbs.

⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

GROOMING ACCESSORIES

PVC COATED TUB FLOORS

Benefits:

Our tub floors provide sure footing for pets while bathing or dipping. The notched floor piece features easy drain access.

Features:

- Designed to be used in our Elite Grooming Shower or Tub and Classic Grooming Tub. Use two pieces per tub or shower—one solid and one with a notch. **Note:** The products listed above come standard with this set of floors
- Floor is coated with approximately 1/8" thick non-toxic PVC coating, which is approved for animal use.
- Sturdy frame and 3 3/4" legs with a heavy-gauge perforated sheet steel.
- Openings are approximately 3/8" diameter after PVC coating.



30"L Grill Floor Piece, Solid - - - - - 317.0098.57
 30"L Grill Floor Piece, with Notch - - - - - 317.0098.58


LIGHTWEIGHT TUB MAT

Benefits:

The lightweight tub floor can retrofit any Classic Grooming Tub, Elite Grooming Shower or Tub. Pets will like how secure their paws feel and you will like how easy it is to lift up and hose off.

Features:

- Two-level grid provides a sturdy, non-porous floor. It sits a little less than 1/2" off the tub floor.
- Microtextured floor surface gives the pet a secure grip for lower stress and less injury.
- Made from a flexible PVC that inhibits growth of bacteria. It also contains both an anti-bacteria sanitized additive and an anti-fungal sanitized additive.
- Comes in standard blue with black ribs.



20"W x 52"L - - - - - 170.0000.08 4 lbs.

ANTI-FATIGUE MAT

Benefits:

Thick anti-fatigue mat to help minimize leg and back discomfort common after long hours of grooming.

Features:

- Constructed of dual-density, closed-cell foam that distributes your weight without feeling "unstable."
- Gives your muscles a break as they adjust to the flexibility of the mat, promoting circulation.
- Mats are 1/2" thick with tapered and rolled edges.
- Embossed pebble surface with a black color. You can clean it easily with soap and water.



48"W x 24"L - - - - - 803.0100.05 5 lbs.
 36"W x 24"L - - - - - 803.0100.07 7 lbs.

GROOMING ARM

Benefits:

The Grooming Arm is a great item that works with other kinds of equipment. When other arms collapse under pressure, the Grooming Arm stays strong.

Features:

- Arm made out of 1", 11-gauge Stainless Steel.
- 1" square tube holds up when other arms collapse under pressure.
- Pivoting Grooming Arm travels 180° around the end of the table.
- The arm locks into five positions horizontally, any position between 22" and 39" vertically and the loop hook has six position choices.
- Retrofit arm sits into the bracket shown. Support bracket attaches to the frame for added strength and durability.
- Shor-Line Grooming Arm fits many competitive tables. Check with a sales rep for the best fit for your retrofit.



(Picture shows how it attaches, but only the grooming arm is included.)

Retrofit Grooming Arm - - - - - 803.3221.06 6 lbs.

⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov



Features:

- 12" swing-away nozzle and self-closing spray head.
- Flexible, 8" Stainless Steel hose extends for easy cleaning of those hard to reach areas.
- Wall mount hanger hook holds hose and spray head when not in use.

Stainless Steel Hose 804.0006.10 12 lbs.




Features:

- Lightweight spray head provides less fatigue when bathing pets.
- Flexible hose extends for easy cleaning of those hard to reach areas.
- Wall mount hanger hook holds hose and spray head when not in use.

Coil Hose 804.0006.72 8 lbs.

SPILL RESISTANT VACUUM BREAKER



Benefits:

Designed to prevent contamination of potable water due to back-siphonage. Required for any municipality governed by USC regulations for faucets with continuous pressure spray hoses.

Features:

- Now lead free!
- In-line flow design with integral shut-off valves.
- Approved under ASSE 1056, CSA and USC FCCC and HR.

Spill Resistant Vacuum Breaker 804.0015.00 2 lbs.

HAIR INTERCEPTOR



Features:

- Removeable plastic filtering system.
- Intercept the fur before it clogs your plumbing!

Hair Interceptor 704.0702.26 8 lbs.

BACKFLOW PREVENTER AND 3/8" VACUUM BREAKER



Features:

- 3/8" diameter IPS male inlet and female outlet.
- Double check design prevents back flow.
- 2-3/8" length from top to bottom.
- Comes standard with 804.0006.72.
- This is a replacement part.

Backflow Preventer and 3/8" Vacuum Breaker 804.0006.56 8 oz.

SINK DRAIN KIT WITH STRAINER BASKET



Features:

- 3½" in diameter.
- Recessed sink drain kit for tub tables.
- Comes with strainer basket.

Sink Drain Kit + Strainer Basket 804.0008.25 1 lbs.

⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

DRYER CAGES

DRYER CAGES

Benefits:

Patented heat-free drying method eliminates burns and dehydration while providing a speedy drying time.

Features:

- Designed with two high volume fans placed on opposite ends of the assembly. These fans act to create turbulence, which lifts and dries the pet's coat while removing the loose undercoat.
- Fan guards at both ends protect paws from fan blades, and multi speed settings let you determine how fast the airflow dries patients.
- All fans are UL listed and feature OSHA compliant guards.
- Rounded corners throughout prevent bacterial buildup, making a healthier environment for animals and staff.
- Fluid-retaining lip prevents urine or other leakage.



926.2000.02



926.3000.03



926.4836.01

- Removable PVC coated floors included.
- Wide doors mean easier animal entrance and exit.
- **Double unit** includes a mobile double large dryer cage on the bottom with another double large dryer cage on the top.
- Includes a removable cage divider gives you the option of drying two smaller animals at one time.
- **Triple unit** is equipped with stacking plastic cages for holding areas leaving you free to dry the next animal.
- Locking caster base provides instant portability.
- **Specs:** Single Unit is 48" x 36". Double Unit is two 48" x 36" cages stacked. Triple Unit is one 48" x 36" cage with two smaller holding cages stacked above. Each cage compartment is a one-piece mold of high-density polyethylene with a 3/16" thick wall. 25½"H x 44¼"W x 28"D. Maximum total air volume is 3,560 CFM. Requires 120V AC, 1.4 AMPS per fan.

Single Unit	- - - - -	-926.4836.01	129 lbs.
Double Unit	- - - - -	-926.2000.02	258 lbs.
Triple Unit	- - - - -	-926.3000.03	205 lbs.

⚠ **WARNING:** This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

TABLES

EXAM TABLES

Your exam tables tell a lot about your practice.

Set the table for positive client interactions with clean elegance.

There is a Shor-Line table to meet every need. Whether you are building a new business or updating an existing facility, a Shor-Line exam table is the symbol of quality and beauty. See how practicality meets sophistication in our product line.

BLUE-LINE ROTATIONAL LIFT TABLE (RLT)

Benefits:

The Rotational Lift Table (RLT) is the hardest working table you never knew you couldn't live without. While the table does the work, you converse with your customers. The table gives the pet a quick ride, saves your back and your customer is impressed.

You will never stop finding new ways to get more out of this table. And, it will last for decades.

Shor-Line tables are designed for animal use only.

Lifts them up

- Starts at 9½" (approx. length of the average female foot).
- Maximum lift height is 47¾".
- Powerful actuator can lift up to 200 lbs.
- Ultra-quiet lift takes pet to counter height (36") in about 20 seconds.

Peninsula Mode engages pet parents

- With only 22½" between you and your customer, you are partnering on caring for the pet.
- The length (44½") gives you good animal control.

Lateral Mode creates extra safety and control

- Pet is only 22½" from backboard.
- Tiedown rails on both sides to secure patient, if needed.
- For nervous or aggressive patients, the backboard provides secure positioning for pet and vet.
- Clears the area when treating giant breeds on floor.

Easy adjustability and functionality

- Quickly adjusts from lateral to peninsula between patients, locking in place.
- Safety is built in with descending motion stopping when it encounters an obstacle.
- Blue-Line table top has radius corners and laminated polyurethane edging that can hold up to a liter of fluid.

Comes fully equipped

- Two wireless remote controllers.
- One wireless foot control.
- Manual up/down switch.
- On/Off key switch to lock unit.


Features:

- Actuator: 120V, 15 amps. (available in 240V)
- Stainless Steel table top.
- Table size: 44½"L x 22½"W x 1"H
- Maximum footprint: 44"W x 82½"H x 56"D
- Base mounting: Heavy-duty, low-profile base mounting plate minimizes obstructions under table.
- Wall mounting: Mounts to any concrete surface of 4" or greater or any 2" x 4" reinforced wooden stud wall with 16" or 24" stud centers.
- Power outlet: Located in rear of unit.
- Available with K9-W8 scale. See scale section for features.



Mounted Scale Readout Option

913.3330.00



BLUE-LINE COLORS



RLT, Standard Blue	903.3330.00	892 lbs.
RLT, Jade	903.3330.01	892 lbs.
RLT, Taupe Gray	903.3330.02	892 lbs.
RLT, Black	903.3330.03	892 lbs.
RLT with Scale, Standard Blue	903.3331.00	905 lbs.
RLT with Scale, Jade	903.3331.01	905 lbs.
RLT with Scale, Taupe Gray	903.3331.02	905 lbs.
RLT with Scale, Black	903.3331.03	905 lbs.

⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

LIFT TABLES

GET A LIFT

A lift table shifts the wear and tear of repeated lifting from you and your staff to a machine. Go mobile or pick a stationary lift table.

COJACK® MULTI-PURPOSE TABLE

Benefits:

All your patient lifting, exam, transport and surgical procedures in one table. Another of the Shor-Line Back-Saving products, the CoJack® Multi-Purpose Table offers more than just years of service. It offers the budget conscious the opportunity to own a sturdy table that can lift, tilt and transport without the clutter of numerous tables that serve just one function.

Shor-Line tables are designed for animal use only.

Features:

- 60”L x 22”W Stainless Steel table top with raised edge to channel fluids to drain opening.
- Top raises from 14” to 40” with a 60° tilt capability.
- Four sliding tie-down restraints.
- Four corrosion resistant, 360° swivel and total locking casters with non-marring polyurethane wheels.
- Lift/Tilt rocker switch selection is activated by a foot pedal.
- Rechargeable 24-volt actuator system lifts up to 250 lbs.



CoJack® Multi-Purpose Table - 903.3130.00 281 lbs.

Mounted Scale Readout Option



903.5740.01

EXAM ASSIST LIFT TABLE (E-ALT)

Benefits:

Focus on the pet and let your foot operate the lift. The gentle start and stop helps keep everyone calm.

Shor-Line tables are designed for animal use only.

Features:

- Lifts patients up to 300 lbs.
- Exam surface travels from 6-1/3” to 33-7/8” high.
- The backboard is 45-1/8”W x 49-1/16”H x 37¾”D. The unit will be 37¾” from the wall at its deepest point when installed.
- Backboard has two restraint bars with adjustable, locking cam cleats for patient restraint, allowing restraint at different positions along the bar.
- The lateral design of the table lets you securely position the animal against the backboard and use the tie-down fixtures if you need to restrain a fractious patient.
- **Specs:** Exam surface is 44½”W x 22”D.
- **Available with K9-W8 scale. See scale section for features.**

Table - 903.5740.00 280 lbs.

Table with Scale - 903.5740.01 305 lbs.

⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

MOBILE ANIMAL LIFT TABLE

Benefits:

The multi-functional Mobile Animal Lift Table solves your lifting, exam and treatment issues, especially for injured and Post-Op patients.

Shor-Line tables are designed for animal use only.

Features:

- Foot switch engages a quiet, battery-operated rechargeable actuator system that lifts up to 200 lbs.
- Table top raises from 10¾" to 37¾" high.
- Stainless Steel exam top is 44½"L by 20"W with raised edges to prevent fluid run-off.
- Mobile Animal Lift table features two tie-down restraint cleats on each side of the table that can be used to restrain a fractious patient.
- Corrosion resistant reinforced nylon locking casters and rotating non-marring bumpers.
- Available with K9-W8 scale. See scale section for features.

Mounted Scale
Readout Option



903.3120.02

Table - - - - - 903.3120.00 187 lbs.
Table with Scale - - - - - 903.3120.02 278 lbs.

ECONOMY LIFT EXAM TABLE

Benefits:

A great lift exam table for the budget conscious.

Shor-Line tables are designed for animal use only.

Features:

- "Super-sized" Stainless Steel exam top, 46" x 25".
- Lifts up to 250 lbs.
- Table top raises from 20" to 41" high.
- Electric version available in 240V as well.

Hydraulic - - - - - 903.1240.02 187 lbs.
Electric, 120V - - - - - 903.1240.00 206 lbs.



903.1240.00

Hydraulic
option

FEAR FREESM TABLE

Benefits:

This new stationary exam table takes the next step in giving the pet a gentle, calming exam experience. The dog can choose to walk up secure, fold down stairs to a warm exam top with a comfy towel.

Features:

- Developed in conjunction with Dr. Marty Becker and Fear Free(sm), which aims to provide a relaxing environment to encourage calmer, more accepting patients.
- Heated Stainless Steel exam top maintains a factory-set temperature (94°F, 34.4°C) with three timed cycle options (60, 90, 120 minutes). The temperature is NOT adjustable.
- There is a built-in alarm and shut off to alert you to an overheating situation.
- 4½"W clips at either end of the table let you attach a washable towel in a soothing color.
- Non-slip stairs (four steps) fold down and gently settle on the floor with rubber feet, decreasing noise. It operates with fingertip ease, allowing you to focus on the pet.
- Toe kicks (3") around the sides and front of table allow you to comfortably be closer to the table.
- The Fear Free badge indicates this table is part of a Fear Free practice.
- Comes standard in light blue.
- Specs: 27"W x 40"L x 36"H.



**FEAR FREE
RECOMMENDED**

Fear FreeSM Table - - - - - 903.1800.10 290 lbs.

⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

FOLD-UP WALL MOUNT TABLES

Feel the difference.

Our Fold-Up Wall Mount tables are the ONLY table on the market with radiused corners. Feel the machine-formed corners and see how our skilled team creates a lip to help prevent runoff.

BLUE-LINE FOLD-UP WALL MOUNT EXAM TABLE



Benefits:

Blue-Line Wall Mounts provide a creative splash of color to a sturdy, Stainless Steel table filled with versatile features. The Blue-Line Fold-Up Wall Mount Table offers extra stability and elegance while maximizing valuable floor space with the industry approved Shor-Line wall mount design.

Shor-Line tables are designed for animal use only.

Features:

- The ONLY Fold-Up Wall Mount with radiused corners.
- Laminated polyurethane edging holds up to one liter of fluid.
- Torsion spring technology allows you to easily and safely raise and lower the table.
- Wall Mount allows you to set the height to your ergonomically correct working height.
- Weight capacity: 200 lbs. when installed based on manufacturer's recommendations.
- Table mounting template included.
- **Specs:** Table Top is 44½”L x 22½”W x 1”H. Five inches from the wall when folded up. Easy to mount to any standard 2” x 4” reinforced wooden stud wall with 16” or 24” stud centers.
- Also compatible with our Stainless Steel Utility Chase.
- Cabinet mounting option and Specialized Cabinetry available.



Lateral, Standard Blue	- - - - -	903.1530.04	102 lbs.
Lateral, Jade	- - - - -	903.1530.05	102 lbs.
Lateral, Taupe Gray	- - - - -	903.1530.06	102 lbs.
Lateral, Black	- - - - -	903.1530.07	102 lbs.
Peninsula, Standard Blue	- - - - -	903.1531.04	99 lbs.
Peninsula, Jade	- - - - -	903.1531.05	99 lbs.
Peninsula, Taupe Gray	- - - - -	903.1531.06	99 lbs.
Peninsula, Black	- - - - -	903.1531.07	99 lbs.

FOLD-UP WALL MOUNT EXAM TABLE



Peninsula

Benefits:

Maximize valuable space with our Fold-Up Wall Mount Table featuring an attractive laminated underside. Torsion Spring Technology allows you to easily and safely raise and lower the table.

Shor-Line tables are designed for animal use only.

Features:

- The ONLY folding table on the market with radiused corners.
- 200 lbs. capacity.
- Adjustable top allows for exact leveling of the work platform.
- Cabinet mounting option and Specialized Cabinetry available.
- **Specs:** 20 gauge Stainless Steel exam table is 44”L x 22”W with raised edge to prevent fluid run off.
- **Optional** laminate top available.

Peninsula 903.1130.04 91 lbs.



STATIONARY WALL TABLES

Stationary Wall Mounts offer a clean, attractive Stainless Steel exam table for positive customer interaction.

STATIONARY WALL MOUNT EXAM TABLE



Benefits

Large exam surface with storage drawer. The wall mount design leaves floor space open.

Shor-Line tables are designed for animal use only.

Features:

- Extra-large Stainless Steel exam surface, 46”L x 22”W.
- Storage drawer is 11”W x 15½”L x 4¼”H.

Stationary Wall Mount Exam Table - - - - - 903.1030.00 77 lbs.

BLUE-LINE STATIONARY WALL MOUNT EXAM TABLE



Benefits:

Simplicity at its best. This Blue-Line table injects a sophisticated splash of color to a sturdy, Stainless Steel table. Add visual appeal and ample exam surface space to your facility with this Blue-Line table option. The wall mount design leaves floor space open. Consider adding an optional storage drawer to help keep your exam area clutter free.

Shor-Line tables are designed for animal use only.

Features:

- Stainless Steel Blue-Line Table Top is 44½”L x 22½”W x 1”H.
- Blue-Line Table Top with radius corners and laminated polyurethane edging holds up to one liter of fluid.
- Storage drawer is 11”W x 15½”L x 4¼”H.

Standard Blue- - - - - 903.1030.01 97 lbs.
 Jade - - - - - 903.1030.02 97 lbs.
 Taupe Gray - - - - - 903.1030.03 97 lbs.
 Black - - - - - 903.1030.04 97 lbs.

MARK II, III & IV EXAM TABLES

MARK II AND IV EXAM TABLES

Benefits:

The ultimate exam table combines durable Stainless Steel surface with the option of reliable Shor-Line scale and plenty of storage underneath.

Shor-Line tables are designed for animal use only.

Features:

- Stainless Steel exam top with scale makes good use of space.
- Chip-resistant, 3mm PVC edging on door and drawer edges
- Cabinet is high pressure laminate. Comes standard in white or almond. Other Wilson Art or Formica colors are available with additional cost and longer lead times.
- Available with scale. See scale section.
- The **Mark IV Table** has a built-in scale.
- **Specs:** Table Top is 44½”L x 22½”W x 1”H. Overall height is 35”.

Mark II, White- - - - - 903.1000.10 228 lbs.
 Mark II, Almond - - - - - 903.1000.50 228 lbs.
 Mark IV with Scale, White - - - - - 905.6210.10 298 lbs.
 Mark IV with Scale, Almond- - - - - 905.6210.50 298 lbs.



Scale Option

903.1000.50

⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

MARK III EXAM TABLE

Benefits:

This exam table is part of our low stress line, combining the versatility of storage with the opportunity to provide a warmer, more inviting exam table experience. The Stainless Steel top has our surgery table's dependable heating technology, keeping the surface an even temperature.

Shor-Line tables are designed for animal use only.

Features:

- Durable Stainless Steel top is formed to encourage drainage to an edge trough.
- Heating unit controller attaches to the side of the table for easy access
- Controller maintains a factory-set temperature of approximately 94°(34.4°C) with three timed cycle options (60, 90, 120 minutes). (The temperature is NOT adjustable.)
- There is a built-in alarm and shut off to alert you to an overheating situation.
- The cabinet is available in high-pressure laminate.
- All cabinets have three drawers and one door.
- Standard laminate color options are White, Almond or Low Stress Blue. Other Wilson Art or Formica colors are available with longer lead times and additional cost.
- Chip-resistant, 3mm PVC edging finishes the laminate door and drawer edges.
- **Specs:** Top is 44½"W x 20"D. Storage area is 35.875"W with about a 2" toe kick around the unit. It is 32.875"H.



Mark III LS Exam Table, White	- - - - -	903.1001.10	250 lbs.
Mark III LS Exam Table, Low Stress Blue	- - - - -	903.1001.20	250 lbs.
Mark III LS Exam Table, Almond	- - - - -	903.1001.50	250 lbs.

TABLES

PEDESTAL TABLES

BLUE-LINE PEDESTAL BASE EXAM TABLE



Benefits:

This quality Stainless Steel exam table takes a step up in class with the addition of the Blue-Line Table Top.

Shor-Line tables are designed for animal use only.

Features:

- Blue-Line Table Top with radiused corners and laminated polyurethane edging holds up to one liter of fluid.
- Heavy, tip-resistant base has adjustable leveling feet.
- **Specs:** Table Top is 44½"L x 22½"W x 1"H. Overall height is 35".

Standard Blue-	- - - - -	903.1110.01	170 lbs.
Jade	- - - - -	903.1110.02	170 lbs.
Taupe Gray	- - - - -	903.1110.03	170 lbs.
Black	- - - - -	903.1110.04	170 lbs.

PEDESTAL BASE EXAM TABLE



Benefits:

Quality Stainless Steel exam table at a budget price.

Shor-Line tables are designed for animal use only.

Features:

- Heavy, tip-resistant base has adjustable leveling feet.
- Table top has a raised edge to prevent fluid run-off.
- **Specs:** 44½"L x 20"W exam surface. Overall height is 35".

Pedestal Base Exam Table	- - - - -	903.1110.00	170 lbs.
--------------------------	-----------	-------------	----------

⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

UTILITY CHASES

STAINLESS STEEL UTILITY CHASE

Benefits:

The Shor-Line Stainless Steel Utility Chase is truly the backbone of a multi-functional treatment and procedure area, offering custom design, durability and ease of cleaning. This product is completely modular providing you a blank canvas to design your work space to suit your individual needs.

Shor-Line tables are designed for animal use only.

Features:

- The chase stretches from floor to ceiling to surround and cover electrical, plumbing and oxygen lines.
- Three of the four panels are designed to accept optional equipment including: Exam/Procedure Lights, Otoscope/Ophthalmoscope Sets, Anesthesia Units, etc.
- Many shelf and cabinet options are also available for instrument and supply storage.
- A large selection of Shor-Line tubs and exam tables can be attached to the chase, but the panels can also serve as a “docking station” for our line of mobile exam and treatment tables.
- Laminate is also available. Standard laminate colors are white and almond. Optional Wilson Art® or Formica® colors are available at additional cost and longer lead time.
- Plumbing fixtures and other cabinets and tables may be purchased separately.



Shown with optional tub tables, fold up wall mount table and shelf (shown above left tub table). Only Chase included.

Stainless Steel Utility Chase 907.0000.00 367 lbs.

CORNER GUARDS/KICK PLATES



CORNER GUARDS

Benefits:

Protect your hallways with easy-to-install 18-gauge Stainless Steel corner guards. Available in custom sizes.

Adhesive Tape Attachment, 48"	937.0000.02	5 lbs.
Adhesive Tape Attachment, 72"	937.0000.03	5 lbs.
Adhesive Tape Attachment, Custom Size	937.0000.07	5 lbs.
Screw Attachment, 48"	937.0000.00	5 lbs.
Screw Attachment, 72"	937.0000.01	5 lbs.
Screw Attachment, Custom Size	937.0000.06	5 lbs.

KICK PLATES

Benefits:



Your doors say a lot about your facility. Keep them looking good with 18-gauge Stainless Steel door plates. Available in custom sizes.

Adhesive Tape Attachment, 12" x 32"	937.0000.05	5 lbs.
Adhesive Tape Attachment, Custom Size	937.0000.09	5 lbs.
Screw Attachment, 12" x 32"	937.0000.04	5 lbs.
Screw Attachment, Custom Size	937.0000.08	5 lbs.

⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov


HOW TO BUY TUB TABLES + EXAM/TREATMENT TABLES

SIZE



- All Exam Tops are 25"W x 36"H.
- All Tub Tables are 24-5/8"W x 36"H.

KNEE SPACE




Right Front View




Left Front View

- Knee Space determines which side of the table storage will be built.


CABINET CONFIGURATION



1 Door + 3 Drawers



6 Drawers*



2 Doors

- Two doors and one door + three drawers available on all.

*Six drawers are not available for tub tables because plumbing in needs to go in one side.

TABLE TOP MATERIAL

For Exam/Treatment Tables only.



Stainless Steel



Laminate (Black)

CABINET MATERIAL



Stainless Steel



Laminate (Almond)



Laminate (White)

- Additional Wilson Art® or Formica® laminate colors available at additional cost and longer lead time.
- All Tub Tables come with a Stainless Steel grill top with predrilled space for optional plumbing. A Stainless Steel removable top is a popular option for providing more exam space when needed.

EXAM + TREATMENT TABLES

Give your exam room a signature look with laminate or Stainless Steel cabinets with knee space for better animal positioning options.

EXAM AND TREATMENT TABLES WITH KNEE SPACE BENEFITS:

Benefits:

High-quality cabinetry that stands the test of time gives you storage flexibility. Our most popular plan is a single door with three drawers. Choose between a 46" top for tight spaces or modest floor plans, or the longer 60" top for more space.

Shor-Line tables are designed for animal use only.

Features:

- Both 46" and 60" exam/treatment tables are 36" high.
- Exam top is 46"L x 25"W or 60"L x 25"W.
- Three storage options: six drawer, door and three drawers or two doors.
- Standard cabinet colors are available in Stainless Steel, white or almond. Optional Wilson Art® or Formica® colors are available at additional cost and longer lead time.
- Optional pull-out shelf available for models with doors.
- Additional configurations available. Please speak with your sales representative to learn more.

COLOR OPTIONS

Choose between dozens of Wilson Art® or Formica® colors to set your own style. See our color with your imagination on shor-line.com.

LEFT HAND TABLES



903.1405.11

46" Long Table, White

One door and three drawers with left hand knee space and laminate top.



903.1405.51

46" Long Table, Almond

One door and three drawers with left hand knee space and laminate top.



903.5000.03

60" Long Table, Stainless Steel

One door and three drawers with left hand knee space and Stainless Steel top.

RIGHT HAND TABLES



903.1401.10

60" Long Table, White

Two doors with right hand knee space and laminate top.



903.1404.50

60" Long Table, Almond

Six drawers with right hand knee space and laminate top.



903.1105.10

60" Long Table, White

One door and three drawers with right hand knee space and Stainless Steel top.

TUB TABLES

TUB TABLES WITH KNEE SPACE

Benefits:

Shor-Line's multi-purpose tub tables add efficiency and user comfort to many of your daily procedures. Cabinets provide ample instrument storage for dental services, necropsy and surgical procedures.

Shor-Line tables are designed for animal use only.

Features:

- Two storage options: door and three drawers or two doors.
- Standard cabinet colors are white or almond. Optional Wilson Art® or Formica® colors are available at additional cost and longer lead time.
- Both 46" and 60" tub tables are 36" high.
- Two-piece grill top included.
- Plumbing fixtures may be purchased separately.
- Optional pull-out shelf available for models with doors.
- Additional configurations available. See "How to Buy" on page 73.

LEFT HAND TABLES



904.4100.11

46" Long Tub Table, White

One door and three drawers with left hand knee space and Stainless Steel tub.



904.1000.51

60" Long Tub Table, Almond

Two doors and with left hand knee space and Stainless Steel tub.



904.5000.10

46" Long Tub Table, Stainless Steel

Two doors and with left hand knee space and Stainless Steel tub.

RIGHT HAND TABLES



904.1000.10

60" Long Tub Table, White

Two doors and with right hand knee space and Stainless Steel tub.



904.4100.50

46" Long Tub Table, Almond

One door and three drawers with right hand knee space and Stainless Steel tub.



904.5000.00

60" Long Tub Table, White

One door and three drawers with right hand knee space and Stainless Steel tub.

DON'T SEE WHAT YOU LIKE? CHOOSE YOUR OWN ON PAGE 73.

⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

TUB TABLES

Benefits:

Shor-Line's multi-purpose tub tables add efficiency and user comfort to many of your daily procedures. Cabinets provide ample instrument storage for dental services, necropsy and surgical procedures.

Shor-Line tables are designed for animal use only.

Features:

- Cabinets are constructed of 3/4" MRB (moisture resistant board).
- All door edges are wrapped with 3 mm PVC to prevent chipping and for additional moisture protection.
- Standard cabinet colors are white or almond. Optional Wilson Art® or Formica® colors are available at additional cost and longer lead time.
- All tub tables are 24 3/8" W x 36" H.
- The Stainless Steel grill covers are recessed.
- Plumbing fixtures may be purchased separately.



904.2100.10

46" Long, 6" Deep Tub, White	- - - - -	904.2100.10	353 lbs.
46" Long, 6" Deep Tub, Almond	- - - - -	904.2100.50	353 lbs.
46" Long, 16" Deep Tub, White	- - - - -	904.2101.10	353 lbs.
46" Long, 16" Deep Tub, Almond	- - - - -	904.2101.50	353 lbs.
60" Long, 6" Deep Tub, White	- - - - -	904.2000.10	353 lbs.
60" Long, 6" Deep Tub, Almond	- - - - -	904.2000.50	353 lbs.
60" Long, 16" Deep Tub, White	- - - - -	904.2001.10	353 lbs.
60" Long, 16" Deep Tub, Almond	- - - - -	904.2001.50	353 lbs.

STAINLESS STEEL EXAM TOP FOR TUB TABLES

Shor-Line tables are designed for animal use only.

Features:

- Heavy gauge, austenitic Stainless Steel.
- 60" tub top measures 24 7/8" x 47 1/16".
- 46" tub top measures 24 7/8" x 33 7/16".



804.3004.03
Cabinet and tub
not included

46" Long Exam Top	- - - - -	804.3104.03	13 lbs.
60" Long Exam Top	- - - - -	804.3004.03	15 lbs.

BI-LEVEL TUB TABLE

Benefits:

Our Bi-Level Tub is truly multi-purpose. Bathe small and large pets or use for dental and other procedures. You can even use this tub to wash cage and table accessories while using the upper level as a drain board.

Shor-Line tables are designed for animal use only.

Features:

- Manufactured with seamless weld construction from 14-gauge austenitic Stainless Steel. Measures 25"W x 36"H.
- The tub is sturdily supported by four Stainless Steel tubular legs that feature fully enclosed gussets and adjustable feet.
- The sloping portion of the tub tapers from 4 3/4" to 5 3/4" before dropping to an 18" depth.
- The inner dimensions measure 2 11/16"W x 54"L, and the outer dimensions are 25"W x 60 1/2"L.
- The height from the floor to the tub top is 36", and 18" from the floor to the bottom of the tub.
- All holes for the faucet and drains are pre-drilled. Drain is 3 1/2" diameter.
- Removable Stainless Steel grill is included.
- Plumbing fixtures may be purchased separately.



Plumbing shown
sold separately

Bi-Level Tub Table	- - - - -	-990.0400.00	165 lbs.
--------------------	-----------	--------------	----------

⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

ECONOMY TUB TABLES

Benefits:

You can use this tub/table anywhere in your facility. Because it's 100% Stainless Steel, it's perfect for any area with high humidity or wet floors. Stainless Steel two-piece grill is included.

Shor-Line tables are designed for animal use only.

Features:

- All Tubs are 24½"W x 36"H.
- Both models are supported on a Stainless Steel frame, constructed of 1¼" square tubing.
- 2 piece Stainless Steel grill included.
- Plumbing fixtures may be purchased separately.



Plumbing features sold separately.

904.3000.00

46" Long Mini, 6" Deep Tub -	904.3100.00	150 lbs.
46" Long Mini, 16" Deep Tub -	904.3101.00	160 lbs.
60" Long Standard, 6" Deep Tub -	904.3000.00	145 lbs.
60" Long Standard, 16" Deep Tub -	904.3001.00	168 lbs.

ECONOMY TUB TABLES

Benefits:

You can use this tub/table anywhere in your facility. Because it's 100% Stainless Steel, it's perfect for any area with high humidity or wet floors. Stainless Steel two-piece grill is included.

Shor-Line tables are designed for animal use only.

Features:

- All Tubs are 24½"W and 36"H.
- Both models are supported on a Stainless Steel frame, constructed of 1¼" square tubing.
- 2 piece Stainless Steel grill included.
- Plumbing fixtures may be purchased separately.



804.0006.51

804.0006.64

8' Heavy Duty Polyethylene Hose -	804.0006.64	8 lbs.
8' Stainless Steel Hose -	804.0006.51	11 lbs.

ELITE SCRUB SINK OPTIONS

Benefits:

Our newly improved Elite Scrub Sink has designer touches that provide additional wall protection. It is perfect for pre-surgical scrub-up and is an essential part of daily cleaning chores. Its heavy duty Stainless Steel construction provides strength for day to day abuse.

Features:

- Elite Scrub Sink comes with sink only.
- All packages include Scrub Sink, Rigid Gooseneck Faucet or drain unit with removable Stainless Steel basket.
- **Specs:** 21"W x 33"L with a 10"D bowl depth and a 21½" D.



990.0400.50

990.0400.172



990.0400.173

Elite Scrub Sink (Sink only) -	904.0200.03	75 lbs.
Elite Scrub Sink with Foot Pedal -	990.0400.173	125 lbs.
Elite Scrub Sink with Knee Valve -	990.0400.172	100 lbs.
Elite Scrub Sink with Infrared Sensor -	990.0400.50	100 lbs.

⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

SURGERY TABLES

CONTINUUM TABLES

Quality craftsmanship for the surgery suite
 You've trained for years to become a skilled surgeon, so you deserve our best craftsmanship as your work surface.

CONTINUUM V-TOP SURGERY TABLE

Who says value can't be premium?
 We packed our Continuum Surgery Hydraulic Tables with high-quality features. Manual jack lifts the patient while the table tilts to the perfect surgery angle.

Benefits:
 You can position the patient from horizontal to near-vertical without external devices. The new Flip Open Trough™ design provides ergonomic ease of use and ready access to trough cleaning. Gives the dependable operation you expect from Shor-Line. Lifts up to 250 lbs.

Shor-Line tables are designed for animal use only.

- Features:**
- Two polymer five lobe ergonomic knobs open the tops to 270° for easy access to remove surgical waste. Just clean the trough and reinsert the tray for the next surgical procedure.
 - Tiedown attachment on each side.
 - A 3" Stainless Steel trough permits fluid runoff into a drain outlet.
 - Continuum Surgery table base is a distinctive Stainless Steel hemmed column with a clean and sophisticated design.
 - The round, tubular "X" base is designed with enough clearance for feet and other surgical tools that need to be in close proximity of the table.
 - The base is powder-coated gun metal gray and will stand up to cleaning and disinfecting agents.
 - The Hydraulic Jack allows you to place the table anywhere you want with no cords.

CONTINUUM FLAT-TOP SURGERY TABLE

Benefits:
 Shor-Line crafts a durable and elegant table from one piece of Stainless Steel with radiused curves to remove the possibility of sharp edges. This keeps this table seam-free, which helps promote a bacteria free environment.

Shor-Line tables are designed for animal use only.

- Features:**
- Durable Stainless Steel top stands up to decades of surgery.
 - Attachment rail system runs continually along the sides and ends of the table.
 - Four sliding, quick-release, cam cleat tie-down attachments come with the table, allowing you to tighten them in any position along the rail.
 - Continuum Surgery table base is a distinctive Stainless Steel hemmed column with a clean and sophisticated design.
 - The round, tubular "X" base is designed with enough clearance for feet and other surgical tools that need to be in close proximity of the table.
 - The base is powder-coated gun metal gray and will stand up to cleaning and disinfecting agents.
 - The Hydraulic Jack allows you to place the table anywhere you want with no cords.
 - Table can be lifted from 30½" to 41" via hydraulic mechanism.
 - **Specs:** Extra large 22"W x 60"L flat top.

PREMIUM VALUE SURGERY TABLES



- The hydraulic mechanism lifts the table from 30½" to 41".
- Short V-Top has same features as longer version with 46" length.
- **Specs:** Top 19"W x 58"L. Short V-Top is 19"W x 46"L.
- **Need it taller?** Optional height extenders available. (3" length 803.4000.09; 6" higher 803.4000.07)

Hydraulic Base	903.4100.01	280 lbs.
Short V-Top	903.4800.01	277 lbs.



Need it taller? Optional height extenders available. [3" higher 803.4000.09; 6" higher 803.4000.07]

Hydraulic Base	903.4000.04	280 lbs.
----------------	-------	-------------	----------

⚠ **WARNING:** This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

CLASSIC SURGERY TABLES

LET OUR LEGACY HELP CREATE YOURS

Today's Shor-Line owners just completed their latest upgrade to the Classic Surgery Table their grandfather originally created some 60 years ago. We've improved this favorite continuously based on veterinarian input.

- Even more adjustable lift column to accommodate different surgeon heights.

CLASSIC FLAT-TOP SURGERY TABLE

Benefits:

Premium Stainless Steel is crafted with smooth, radiused curves to a graceful but functional, seamless table that promotes a bacteria-free environment.

Shor-Line tables are designed for animal use only.

Features:

- Directional tilt lock secures the top in almost any position, from horizontal to near vertical.
- Extra large 22"W x 60"L Stainless Steel flat top.
- Raised center permits fluid run-off into a perimeter trough and to a drain outlet.
- Top rotates 360° (hydraulic base only).
- Attachment rail system runs continually along the sides and ends of the table.
- Four sliding, quick-release, cam cleat tie-down attachments come with the table, allowing you to tighten them in any position along the rail.
- Hydraulic mechanism lifts table from 28¾" to 39¾".
- Need it taller? Optional height extenders available. (3" higher 803.4000.09; 6" higher 803.4000.07)

CLASSIC V-TOP SURGERY TABLE, HYDRAULIC

Benefits:

The V-Top acts as a helper during surgery, keeping the patient in the correct position. Check out the extra features in this premium table. Gives you flexibility to go from straight horizontal and level to V-Shaped, near vertical positioning without external devices. You choose how you want to operate.

Shor-Line tables are designed for animal use only.

Features:

- High-quality, durable Stainless Steel table surfaces.
- Two polymer five lobe ergonomic knobs open the tops to 270° for easy access to remove surgical waste. Just clean the trough and reinsert the tray for the next surgical procedure.
- Two-panel system that adjusts from horizontal to near vertical to hold the patient in the desired position during surgery.
- Two sliding, quick-release, cam cleat tie-down attachments provided on each side of the attachment rail.



SHORT CLASSIC V-TOP
46" L with all the same great features

- Improved sturdy tilt that locks in place in multiple positions.
- Enclosed hydraulic jack with virtually NO maintenance needed.
- Ergonomically improved V-Top handles.

Veterinary surgery has changed a lot since the 1950s, and the Classic has changed with it. What has not changed is Shor-Line's commitment to quality.



Hydraulic Base 903.4000.01 280 lbs.

INDUSTRY STANDARD TABLE



- 3" Stainless Steel trough permits fluid runoff into a drain outlet.
- Table can be lifted from 30½" to 41" via hydraulic mechanism.
- Top can rotate 360 degrees or be stationary
- Solid Stainless Steel base that lasts for decades.
- Short V-Top has same features as longer table but with 46" Length.
- **Specs:** Overall size of the top is 19"W x 58"L.
- Need it taller? Optional height extenders available. (3" higher 803.4000.09; 6" higher 803.4000.07)
- Also available in electric.

Hydraulic Base 903.4100.02 280 lbs.
Short V-Top- 903.4800.00 227 lbs.

⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

FELINE SURGERY TABLE

Benefits:

The size and needs of feline patients drove the design of this surgery table. Its shorter, more compact size still has the quality and durability you need. The table has a raised edge to help prevent fluid runoff. A drain hole allows fluid to drain off the table, away from the patient.

Shor-Line tables are designed for animal use only.

Features:

- Stainless Steel Top features a drain outlet.
- Directional tilt lock secures the top in almost any position, from horizontal to near vertical.
- Top rotates 360° (hydraulic only).
- Attachment rail system runs along the sides of the table.
- Four sliding, quick-release, cam cleat tie-down attachments are provided, and can be tightened in any position along the rail.
- Table can be lifted from 28¾" to 39¾" via hydraulic mechanism.
- Specs: 20"W x 44½"L top.



Feline Surgery Table 903.4000.05 227 lbs.

A DURABLE CLASSIC THAT LASTS THROUGH GENERATIONS



“My father was Dr. Louis Leonpacher, immigrant veterinarian educated in Germany. He was building a new clinic which was to be air conditioned! This was circa 1948. I began using the table in 1962 after graduation from Texas A&M. When I went to the University of Florida for a residency in Lab Animals, I sold it to Dr. Dave Elston. Later when his son-in-law opened a practice, he gave it to Dr. Carson. When the veterinarians in the Lafayette, Louisiana area were starting an emergency clinic the table was transferred to the clinic. I filled in at that emergency clinic for a few months in 2000, where I recognized the table.”

- Robert J. Leonpacher, DVM

HEATED SURGERY TABLES

CONTINUUM HEATED V-TOP SURGERY TABLE

Benefits:

Our Heated Continuum V-Top has the same great features as our Continuum V-Top with the addition of a heating panel to help prevent hypothermia during small animal surgeries.

Shor-Line tables are designed for animal use only.

Features:

- Each panel has an 8¼" x 44" heated area. Overall heated area is 16½" x 44".
- The thermostatic control mounted on the frame has a timer for 60, 90 and 120 minutes.
- Factory-set temperature is maintained at 98.8°F (37.1°C) with even heat distribution. (The temperature is NOT adjustable.)
- There is a built-in alarm and shut-off to alert you to an overheating situation (101.6°F, 38.6°C).
- **Need it taller?** Optional height extenders available. (3" higher 803.4000.09; 6" higher 803.4000.07)



Hydraulic Base, Heated, 120V - - 903.4402.00 290 lbs.

CONTINUUM HEATED FLAT-TOP SURGERY TABLE

Benefits:

Our Heated Continuum Flat-Top has the same great features as our Continuum Flat-Top with the addition of a heating panel to help prevent hypothermia during small animal surgeries.

Features:

- 15" x 46" heated area.
- The thermostatic control mounted on the frame has a timer for 60, 90 and 120 minutes.
- Factory-set temperature is maintained at 98°F (36.7°C) with even heat distribution. (The temperature is NOT adjustable.)
- There is a built-in alarm and shut-off to alert you to an overheating situation (99.9°F, 37.7°C).
- **Need it taller?** Optional height extenders available. (3" higher 803.4000.09; 6" higher 803.4000.07)



Hydraulic Base, Heated, 120V - - 903.4202.00 290 lbs.

CLASSIC HEATED V-TOP SURGERY TABLE, HYDRAULIC

Benefits:

Our Heated Classic V-Top has the same great features as our Classic V-Top with the addition of dual heating panels to help prevent hypothermia during small animal surgeries.

Features:

- Each panel has an 8¼" x 44" heated area. Overall heated area is 16½" x 44".
- The thermostatic control mounted on the frame has a timer for 60, 90 and 120 minutes.
- Factory-set temperature is maintained at 98.8°F (37.1°C) with even heat distribution. (The temperature is NOT adjustable.)
- There is a built-in alarm and shut-off to alert you to an overheating situation (101.6°F, 38.6°C).
- **Need it taller?** Optional height extenders available. (3" higher 803.4000.09; 6" higher 803.4000.07)



Hydraulic Base, Heated, Rotational, 120V- - - - - 903.4400.01 290 lbs.

Hydraulic Base, Heated, Non-Rotational, 120V- - - - - 903.4410.01 290 lbs.

CLASSIC HEATED FLAT-TOP SURGERY TABLE

Benefits:

Our Heated Classic Flat-Top has the same great features as our Classic Flat-Top with the addition of a heating panel to help prevent hypothermia during small animal surgeries.

Features:

- 15" x 46" heated area.
- The thermostatic control mounted on the frame has a timer for 60, 90 and 120 minutes.
- Factory-set temperature is maintained at 98°F (36.7°C) with even heat distribution. (The temperature is NOT adjustable.)
- There is a built-in alarm and shut-off to alert you to an overheating situation (99.9°F, 37.7°C).
- **Need it taller?** Optional height extenders available. (3" higher 803.4000.09; 6" higher 803.4000.07)



Hydraulic Base, Heated, Rotational, 120V- - - - - 903.4200.01 290 lbs.

Hydraulic Base, Heated, Non-Rotational, 120V- - - - - 903.4210.01 290 lbs.

⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

PREP + UTILITY TABLES

DEPENDABLE UTILITY TABLES

Shor-Line's collection of utility tables feature durable Stainless Steel and a range of shapes and sizes to meet your needs.

MOBILE INSTRUMENT TABLE

Benefits:

Keep your instruments within reach with this stand that slides easily over all standard small animal surgery tables.

Shor-Line tables are designed for animal use only.

Features:

- Table measures a full 33" between legs.
- Handle adjusts tabletop height from 40" to 53"
- 4" casters provide infinite maneuverability and are equipped with locking brakes.
- **Specs:** Work surface 23"W to 40"L.



Mobile Instrument Table - - - - - 903.2003.00 86 lbs.

MAYO STAND

Benefits:

Compact size, but large enough for most surgical procedures.

Shor-Line tables are designed for animal use only.

Features:

- Easy-slide extension posts allow height adjustments from 34" to 53"H.
- Ergonomically designed handles make adjustments simple.
- Legs and base are constructed of 1", chrome-plated steel tubing.
- Black hard rubber casters allow for easy transport.
- **Specs:** Removable Stainless Steel tray 12½"W x 19"L x ¾"D.



Mayo Stand - - - - - 803.0010.00 19 lbs.

UTILITY TABLE

Benefits:

The Stainless Steel, protected top comfortably holds up to 50 pounds. It's perfect for any hospital needing an easy-to-clean table for procedures.

Shor-Line tables are designed for animal use only.

Features:

- Provides a larger surface area than similar tables and standard Mayo Stands.
- The table top height is adjustable from 26¾" to 43¾" high.
- Locking casters makes it easy to move wherever it is needed!
- **Specs:** 11¾"W x 23¾"L.



Utility Table - - - - - 903.2004.00 25 lbs.

⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

MOBILE PREP TABLE

Benefits:

Economical yet durable, this cart can take critical patients from the waiting room to exam to surgery. Works equally well moving equipment and supplies.

Shor-Line tables are designed for animal use only.



Features:

- Durable, Stainless Steel construction.
- Lower shelf for more storage area.
- 34" height provides a convenient match-up to most tables in your facility.
- 5" locking casters, corrosion proof.
- **Specs:** 20"W x 44½"L prep surface.

Mobile Prep Table - - - - - 903.1120.04 90 lbs.

MOBILE UTILITY CART

Benefits:

This table provides easy access to equipment and instruments.

Shor-Line tables are designed for animal use only.

Features:

- 200 lb. weight capacity.
- Cart features three shelves that are electronically welded to the legs with an underside padding to dampen vibration and noise.
- Shelf size: 18"D x 27"L with a 12¼"H shelf clearance.
- Durable Stainless Steel construction. Protective bumpers on legs and handles safeguard doors, walls and furnishings.
- **Specs:** 30¾"L x 33"H x 18⅞"D.



Mobile Utility Cart - - - - - 903.2320.31 32 lbs.

BLUE-LINE MOBILE PREP TABLE

Benefits:

Economical yet durable, this cart can take critical patients from the waiting room to exam to surgery. Works equally well moving equipment and supplies.

Shor-Line tables are designed for animal use only.

Features:

- Durable Stainless Steel construction that's built to last.
- Two levels for storage
- 34" height provides a convenient match-up to most tables.
- 5" locking corrosion proof casters provide mobility.
- **Specs:** Table Top is 44½"L x 22½"W x 1"H.

Standard Blue- - - - - 903.1120.10 91 lbs.

Jade - - - - - 903.1120.12 91 lbs.

Taupe Gray - - - - - 903.1120.13 91 lbs.

Black - - - - - 903.1120.11 91 lbs.



⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

TABLE ACCESSORIES

STAT-MATS™ PREP/EXAM PAD

Benefits:

Provides conductive warmth and cushioned comfort for animals during short or long procedures.

Shor-Line tables are designed for animal use only.



Features:

- A beneficial and cost effective solution that boldly addresses the concern of heat loss in the veterinary clinic or animal hospital.
- Constructed from high-quality insulating materials, Stat-Mats™ prevent body heat loss that occurs from contact with cold surfaces.
- Closed cell foam and polyurethane coating provide a durable, long lasting, supple surface that does not break down and is moisture and abrasion resistant.
- Seamless coating means no bacteria build-up and easy cleaning.
- Waterproof and stain resistant.
- Saves cost of laundering towels.

20"W x 44"L x 1"H -	803.0200.00	8 lbs.
20"W x 30"L x 1"H -	803.0202.00	6 lbs.
20"W x 44"L x ½"H -	803.0201.00	8 lbs.

STAT-MATS™ SURGERY TABLE PAD

Benefits:


Provides conductive warmth and cushioned comfort for animals during short or long procedures

Shor-Line tables are designed for animal use only.

Features:

- A beneficial and cost effective solution that boldly addresses the concern of heat loss in the veterinary clinic or animal hospital.
- Constructed from high-quality insulating materials, Stat-Mats™ prevent body heat loss that occurs from contact with cold surfaces.

15"W x 50"L x 1"H -	803.0203.00	7 lbs.
V-Top; 2-Piece -	803.0205.00	5 lbs.



- Closed cell foam and polyurethane coating provide a durable, long lasting, supple surface that does not break down and is moisture and abrasion resistant.
- Seamless coating means no bacteria build-up and easy cleaning.
- Waterproof and stain resistant.
- Saves cost of laundering towels.

COLLECTION PAIL

Benefits:

Superior to plastic for cleaning and sanitation. Caster Base makes it virtually un-tippable. Kick it around the O.R. where needed!

Shor-Line tables are designed for animal use only.

Features:

- 12½ quart 100% seamless Stainless Steel pail.
- Pail nests into a frame made from ½" thick x 1" high Stainless Steel band.
- Four 2" hard rubber casters allow the pail/frame to be easily moved.
- Outer frame is wrapped with a heavy duty conductive rubber bumper that offers protection to other equipment and the pail itself.



Pail with Caster Base -	904.9001.01	9 lbs.
Pail only -	190.9000.04	6 lbs.

CLASSIC SURGERY TABLE CADDIE

Benefits:

Provides mobility for hydraulic base Shor-Line Classic Surgery Table for assistance with cleaning purposes.

Shor-Line tables are designed for animal use only.

Features:

- Easy to install.
- Lift table slightly opposite the wheels and push table.
- Leveling legs keep base from sliding.
- For Classic Surgery Table only.

Classic Surgery Table Caddie -	803.0002.02	5 lbs.
--	-------------	--------



⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

WET/DRY TABLE EXTENSIONS

Benefits:

There are times when you need a V-Top or Flat-Top table to become a wet table. The Wet/Dry Table Extension gives you the best of both worlds. The Extension slides on easily, providing a sterile surgery surface with slots draining to a removable tray. It is large enough to support most dog heads and the large drain quickly move liquids away.

Features:

- Increase the versatility of your existing Shor-Line Surgery Table. The collection attachment allows fluid containment for “wet” procedures.
- Gives you increased procedure flexibility and shortens cleanup time.
- Durable Table Extension stays steady as you lean in to perform procedures. Ergonomically designed to allow you to position yourself where you need to be.
- Stainless Steel slotted grill is designed to be removable and cleanable.
- Large Stainless Steel waste pan reliably contains drained waste. It slides out easily for cleaning and emptying.
- Extension slides in and out quickly and easily. All parts are durable Stainless Steel, making it simple to maintain a sterile surface.
- Added benefit of extending the length of short V-Top Surgery Tables.
- Available to fit both Shor-Line V-Tops and Flat-Tops manufactured in the last 20 years.
- **Specs:** All units have a grill with 93 wavy slots and a working surface area of 19-1/5”W x 13-1/5”L. The waste pan is 2½”D.



Fits Classic and Continuum Flat-Tops - - - - - 803.4001.08
Fits ALL Continuum and Classic V-Tops made after 2014 - - - - - 803.4000.08
Fits Classic V-Tops made before 2014 - - - - - 803.4000.09

⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

PRELUDE LED LIGHTS



Our Prelude LED Surgery lights have been making a positive impact in surgery suites around the country. These high-quality, affordable surgery lights have the flexibility veterinarians love with the UL/CSA certification that provides peace of mind.

We took the extra step to certify the surgery lights because we understood the reviewers would in many cases hold us to the human surgery standard and potential state electrical requirements.

We are pleased to announce that this year the Prelude series have expanded to include LED Exam Lights.



PRELUDE LED EXAM LIGHTS

Benefits:

Form meets function with the attractive LED exam light. Its curved arm positions easily with fingertip control to give you a closer look at potential problem areas. The cool light keeps the doctor and patient comfortable even with protracted exams.

Features:

- Light uses 11 white LED lights with individual parabolic reflectors with a burn life of up to 75,000 hours, which is about 30 years of service if operating 8 hours a day, six days a week.
- Stylish curved arm features drift-free placement in multiple positions.
- Switch on the back of the light adjusts to high or low light viewing.
- Light head swivels easily for ideal illumination.
- High efficiency of LED lights reduces energy use by 20% over other bulbs.
- Auto voltage sensing of 120V-240V.
- Product has a 3-year warranty.
- CSA/UL certified.

913.7000.00

913.7000.01

913.7000.02

Single Ceiling Mount -	913.7000.00	60 lbs.
Single Wall Mount -	913.7000.01	36 lbs.
Mobile -	913.7000.02	16 lbs

⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

PRELUDE SERIES LED SURGERY LIGHTS

Benefits:

The lights feature a color temperature of 4500° K for visual tissue clarity and at one meter working distance featuring a 6 inch (152 mm) field of illumination, so you don't need to refocus and reposition the lights. This lessens eye strain. The lights use 18 white light LEDs with individual parabolic reflectors with a burn life of 75,000 hours.

The lights are cool to the touch and comfortable to work under. A dimming switch allows for illumination adjustment up to 100,000 LUX maximum. The lights' convenient memory feature remembers the LUX of the last use time.

LIGHTS



913.8000.05

Features:

- High efficiency. In general LEDs consume only 20% of the power other bulbs require.
- Very low heat - cool to work under
- No replacement bulbs or fuses necessary.
- Easily positioned and drift free.
- Low maintenance.
- Product has a 3-year warranty.
- Two removable, autoclavable handles are included.
- Auto voltage sensing of 120V-240V.
- CSA/UL certified.



913.8000.07



913.8000.06



913.8000.04

Single Ceiling Mount - - - -	913.8000.04	65 lbs.
Dual Ceiling Mount- - - -	913.8000.05	109 lbs.
Single Wall Mount - - - -	913.8000.06	41 lbs.
Mobile - - - - -	913.8000.07	122 lbs.

ANESTHESIA



CONSIDERING AN ANESTHESIA MACHINE?

Our anesthesia line features products designed for veterinarians with needs of pets at the forefront.

As a veterinarian, you double as the surgeon and anesthesiologist for cherished fur children. You need innovative products that put safety first and are intuitive to operate.

THE DIFFERENCE IN ANESTHESIA VALVES

There have been important advances in anesthesia valves. On Shor-Line anesthesia equipment, we offer you the added safety of a Safety Pressure Relief Valve.

The Safety Pressure Relief Valve is designed to help avoid most pop-off valve closure-related accidents because the operator must continually push down to close the valve. This extra feature can help avoid anesthesia-related complications from overinflating the animal's lungs because the operator can't accidentally leave the valve shut.



⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

HOW TO BUY ANESTHESIA

WHAT TYPE OF UNIT DO YOU WANT?

Anesthesia Machine + Oxygen Concentrator

You might consider the Pureline M6000, which is a complete unit with everything but the vaporizer and back-up oxygen.

Anesthesia Machines

We offer choices for wall mount, table top and mobile.



Anesthesia Machine + Oxygen Concentrator



Anesthesia Machine

MOUNT

Wall Mount

If you have O₂ connections on the wall, this could be your best choice. We offer both **flush** mount and mounted with **articulating arm**.



Flush Mount



Articulating Arm

Table Top

This gives you flexibility to move to different stations but you will need space to place the unit. (This is most often used in laboratories.)

Mobile

There are several choices, depending on how you want to provide your oxygen.





Table Mount



Mobile

OXYGEN CONCENTRATOR


Oxygen Concentrator

E-Tank Manifold (Note: Shor-Line does not sell oxygen)

Utilize Piped in Hospital O₂ (All Shor-Line units accept piped in O₂.)



E-Tank Manifold




Oxygen Concentrator

VAPORIZER

Isoflurane Pour or Key Fill

Sevoflurane Pour or Key Fill



Vaporizer

⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

ANESTHESIA MACHINES

PURELINE M6000 ANESTHESIA MACHINE

Benefits:

Built specifically for veterinary use, Pureline M6000 Anesthesia Machine with O₂ Concentrator is FDA approved, UL listed and backed by a full 10-year warranty on the anesthesia machine and a 3-year warranty on the O₂ concentrator.

Features:

- Includes patented pressure relief valve to ensure pet safety.
- 0-4 l/pm precision flow meter.
- Audible and illuminated safety alerts.
- Easy on/off controls are large and easily accessible.
- Quiet 40-dBA operation.
- Valves are simple, durable and maintenance-free.
- Heavy-duty shelf holds all monitor types safely and securely.
- Same features as OC6000 (page 92).
- Uses standard “E” Tank for backup and oxygen flush.
- Adult, pediatric and non-rebreathing circuits included.
- Heavy-duty rebreathing bags included.
- Sturdy chassis and low center of gravity for extreme stability.
- Made in the USA with state-of-the-art manufacturing.
- Vaporizer sold separately. See page 93.



Vaporizer not included.

Pureline M6000- 195.1142.00 45 lbs.

BEST OPTION!

All the best features are combined—an O₂ concentrator to save money and deluxe anesthesia machine on a sturdy cart.

TABLE TOP ANESTHESIA UNITS

Benefits:

These rebreathing anesthesia machines provide flexibility to move to table top, wet table or mount to a cart.

Features:

- Compact 13” x 13” footprint.
- 0-4 l/pm O₂ flow meter with mechanical stop flow control.
- Industry best 10-year warranty.
- Vaporizer sold separately. See page 93.



Vaporizer not included.

Table Top Unit- 195.1042.01 18 lbs.

WALL MOUNT ANESTHESIA UNITS



195.1056.01
Vaporizer not included.



195.1040.01
Vaporizer not included.

Safety Pressure Relief Valve 195.1040.01 40 lbs.
Safety Pressure Relief Valve with Articulating Arm 195.1056.01 45 lbs.

Benefits:

Conveniently located on the wall, this design is best suited for work stations in radiology or dentistry. Units with the Articulating Arm extend 24” from wall with full 180° movement and feature high-quality metal bearings for smooth operation.

Features:

- Mounts on standard 16” centers.
- 0-4 l/pm O₂ flow meter with mechanical stop flow control.
- Comes with 0.5-, 1-, 2- and 3-liter bags.
- Vaporizer sold separately. See page 93.

⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

BASIC MOBILE ANESTHESIA MACHINE

Features:

- Five-leg base with shielded casters.
- CO₂ absorber with pressure gauge.
- “One seal” canister with lifetime warranty against breakage.
- Dual O₂ supply ready with check valves.
- 0-4 l/pm oxygen flowmeter with mechanical stop.
- Oxygen flush with 30 l/pm safety restrictor.
- Common gas outlet for non-rebreathing systems.
- Safety pressure relief valve included.
- Syringe holder for inflating E/T cuffs.
- Ten-year warranty on parts.
- Vaporizer, Dual “E” Tank Manifold and bottles sold separately.



Vaporizer, “E” Tank Manifold and bottles sold separately.

Basic Mobile Anesthesia Machine - - - - - 195.1178.00 35 lbs.

PREMIER AND PLUS MOBILE



Organizer included on back of Premier unit.

Vaporizer not included.

195.1179.00

195.1180.00

ANESTHESIA UNITS

Features:

- “One seal” canister with lifetime warranty against breakage.
- Sturdy A-frame cart with 18” square footprint.
- Plus model has durable, one-level shelf. Premier model has larger shelf with back bar that contains an organizer for supplies
- CO₂ absorber with pressure gauge.
- Dual O₂ supply ready with check valves.
- 0-4 l/pm oxygen flowmeter with mechanical stop.
- Oxygen flush with 30 l/pm safety restrictor.
- Safety pressure relief valve included.
- Syringe holder for inflating E/T cuffs.
- Ten-year warranty on parts.
- Vaporizer, Dual “E” Tank Manifold and bottles sold separately.

Plus - - - - - 195.1179.00 70 lbs.

Premier - - - - - 195.1180.00 70 lbs.

OXYGEN CONCENTRATORS

BASIC PURELINE OC4000 OXYGEN CONCENTRATOR

Benefits:

Our Basic Oxygen Concentrator rolls independently to work with your existing wall, table top or mobile unit. It allows you to get your oxygen for free by converting room air to medical-grade oxygen. This machine is built for veterinary use and is FDA-approved and UL tested.

Features:

- Energy efficient and costs average of 12 cents a day to operate.
- Includes 10 feet of high-pressure O₂ hose with female DISS end fittings.
- 5 liter per minute flow rate.
- Lightweight (38 lbs.).
- Size: 14”W x 9”D x 23”H.
- Backed by 3-year warranty.
- Audible and illuminated safety alerts.



Oxygen Concentrator - - - - - 195.1150.00 38 lbs.

⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

PURELINE OC6000 SERIES OXYGEN CONCENTRATORS

Benefits:

The OC6000 Series Oxygen Concentrators allow you to get your oxygen for free by converting room air to medical-grade oxygen. This machine is built for veterinary use and is FDA-approved and UL tested. The OC6200 adapts to work with Matrix VMS, Shor-Line and LEI/Supera M1200 machines.

Features:

- Energy efficient and costs average of 12 cents a day to operate.
- Includes 10 feet of high-pressure O2 hose with female DISS end fittings.
- 5 liter per minute flow rate.
- Lightweight (38 lbs.).
- Size: 14" x 9" x 23".
- Backed by 3-year warranty.
- Audible and illuminated safety alerts.

OC6000 -	195.1145.00	35 lbs.
OC6200 -	195.1148.00	35 lbs.



195.1148.00
Oxygen not included.

PURELINE OC8000 SERIES OXYGEN CONCENTRATORS



OC8000 -	195.1363.00	60 lbs.
OC8200 -	195.1364.00	60 lbs.

Benefits:

The NEW Pureline OC8000 Series Oxygen Concentrators can deliver on demand up to 8 l/pm, allowing them to handle the higher flow rates sometimes needed for oxygen therapy or an additional machine. This makes both ideal for use with oxygen therapy cages. They can be an extra oxygen supply for your anesthesia system as well. Their state-of-the-art manufacturing in the USA uses high-quality components. They are built with safety in mind with oxygen purity and flow safety alarms. They are FDA approved and UL listed.

Additionally, the OC8200 also features a stable "A" frame chassis with low center of gravity and a dual industry standard demand DISS connection. OC8200 also includes empty e-tank and IV pole (oxygen not included). Auxiliary and main supply switches are clearly marked. Also includes heavy-duty shelf with predrilled VESA 100 pattern.

Features:

- For veterinary use only.
- Intended for both oxygen therapy and anesthesia machines.
- Extracts medical grade oxygen (USP 93%) from the air and delivers it up to 8 l/pm.
- Connects with industry standard oxygen DISS fittings.
- Includes 10' high pressure green oxygen hose.
- Quiet 53-dBA operation.
- Energy-efficient; costs average of 20 cents per day.
- Small footprint saves valuable floor space.

CAN SUPPLY O2 TO UP TO TWO ANESTHESIA MACHINES USING A 'Y' SPLITTER.

ANESTHESIA ACCESSORIES

VAPORIZERS

Benefits:

Tech 3 style are stable vaporizers that deliver predictable output precision and a long use duration. Available in pour fill or key fill, and calibrated for Sevoflurane or Isoflurane.

Features:

- New isoflurane pour vaporizer has improvements in output accuracy and duration of use.

Vaporizer, Isoflurane, Pour	190.1187.00	16 lbs.
Vaporizer, Sevoflurane, Pour	190.1154.00	11 lbs.
Vaporizer, Sevoflurane, Key	190.1159.00	11 lbs.



Y-SPLITTER

Benefits:

Connects up to two anesthesia machines to OC8000 or OC8200.

Features:

- Maintains accurate split flow rates.
- This is the connecting piece that attaches to your O2 tubing.



Y-Splitter	195.1113.00	1 lb.
------------	-------------	-------

DUAL "E" TANK MANIFOLD

Benefits:

Holds two "E" tanks that attach to a mobile base.

Features:

- Consists of a pressure regulator, green oxygen hose and dual yokes.
- The dual yokes act to orient and support the "E" cylinder, provide a gas-tight seal, and ensure a unidirectional flow of gas into the machine.
- Bottles sold separately.
- Use correct model for Mobile Unit.



Basic Manifold	195.1001.00	10 lbs.
A-Frame Manifold	195.1181.00	12 lbs.

UNIVERSAL CONTROL ARM AND BAIN NON-REBREATHING CIRCUIT

Benefits:

Aids in heat and moisture retention, speeding patient recovery time. Premier version features the Premier Safety Pressure Relief Valve.

Features:

- Single tube to patient design, 40" tube length.

Safety Pressure Relief Valve	195.1149.01	1 lbs.
------------------------------	-------------	--------



⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

SMALL ANIMAL MASKS

Benefits:

Diaphragms stretch for snug fit over muzzle.



Small, Feline -	195.1017.00	1 lb.
Medium, Canine.	195.1018.00	1 lb.
Large, Canine-	195.1019.00	1 lb.

UNILIMB REBREATHING CIRCUIT

Benefits:

Aids in heat and moisture retention, speeding patient recovery time

Features:

- Single tube to patient design, 40” tube length.



Adult over 20lbs.	195.1032.00	1 lb.
Pediatric 5-20lbs.	195.1033.00	1 lb.

COMPLETE F/AIR KIT

Benefits:

Effectively removes waste gases with activated charcoal granules and can be used on any anesthesia machine.

Features:

- F/AIR canister and canister bracket.
- 22mm x 19mm adapter.
- 4 feet of 19mm blue tubing.
- Screws and wrench for attachment.



Complete F/AIR Kit -	195.1020.00	1.5 lbs.
F/AIR Canister only -	195.1021.00	1.5 lbs.

NON-REBREATHING SYSTEM

Features:

- Quickly connects to the common gas outlet.
- Designed for use with animals <10kg.
- Includes a one liter bag with stop cock built into the evacuation fitting.



Non-Rebreathing System	195.1034.00	1 lb.
----------------------------------	-------------	-------

SCALES

Dependable and durable—Your Shor-Line scale will weigh accurately for decades!

We know how important an accurate weight is in your treatment, so our scales can be added to many of the tables we make.

The exception is Fold-Up Tables. Those are not compatible with scales.

Call your sales representative (800.444.1579) and discuss the options.



FELINE SCALE LS

Benefits:

Compact in size to save counter space but large enough to accurately weigh your largest feline. Can weigh small dogs as well.

Features:

- Push button zero/tare weight.
- Pound/Kilogram switch.
- 44 lb/20 kg capacity, weighs in .02 lb/10g increments.
- Removable tray for easy cleaning.
- 9 Volt battery (included).

Specs:

- 9"W x 21"L tray with 2"H lip on either side.

Feline scale LS 905.0400.05 8 lbs.



HOW TO BUY CANINE SCALES

SCALE PLATFORM

K9-W8



BLUE-LINE

Available in Standard Blue, Jade, Taupe Gray or Black



MOUNT

WALL MOUNT



POST MOUNT



ADDITIONAL DISPLAYS

REMOTE DISPLAY

This contains two displays—one with operation keys at the weighing platform and another at a remote location, such as an exam room.



⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

BLUE LINE SCALES

BLUE-LINE SCALE, DISPLAY WITH OPERATION KEYS

Benefits:


The Blue-Line scale enhances your decor but it is also tough enough to stand up to reception area use.

Features:

- Low-profile Stainless Steel platform scale gives accurate and repeatable weights in pounds and/or kilograms.
- Unique polyurethane edge available in four colors.
- Large, easy to see backlit LCD screen with ¾”H numbers.
- Quick, on-screen weight calibration.
- Wall Mount mounts above the scale or another room.
- 10’ data cord extension available; includes 6’ power cord.

Specs:

- 22½”W x 44½”L x 3”H.
- Comes with a 6’ power cord. 10’ data cord extension available.



Wall Mount, Standard Blue -	905.3010.05	63 lbs.
Wall Mount, Jade -	905.3011.05	63 lbs.
Wall Mount, Taupe Gray -	905.3012.05	63 lbs.
Wall Mount, Black -	905.3013.05	63 lbs.
Post Mount, Standard Blue -	905.3014.04	75 lbs.
Post Mount, Jade -	905.3015.04	75 lbs.
Post Mount, Taupe Gray -	905.3016.04	75 lbs.
Post Mount, Black -	905.3017.04	75 lbs.

905.3011.05



905.3014.06

BLUE-LINE SCALE, REMOTE DISPLAY

Benefits:

The remote control unit allows a person to weigh the animal in one area, and another person can view a second display located up to 30’ away from the weighing platform.

Features:

- Remote display works best when there is a clear sightline or path from the platform unit.
- Display with operation keys works like other K9-W8 scales and the remote shows only the animal’s weight.

Specs:

- 22½”W x 44½”L x 3”H.

Wall Mount, Standard Blue -	905.3010.08	63 lbs.
Wall Mount, Jade -	905.3011.08	63 lbs.
Wall Mount, Taupe Gray -	905.3012.08	63 lbs.
Wall Mount, Black -	905.3013.08	63 lbs.
Post Mount, Standard Blue -	905.3014.06	75 lbs.
Post Mount, Jade -	905.3015.06	75 lbs.
Post Mount, Taupe Gray -	905.3016.06	75 lbs.
Post Mount, Black -	905.3017.06	75 lbs.

K9-W8 SCALE, DISPLAY WITH OPERATION KEYS

Benefits:

We've made the K9-W8 Scale you love even better with new load cell technology and a new combination of materials that delivers incredible accuracy and the ability to withstand years of use.

Features:

- Four ultra low profile load cells at each corner provide accurate and repeatable weights in pounds and/or kilograms.
- A liquid-resistant shroud that spans the length of the scale provides protection from routine cleaning for the load cells.
- Large, easy to see backlit LCD screen with ¾" high numbers.
- Tare, recall, lbs/kg, light and free/lock features and quick, on-screen weight calibration.
- Gray, ribbed, non-skid mat provides solid patient footing. (Mat not shown.)
- Post display is powder-coated dark gray, stands 37" high. Slide the slim base under the scale or move it within 4" of the scale.
- Wall Mount can display above the platform or to another room with data cord extensions.

Specs:

- 22½"W x 44½"L x 3"H.

Wall Mount-	905.5010.43	53 lbs.
Post Mount-	905.5010.47	67 lbs.



905.5010.43

K9-W8 SCALE, REMOTE DISPLAY

Benefits:

The remote control unit allows a person to weigh the animal in one area, and another person can view a second display located up to 30' away from the weighing platform.

Features:

- This unit has same features as Post Mount or Wall Mount K9-W8 scale but includes a second remote display.
- Second remote display is for viewing only, and it does not have operating keys.
- Remote display works best when there is a clear sightline or path from the platform unit.

Specs:

- 22½"W x 44½"L x 3"H.
- Comes with a 6' power cord. 10' data cord extension available.



905.5010.49

Wall Mount-	905.5010.46	53 lbs.
Post Mount-	905.5010.49	67 lbs.

CRITICAL CARE

WARMING SYSTEMS

Benefits:

Our Warming Pad is now CSA/UL listed, giving you confidence in the safety, security and functionality of our thermal support for your clients for post-operative and treatment care. It is designed to reduce the risk of hypothermia, which has been proven to be heightened during and following anesthesia.

Features:

- Safety is built into this thermal formed, textured pad. The enclosed heating element automatically warms up (about 15 minutes) and maintains a factory-set temperature.
- The controller offers three timed cycle setting options—60, 90 and 120 minutes.
- The alarm helps you monitor the patient. Stand By mode is set to sound an alarm at five minutes and continue to the end of the selected time cycle. Then, a repetitive series of low-tone beeps warn the operator before the pad shuts off.
- If the Warming Pad becomes unplugged or the temperature exceeds the safety shut-down limit, the Alert mode will sound, a red light will illuminate and the pad will start a cool down process.
- The controller connects with a 2' black cable, and you can add one optional 2' cable.
- The controller mounts on a cage door with a Stainless Steel clip.
- You can use the warming pad in or out of a cage, and its light weight allows for easy transport.
- **Specs:** 20"W x 25"L; designed to fit in a 24" or wider Shor-Line cage. The power cord is 10'. Electrical: 120/240 VAC, 50/60 HZ, .5 A at 120 VAC, .25 A at 240 VAC.



912.1000.05

Warming Pad, 120V	- - - - -	912.1000.05	10 lbs.
Warming Pad, 240V	- - - - -	912.1000.06	10 lbs.

OXYGEN THERAPY

As pets are living longer with great veterinary care, there is an increasing need for help with oxygen therapy. The Shor-Line O₂ and conversion units replace existing grill doors with O₂ or Conversion doors.

Most Type 3 cages will accept the new O₂ Door. See listings for sizes. There are modification kits for retrofitting some of the earlier Type 1 or Type 2 doors. Call 800.444.1579 and ask for technical support for help modifying older cages.

OXYGEN THERAPY DOORS

Benefits:

This new and improved door helps you give additional oxygen support to your patients. Add this to your ICU offerings or make it part of a “step down” unit. The door provides additional adjustment options to control possible fogging or temperature build-up. The O₂ door kit will contain the door and seal brackets needed to retrofit the cage.

Features:

- 3/8" thick, clear polycarbonate door.
- A soft, closed-cell foam gasket surrounds the door to help retain oxygen levels in the cage.
- Upper and lower adjustable vents allow for reduction in condensation on the interior door surface.
- Door control accessories allow an unobstructed view of a recovering, recombinant patient.



- Semi-disposable humidifier (3 included) positioned in a removable, polycarbonate chamber allows you to cool with ice or warm with hot water.
- Digital readout for temperature/humidity is located between the vents. It provides minimum and maximum memory function and can display values in Celsius or Fahrenheit.
- Port is provided for an optional O₂ meter.
- Cage sold separately. Conversion kit sells separately from O₂ door.

24" x 24" Single O ₂ Door	914.2424.20	33 lbs.
24" x 30" Single O ₂ Door	914.2430.20	35 lbs.
24" x 36" Single O ₂ Door	914.2436.20	43 lbs.
30" x 30" Single O ₂ Door	914.3030.20	38 lbs.
30" x 36" Single O ₂ Door	914.3036.20	33 lbs.
36" x 24" Single O ₂ Door	914.3624.20	33 lbs.
36" x 30" Single O ₂ Door	914.3630.20	43 lbs.
36" x 36" Single O ₂ Door	914.3636.20	43 lbs.

7 ft. Cage Assembly Option B



⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

OXYGEN THERAPY CONVERSION DOORS

Benefits:

The polycarbonate Conversion Door pairs with a new-style O₂ door (sold separately) to provide an improved, oxygen therapy cage for larger patients. To retrofit, simply remove the grill door and follow kit directions to add the soft, closed-cell foam gasket and place the door.


Features

- 3/8" thick, clear polycarbonate door.
- A soft, closed-cell foam gasket surrounds the door to help retain oxygen levels in the cage.
- Upper and lower adjustable vents allow for reduction in condensation on the interior door surface.
- Door control accessories allow an unobstructed view of a recovering, recombinant patient.
- **NOTE:** If retrofitting from a Shor-Line Type I or Type II cage, you will need an additional retrofit kit.

24" x 30" Single Conversion Door 914.2430.21 30 lbs.
 24" x 36" Single Conversion Door 914.2436.21 30 lbs.



Conversion Door



ACCESSORIES FOR OXYGEN THERAPY CAGES

OXYGEN THERAPY KIT

Benefits:

When you determine a pet needs direct O₂ while the cage fills, this mask can administer oxygen directly.

Features:

- Includes a medium mask, humidifier adaptor, 1/4" hose and female adapter.
- This allows hose to connect to the humidifier included with the O₂ door.



Oxygen Therapy Kit 814.0006.00 2 lbs.

O₂ ANALYZER + COVER

Benefits:

The Handi+ oxygen analyzer is a great way to spot check O₂ percentages.

Features:

- Inserts into opening near the bottom of the cage.
- Features one-touch calibration.
- Quickly moves through other features.
- Cover on inside of cage protects from animal contact.



O₂ Analyzer and cover 814.0005.00 2 lbs.

MOBILE TRANSPORT WITH O2 DOOR

Benefits:

Perfect for hospitals with small staffs. You can roll the Oxygen Therapy Unit to any area with electricity for maximum patient visibility and easy monitoring by team members.

Features:

- Same simple operation as O₂ door.
- 5" casters and push handle allow for easy movement.
- Cage top surface provides space for extra work area or monitoring equipment.
- **Specs:** 40¾"W x 38"H x 30¾"D

Mobile Transport with O₂ Door - 914.3630.50 176 lbs.



Shown with optional O₂ Analyzer and cover.

ASSISTED CARE CONSOLE (ACC)


Benefits:

Eliminate dangling power cords, IV tubes and oxygen lines hanging from the ceiling or draping across cage doors.

Features:

- Assisted Care Console fits between Shor-Line cages.
- The ACC is 6" wide and is available in 24", 30" and 36" high.
- ACC I includes 33" long adjustable IV Pole and IV Pump Holder.
- ACC II, same as ACC I plus GFI (Ground Fault Interrupter) Electrical Outlet.
- ACC III, same as ACC II plus Ohmeda O₂ Female Outlet.

ACC I, 24" H	-	802.2400.10	10 lbs.
ACC I, 30" H	-	802.3000.10	10 lbs.
ACC I, 36" H	-	802.3600.10	10 lbs.
ACC II, 24" H	-	802.2400.11	12 lbs.
ACC II, 30" H	-	802.3000.11	12 lbs.
ACC II, 36" H	-	802.3600.11	12 lbs.
ACC III, 24" H	-	802.2400.12	14 lbs.
ACC III, 30" H	-	802.3000.12	14 lbs.
ACC III, 36" H	-	802.3600.12	14 lbs.



BUBBLE HUMIDIFIER

Benefits:

Delivers moist supplementary O₂ to the bronchial passages.

Features:

- Humidifier is semi-disposable. Can be cleaned and reused several times.

Bubble Humidifier - 025.0004.00 2 lbs.



⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

IV PRODUCTS

CAGE DOOR IV HOLDER

Benefits:

Keeps the floor and aisle space clear from mobile IV stands by attaching your fluids to a cage door.

Features:

- Easily attaches to any Shor-Line cage door.
- Sturdy 3/8"-diameter Stainless Steel rod provides needed strength.
- Height specs: 19" holder adjusts from 2" to 16" above the point of attachment to the door; 35" holder adjusts from 2" to 32".

19" Long	802.0001.00	3 lbs.
35" Long	802.0001.01	4 lbs.



IV TRACK CEILING MOUNT SYSTEM

Benefits:

Whether in surgery, surgery preparation or ICU wards, the IV Track System allows you to position IV fluids where you need it.

Features:

- Simple twist and lock system for horizontal positioning.
- Button release system provides the flexibility to raise and lower fluids to the desired height.
- Four-hook assembly with extra hook at the bottom supply sufficient hanging space for your fluids.
- Track is constructed of extruded aluminum and comes in a standard 4 ft. length. Additional tracks are available in one-foot increments.
- IV Pole is 34" long.

IV Track Ceiling Mount System	914.0100.01	30 lbs.
-------------------------------	-------	-------------	---------



OXYGEN REGULATOR AND FLOWMETER COMBO

Benefits:

Delivers precise amounts of oxygen to Shor-Line's oxygen therapy doors. Oxygen regulator adjusts the tank pressure to the usable pressure and rate from the Flowmeter.

Features:

- 10'-long hose and DISS female fitting.
- 0-15 LPM adjustment.
- Protected by an all-metal housing.

Combo	-195.1015.00	3 lbs.
Flowmeter only	-195.1049.00	3 lbs.



CAGE ASSEMBLY SUPPORT BRACKETS FOR IV TRACK SYSTEM

Benefits:


Provides support at points where two cages are joined together. Purchase IV Track Ceiling Mount System (above) to join any cages. Works with all Shor-Line cages.

Features:

- Made from heavy-gauge Stainless Steel.
- End supports are used at the end of a cage bank.
- Includes: Bracket only.
- Mid Support bracket is used in the middle.
- If continuing lengths are desired, we recommend using a support bracket for every 4' length.

Mid Support Brackets - 814.0100.22 1 lb.

End Support Brackets - 814.0100.23 1 lb.



IV PUMP HOLDER

Benefits:

Easily mounts to any Shor-Line cage providing a stable support for your infusion pump. No more tripping over tubes and wires. Allows direct access to infusion pump readouts and controls.

Features:

- Fits securely over the horizontal bars in any Shor-Line cage.
- The weight of the pump and a twist clasp locks the holder onto the cage bars.
- Height-adjustable dual horn bag hooks for multiple sets.
- IV Pump not included.

IV Pump Holder - 802.0011.00 3 lbs.

⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

TERMS + CONDITIONS

1. ORDER & ACCEPTANCE By submitting an order for the goods described herein, Buyer shall have agreed to purchase the goods subject to all Seller's terms including these TERMS AND CONDITIONS. Buyer's order is subject to and effective only upon acceptance and approval at Seller's offices in Kansas City, Kansas as evidenced by Seller's issuance of an Order Acknowledgment or Invoice. The resulting contract shall be deemed made in Kansas and shall in all respects be governed and interpreted according to the laws of the State of Kansas. Buyer also consents to the jurisdiction of Kansas courts over any dispute involving this order.

2. ENTIRE AGREEMENT This order as accepted and approved by Seller constitutes the entire final agreement between the parties. Except as otherwise provided in writing by Seller, the terms set forth herein constitute the sole TERMS AND CONDITIONS for Buyer's order. Seller's acceptance of Buyer's order is expressly conditioned on Buyer's assent to these TERMS AND CONDITIONS which may not be supplemented, modified, superseded or otherwise altered except as authorized in writing by Seller. Any different, conflicting or additional terms in Buyer's purchase order or any other document of Buyer are rejected and Seller's TERMS AND CONDITIONS shall prevail.

3. TERMS OF PAYMENT Unless otherwise expressly specified by Seller in writing, payment shall be due 30 days from the date of invoice, payable in U.S. Funds. Seller reserves the right to negotiate terms or orders of any unique or special nature and may require full or partial payment in advance in its sole discretion. Acceptance of all orders and the payment terms for such orders are subject to approval by Seller's Credit Department. Seller may decline to make any shipment or perform any work except upon terms satisfactory to said Department. A charge of 1 1/2% per month (or the highest monthly interest rate that may be imposed under applicable law) will be imposed on overdue accounts. Buyer will be liable for all expenses (including reasonable attorneys' fees) incurred in collecting any overdue accounts.

4. PRICES & QUOTES Prices on products specified herein are F.O.B. Seller's factory unless otherwise specified in writing and are exclusive of any city, state, local or federal tax. Prices are subject to adjustment without notice and Seller reserves the right to correct errors in prices or specifications. Any quotation (whether written or oral) is not an offer to contract or acceptance of an order. Similarly, neither a price list nor a catalogue constitutes an offer to sell or contract, but are provided solely for customers' convenience.

5. TAXES Any sales, use, property, or other taxes or duties which Seller may be required to pay or collect (under any existing or future law) in connection with the sale, purchase, delivery, storage, processing, consumption or use of the products purchased herewith shall be for the account of Buyer and Buyer shall promptly reimburse Seller therefore.

6. DELIVERIES Delivery dates are estimates only and time shall not be of the essence unless specifically provided by Seller in writing. Seller will not have any liability for loss or damage resulting from a delay in a scheduled delivery or for non-delivery resulting from labor trouble, part or material shortages, accident, fire, war, strike, natural disaster, carrier delays or any contingency whatsoever (whether of the same class of those enumerated or otherwise) beyond its reasonable control. Buyer assumes all freight, handling and installation costs and the risk of loss or delay in transit. Seller will assist Buyer with transit arrangements, but Seller shall be free of any liability in connection therewith. Title to all materials and products sold by Seller shall pass to Buyer upon delivery to the carrier and Seller's responsibility ceases at that time. Risk of loss, injury, or destruction of the products shall be borne by the Buyer and any such loss, injury or destruction shall not release Buyer from payment of the purchase price.

7. INSPECTION Buyer must inspect all materials for shortages, damages, conformity with order and defects before signing any documentation requested by the carrier. Buyer must immediately complete such inspection and shall not accept delivery of goods that are damaged or not in accordance with the bill of lading or packing slip without proper notification to the carrier and Seller. If goods are damaged, defective, shorted or appear not to conform to the order, Buyer shall discontinue

their use and immediately notify the carrier and Seller of such condition and afford a reasonable opportunity to inspect the same. Buyer shall make, or provide Seller in writing with all information necessary to make, a claim against such carrier for any shortage, damage, or discrepancy of the shipment within fifteen (15) days after receipt of the goods. Claims or written information thereon not so presented within fifteen (15) days after receipt of the goods will not be allowed. No products will be taken back and credited or replaced unless arrangements for their return have been made in compliance with Seller's Return Policy stated below. SEE SELLER'S CATALOGUE FOR INFORMATION ON HOW TO FILE A FREIGHT CLAIM.

8. PRODUCT SATISFACTION In the event Buyer is not fully satisfied with the quality or workmanship of a product purchased hereunder, Seller in its sole discretion may arrange either to credit Seller's account (excluding shipping and handling costs) or replace the product. However, Buyer must notify Seller in writing of its dissatisfaction within fifteen (15) days of receipt of the product from Seller. Buyer also must return the rejected product to Seller freight paid within thirty (30) days of its receipt in compliance with Seller's Return Policy stated below. Seller's obligation is limited to providing the applicable credit or product replacement, which will be processed only after receipt of the returned product. In addition, this Product Satisfaction policy does not apply to specially designed, discontinued, used, factory second or repaired products.

9. LIMITED WARRANTY Seller warrants to the initial purchaser only of products manufactured by it that such products are free from defects in materials or labor for varying periods depending on the particular product and subject to the limitations and conditions set forth herein. Seller's stainless steel products are warranted to be free from such defects for their normal useful life. Seller's mechanical and electrical products, parts, devices and components (including such parts, devices and components of stainless steel products), and other non-stainless steel products are warranted to be free from such defects for only one year. Seller disclaims any express or implied warranty for products not manufactured by Seller and the only warranty available therefor to Buyer is that offered by the products' manufacturers.

The warranty period shall run from the date of delivery to Buyer. If within the applicable warranty period a product proves to be defective as described herein, Seller will repair or replace the product, at Seller's sole discretion, conditional upon Buyer's written notice of the defect within fifteen (15) days after its discovery. Upon receipt of Buyer's notice including substantiation of Buyer's status as the initial purchaser and details of the defect, Seller shall advise Buyer whether it plans to repair or replace the product. Seller's obligation is solely limited to repair or replacement of a defective product and in no event shall Seller be liable for transportation from or to Seller's offices or any other expense which may arise in connection with this Limited Warranty or the aforementioned Product Satisfaction policy.

SELLER MAKES NO OTHER WARRANTY OR GUARANTEE OF ANY KIND WHATSOEVER, WHETHER EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE INCLUDING, BUT NOT LIMITED TO IMPLIED WARRANTIES OF FITNESS, AND/OR MERCHANTABILITY. THE ABOVE LIMITED WARRANTY CONSTITUTES OUR ONLY WARRANTY AND NO PERSON OR ENTITY IS AUTHORIZED, ON BEHALF OF THE SELLER, TO MODIFY OR EXPAND UPON THE PROVISIONS EXPRESSED IN THIS PARAGRAPH NUMBER NINE. THE SELLER'S LIABILITY UNDER THIS LIMITED WARRANTY SHALL BE LIMITED AS PROVIDED FOR ABOVE AND THE FOREGOING SHALL BE THE BUYER'S SOLE REMEDY AND RECOURSE UNDER THIS CONTRACT. There are no warranties which extend beyond the description on the face hereof and goods are sold as is. Seller's warranty is only available to the initial purchaser of its products.

Buyer agrees to comply with all instructions and specifications furnished by Seller relating to installation, care and application of products sold. Buyer agrees that it will not modify, misapply, or misuse such products in any manner which would deviate from Seller's instructions. Any

⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

repairs, alterations or service provided by parties other than Seller, or its authorized representative, may void this Limited Warranty. This Limited Warranty shall not apply to normal wear and tear, damage caused by accident, negligence, improper operation or the use of corrosive materials (including without limitation bleach-sodium hypochlorite) on stainless steel surfaces. THE SELLER'S LIMITED WARRANTY MADE IN CONNECTION WITH THIS SALE SHALL NOT BE EFFECTIVE AND SHALL BE VOID UNLESS SUCH GOODS ARE APPLIED AND USED IN ACCORDANCE WITH SELLER'S INSTRUCTIONS.

10. LIMITATION OF LIABILITY UNDER NO CIRCUMSTANCES SHALL SELLER BE LIABLE TO BUYER OR ANY OTHER PERSON FOR ANY SPECIAL, LIQUIDATED, INCIDENTAL OR CONSEQUENTIAL DAMAGES, INCLUDING, WITHOUT LIMITATION, DAMAGES BASED UPON LOST GOODWILL, LOST SALES OR PROFITS, WORK STOPPAGE, DELAY, PRODUCT FAILURE, IMPAIRMENT OF GOODS OR OTHERWISE AND WHETHER ARISING OUT OF BREACH OF WARRANTY, BREACH OF CONTRACT, NEGLIGENCE OR OTHERWISE, and in any case, Seller's liability for any and all losses and damages sustained by Buyer and others, rising out of or by reason of this contract, shall not exceed the original purchase price of the products upon which liability is founded.

IN NO EVENT SHALL ANY ACTION BE COMMENCED AGAINST THE SELLER MORE THAN ONE YEAR AFTER THE CAUSE OF ACTION WITH RESPECT TO WHICH THE CLAIM IS MADE HAS ACCRUED. SELLER SHALL NOT BE RESPONSIBLE FOR EXPENSES FOR REPAIRS NOT MADE BY SELLER WITHOUT THE PRIOR WRITTEN CONSENT OF SELLER.

11. RETURN POLICY All products being returned for any reason or delivered for repair service (whether or not pursuant to our Limited Warranty) must receive advance authorization from Seller. Buyer must contact Seller's Technical Service Department at (888) 551-4064 to receive a Return Authorization Number. All products returned, except for warranty service or pursuant to the Product Satisfaction policy, are subject to a minimum 15% restocking charge. Buyer will be responsible for all freight charges on returns.

12. INDEMNITY Buyer agrees to protect, defend, indemnify and hold harmless the Seller from and against any and all direct loss suffered and any liability to third parties due to bodily injury (including death) to any person or animal, or damage to any property as a result of Buyer's misuse, misapplication or failure to inspect or maintain the Seller's products, or such loss or liability caused by the act or omission of the Buyer in the performance of any services using said products. Buyer also agrees to indemnify and hold harmless the Seller for any taxes paid as discussed in paragraph five above. This indemnity provision expressly includes attorney's fees and settlements of claims in a reasonable manner under the circumstances.

13. UNLAWFUL USE Buyer agrees that no goods covered by this contract shall be used in any manner violative of any laws of the United States, whether state or federal, or local ordinance, and no such goods shall be distributed to any foreign country in any manner prohibited by United States law.

14. REGULATIONS AND CODES Seller makes no representation or promise, express or implied, that goods delivered hereunder will conform to any state or local laws, regulations, codes, ordinances, or standards, except as particularly and expressly specified and agreed upon for compliance in writing as a part of the contract between Buyer and Seller.

15. SELLER'S REMEDIES Seller hereby expressly reserves all remedies provided for by the Uniform Commercial Code and such remedies are expressly cumulative in nature and include all of the available remedies for breach and Seller need not make any election of remedy.

16. MISCELLANEOUS Buyer may not assign its rights or duties relative to this order without Seller's written consent, but Seller may assign its interests in such order to any affiliate or successor in interest. The waiver of any breach of these TERMS AND CONDITIONS shall

not constitute a waiver as to any further breach. Any of these TERMS AND CONDITIONS found to be invalid, illegal or unenforceable, shall be considered inoperative and the remaining TERMS AND CONDITIONS shall be valid and enforceable as though such provisions are not included herein.

BILLING TERMS

Shipping & Handling

Freight rates are calculated at the time the order is taken. Freight is charged on all orders unless otherwise stated. Payment options, freight and tax are based on shipments within the U.S. Shipments outside the U.S. will be quoted at the time of the order.

Contact our Credit Department toll-free for questions:: 1.800.444.1579

DELIVERY OF PRODUCT

We use the following methods of freight for small shipments:

- Express Saver (Ground, 3-6 day service)
- Standard Overnight
- 2 Day Collect (payment is collected at the time the order is delivered)
- Pick-Up (customer may pick up their shipment at our warehouse in Kansas City, KS and save on all freight charges)

Equipment over 70 lbs. will be shipped by common carrier or vanline service (4-6 day service). Call one of our sales representatives at 800.444.1579 for a freight quote. Alaska/Hawaii/Canadian and International shipments require special freight quotes.

Delivery Terms

Delivery options are listed below and should be discussed at the time the order is taken. Some of our equipment is heavy and/or bulky and can't be delivered utilizing normal delivery procedures. Therefore, Customers have the option of requesting "special delivery" instructions. There may be some confusion regarding special delivery services, the terms used, what services are actually provided and the associated fees. Therefore, we feel it is best to explain the delivery terms and the types of services. We highly recommend that all orders for CoJack Tables, Electric Lift Tables, Surgery Tables, Tub/Treatment Tables, Exam Cabinet Tables, 60" x 36" and 72" x 36" Double-Door Kennels, Cat Condos, Run Systems and all Mobile Transport Kennels be shipped with "Inside Delivery--Call for Assistance" Instructions. (There is an additional charge for this service.) We recommend you consider using "Inside Delivery-Assistance Provided" as these items are extremely heavy. (Universities and government agencies are excluded unless expressly specified). The following terms explain optional services available through commercial freight lines. There will be extra charge for the services noted below under items 2, 4, and 5 which will be added to your invoice

1. Call Before Shipping - A Shor-Line representative will call Customer before shipping the product from the factory to ensure the Customer is ready to receive the equipment. This is primarily used for new clinics that will be opening or customers with irregular working hours.

2. Call Before Delivery for Assistance - Trucking company will call Customer before delivery so that Customer can make arrangements to have adequate personnel to lift item off the truck and carry into the clinic. But the driver is not required to assist in unloading item off the truck. The driver is only responsible for getting the product to the rear of the truck. (Adequate "Call for Assistance" personnel must be at least three people that are able to lift heavy equipment.)

3. Inside Delivery-Call for Assistance - Trucking company will call before delivery so that Customer can make arrangements to have adequate personnel to assist the driver in taking the equipment off the truck and carrying it into the clinic. (Adequate "Inside Delivery" personnel must be at least three people that are able to lift heavy equipment.)

4. Liftgate Service - For items that are too heavy and cumbersome to safely lift off the back of the truck.

5. Manpower - Manpower to unload equipment can be provided to unload on vanline orders.

All optional services must be requested at time equipment is ordered and will be reflected on the Customer Order. Optional services requested by the Customer will be billed with the order by Shor-Line. Bills-of-lading will carry the following statement: Any Additional Charges Will Be Paid By the Customer. Please be aware that these delivery services are optional and must be requested at the time the order is placed.

Note: Keep in mind that if the truckline is unable to make delivery and there are no special delivery instructions, the redelivery charge will be billed to the customer.

Call our Customer Service Department (1.800.444.1579) for the fees associated with these services. *These product delivery terms are for U.S. and Canada. For other countries, contact your Shor-Line distributor for local delivery terms. Contact our Traffic Department toll-free at 1.800.444.1579 for additional questions.

DAMAGES/RETURNS/REPAIRS

FIRST, contact our Technical Services Department toll-free at 1.800.444.1579.

How To File A Freight Claim

1. Inspect ALL packages upon arrival. If containers show evidence of damage when delivered the packages should be opened immediately before the driver leaves. The shipment should be inventoried and inspected jointly by the Customer and the driver. The driver will then make proper notation on the delivery receipt.

Customer must inspect all materials for shortages, damages, conformity with order and defects before signing any documentation requested by the carrier. Customer must immediately complete such inspection and shall not accept delivery of goods that are damaged or not in accordance with the bill of lading or packing slip without proper notification to the carrier and Shor-Line. If goods are damaged, defective, shorted or appear not to conform to the order, Customer shall discontinue their use and immediately notify the carrier and Shor-Line of such condition and afford a reasonable opportunity to inspect the same.

Customer shall make, or provide Shor-Line in writing with all information necessary to make, a claim against such carrier for any shortage, damage, or discrepancy of the shipment within fifteen (15) days after receipt of the goods. Claims or written information thereon not so presented within fifteen (15) days after receipt of the goods will not be allowed. No returned products will be accepted, credited or replaced,

unless arrangements for their return have been made in compliance with Shor-Line's Return Policy. If containers do not show evidence of damage, there may be "concealed damage". Customer must report any concealed damage within 15 days after receipt of the shipment. All packaging and contents must be held for this inspection.

2. Customer must check goods, contents against packing slip, weight against bill of lading, containers, etc.

3. Customer fills out "Inspection Report of Loss or Damage Discovered After Delivery" (a standard form).

4. Call Shor-Line's Technical Services Department to file a claim (1.800.444.1579).

5. Customer and consignee both sign the "Inspection Report of Loss or Damage Discovered After Delivery" form. A copy is left with the consignee and should be forwarded to Shor-Line's TECHNICAL SERVICES department.

Return Policy & Repairs

All products being returned for any reason or delivered for repair service (whether or not pursuant to our Limited Warranty) must receive advance authorization from Shor-Line. Customer must contact Shor-Line's Technical Service Department at 1.800.444.1579 to receive a Return Authorization. All products returned, except for warranty service or pursuant to the Product Satisfaction policy, are subject to a minimum 15% restocking charge. Customer will be responsible for all freight charges on returns.


Return Product Authorization

To assure efficient handling on damaged or defective equipment, or repairs, please contact our Technical Service Department for Return Product Authorization (1.800.444.1579). Failure to obtain Return Product Authorization will only delay the processing of your matter and may result in the denial of any repair, replacement or credit.

Repairs

Repairs are handled by the Technical Service Department at 1.800.444.1579. It is mandatory you contact them prior to sending in your product for repair.

All Shor-Line products are intended for animal use only and none of the products constitute medical equipment to be used in connection with any human medical applications.



TERRITORY

- Northwest -
- Pacific -
- Souther Central -
- Northern Central -
- Great Lakes -
- Southeastern -
- Northeast -
- Alaska & Hawaii -

REPRESENTATIVE

- Fred Petzold -
- Tim Hemings -
- Doug Nietfeld -
- Gina Hardy -
- Jeremy Panzer -
- Mark Shea -
- Guy Cosgrove -
- Gina Hardy -

PHONE: 800.444.1579

- Ext. 2113
- Ext. 2354
- Ext. 2214
- Ext. 2816
- Ext. 2323
- Ext. 2309
- Ext. 2351
- Ext. 2816

EMAIL


- nwterritory@shor-line.com
- swterritory@shor-line.com
- scentralterritory@shor-line.com
- ncentralterritory@shor-line.com
- greatlakesterritory@shor-line.com
- seterritory@shor-line.com
- neterritory@shor-line.com
- akhiterritory@shor-line.com

CORPORATE

Corporate Team

Ext. 2205

cart@shor-line.com



The global map helps you locate your sales team. For teal or U.S., refer to the map above. Our team from Shor-Line LTD in the United Kingdom has been assisting animal health professionals since the 1980s. They assist customers in the blue areas. Our U.S.-based International team helps customers in the rest of the world, growing more and more country relationships each year.

In 2018, Shor-Line was named the Kansas Governor's Exporter of the Year, honoring the company's international growth. We look forward to showing more international customers the Shor-Line premium difference.

TERRITORY

- Shor-Line International
- Shor-Line Ltd

PHONE

- 913.281.1500 Ext. 2815
- +44.1446.772041

COUNTRIES

- Canada, Mexico, Central America, Caribbean, South America, China, Japan, South Korea, Philippines, Indonesia, Australia, New Zealand, and all countries not serviced by Shor-line LTD.
- All European Union (EU) countries, Norway, Switzerland, Russia, Israel, Syria, Morocco, Algeria, Saudi Arabia, Africa, Tunisia and Egypt

EMAIL

- International@shor-line.com
- info@shor-line.co.uk

Address

- 511 Osage Ave.
Kansas City, KS 66105
- Unit 36
Vale Business Park, Llandow
Cowbridge CF71 7FP



SHOR-LINE

PRODUCT CATALOG©

Shor-Line is not responsible for any typographical errors. SL 2019.
www.shor-line.com www.shor-lineclearanceoutlet.com
United States: 800.444.1579 International: 913.281.1500
Shor-Line/Schroer Manufacturing 511 Osage Avenue Kansas City, KS 66105