CAGES

Shor-Line began making animal cages mid-century to meet the needs of veterinarians. We have continued to improve our cages, evolving with veterinary, boarding and shelter professionals.

If you need cages, we can find a solution! Our standard cages are made in 6" increments, starting with 18"W x 18"H. All cages are 2814" deep, not including the latch. Your best value comes from purchasing standard sizes, but if you can dream it, we can build it.

Our cages are often handed down from practice to practice because they are so durable. There is a reason why animal professionals have been purchasing our cages for almost **seven decades**.



BENEFITS OF A DOUBLE DOOR CAGE

Looking for a housing solution for your large dogs? Try our Double Door (DD) cage. It comes in a variety of sizes with these features:

- 48", 60" or 72"W
- 24", 30" or 36"H
- Removable middle cage post adds strength and integrity when securing the latch, but it also allows for easy opening.
- Removing the cage post allows you to slide in a recumbent patient.
- Insert cage dividers to house more small animals. We designed the cage to provide a secure environment when you divide the cage.
- Patented Hinge Design U.S. Patent #7,805,808

ANATOMY OF A CAGE



INTRODUCING: CAGES WITH PORTALS

Last year, we introduced the **Kat Portal** that we developed on with researchers from University of California, Davis. Our Kat Portal package includes a spacer for proper installation. See full listing on page 55.

The Kat Portal is now so popular that we are offering it as a option for new cages. We will cut the portal openings for you, and the portals install with the cage bank. We've even added a Puppy Portal! See full listing on page 55.



Puppy Portal

BENEFITS OF A PORTALIZING

Studies show double compartment housing reduces pet stress by providing more room and more choices. The Kat Portal has an 8"-diameter opening and the Puppy Portal has a 10"-diameter opening. Puppy portals are designed for puppies or small dogs only.



Kat Portal

RIGHT **DOUBLE** LEFT PORTAL PORTAL

DODTAI

PORTAL

ORDERING NEW CAGES WITH PORTALS

You can specify one or more of your new cages have portal openings pre-cut during the construction phase. Talk with your sales representative (800.444.1579) about your options and needs. The standard sizes are listed at right.

Note: Portals will not fit into 18"H cages.



											U	RIAL
CAGI		S	Z	ZE				A	V	Α	L	IBILITY
18" x 24"	-	-	-	÷	÷	÷	-	÷	÷	-	-	- Incompatable
24" x 18"	-	-	-	÷	÷	÷	-	÷	÷	-	-	- Incompatable
24" x 24"	-	-	-	÷	÷	÷	-	÷	÷	-	-	- Cat or Dog
24" x 30"	÷	-	-	÷	÷	÷	-	÷	÷	÷	÷	- Cat or Dog
24" x 36"	-	-	-	÷	÷	÷	-	÷	÷	-	-	- Cat or Dog
30" x 24"	-	-	-	÷	÷	÷	-	÷	÷	-	-	- Cat or Dog
30" x 30"	÷	-	-	÷	÷	÷	-	÷	÷	÷	÷	- Cat or Dog
30" x 36"	-	-	-	÷	÷	÷	-	÷	÷	-	-	- Cat or Dog
36" x 24"	-	-	-	÷	÷	÷	-	÷	÷	-	-	- Cat or Dog
36" x 30"	÷	-	-	÷	÷	÷	-	÷	÷	÷	÷	- Cat or Dog
36" x 36"	-	-	-	÷	÷	÷	-	÷	÷	-	-	- Cat or Dog
42" x 30"	-	-	-	÷	÷	÷	-	÷	÷	-	-	- Cat or Dog
42" x 36"	÷	-	-	÷	÷	÷	-	÷	÷	÷	÷	- Cat or Dog
48" x 30"	÷	-	-	÷	÷	÷	-	÷	÷	÷	÷	- Cat or Dog
48" x 30"	-	-	-	÷	÷	÷	-	÷	÷	-	-	- Cat or Dog
48" x 36"	÷	-	-	÷	÷	÷	-	÷	÷	÷	÷	- Cat or Dog
48" x 36"	-	-	-	÷	÷	÷	-	÷	÷	-	-	- Cat or Dog
60" x 36"	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	- Cat or Dog
72" x 36"	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	- Dog Only



4' ASSEMBLY, OPTION A

Top: 2 - 24"W x 24"H cages **Bottom:** 1 - 48"W x 30"H double door cage **Without Platform** - - - - 902.0103.19 180 lbs. **Mobile Platform** - - - 902.0103.20 200 lbs. **Stationary Platform** - - - 902.0103.21 198 lbs.



4' ASSEMBLY, OPTION B

Top: 2 - 24"W x 30"H cages **Bottom:** 1 - 48"W x 30"H double door cage **Without Platform** - - - - 902.0103.16 204 lbs. **Mobile Platform** - - - 902.0103.17 224 lbs. **Stationary Platform** - - - 902.0103.18 222 lbs.



4' ASSEMBLY, OPTION C

Top: 2 - 24"W x 24"H cages **Middle:** 2 - 24"W x 18"H cages **Bottom:** 1 - 48"W x 30"H double door cage

5' STAINLESS STEEL CAGE ASSEMBLIES



5' ASSEMBLY, OPTION A

Top: 2 - 30"W x 30"H cages **Bottom:** 2 - 30"W x 30"H cages Without Platform - - - - - 902 0104 19



5' ASSEMBLY, OPTION B


Top: 2 - 24"W x 30"H cages

 Bottom: 1 - 60"W x 36"H double door cage

 Without Platform - - - - - 902.0104.22
 212 lbs.

 Mobile Platform - - - - 902.0104.23
 235 lbs.

 Stationary Platform - - - - 902.0104.24
 233 lbs.



5' ASSEMBLY, OPTION C

Top: 2 - 30"W x 24"H cages **Middle:** 2 - 30"W x 24"H cages **Bottom:** 2 - 30"W x 30"H cages

 Without Platform
 - - - - - 902.0104.25
 212 lbs.

 Mobile Platform
 - - - - 902.0104.26
 235 lbs.

 Stationary Platform
 - - - - 902.0104.27
 233 lbs.

MOST POPULAR ASSEMBLY







6' ASSEMBLY, OPTION A

Top: 3 - 24"W x 30"H cages **Bottom:** 2 - 36"W x 30"H cages

 Without Platform
 902.0105.36
 314 lbs.

 Mobile Platform
 902.0105.37
 345 lbs.

 Stationary Platform
 902.0105.38
 343 lbs.

6' ASSEMBLY, OPTION B

Top: 2 - 36"W x 30"H cages **Bottom:** 1 - 72"W x 36"H double door cage

 Without Platform
 902.0105.39
 354 lbs.

 Mobile Platform
 902.0105.40
 385 lbs.

 Stationary Platform
 902.0105.41
 383 lbs.

6' ASSEMBLY, OPTION C

Top: 3 - 24"W x 24"H cages

Bottom: 1 - 48"W x 30"H double door cage, 1 - 24"W x 30"H cage

 Without Platform
 902.0105.42
 385 lbs.

 Mobile Platform
 902.0105.43
 349 lbs.

 Stationary Platform
 902.0105.44
 347 bs.

7' STAINLESS STEEL CAGE ASSEMBLIES



7' ASSEMBLY, OPTION A

Top: 2 - 30"W x 30"H cages, 1 - 24"W x 30"H cage **Bottom:** 1 - 48"W x 30"H double door cage, 1 - 36"W x 30"H cage

Without Platform - - - - - - - - 902.0106.16 385 lbs. **Mobile Platform** - - - - - - - - - 902.0106.17 419 lbs. **Stationary Platform** - - - - - - - 902.0106.18 417 bs.



7' ASSEMBLY, OPTION B

Top: 2 - 30"W x 30"H cages, 1 - 24"W x 30"H cage **Bottom:** 1 - 36"W x 30"H cage, 2 - 24 x 30"H cages

Without Platform - - - - - - - - - 902.0106.19 377 lbs.

Mobile Platform - - - - - - - - - 902.0106.20 411 lbs.

Stationary Platform - - - - - - - 902.0106.21 409 bs.



8' ASSEMBLY, OPTION A

Top: 4 - 24"W x 24"H cages

Bottom: 2 - 36"W x 30"H cages, 1-24"W x 30"H cage

Without Platform	÷	÷	÷	-	÷	-	-	÷	÷	÷	÷	÷	÷	÷	÷	-	902.0109.16	378 lbs.
Mobile Platform -	÷	÷	÷	÷	-	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	902.0109.17	413 lbs.
Stationary Platforn	n	į,	ī,	ī,	ı,	ī,	ī,	į,	į,	į,	į,	÷	ī,	į,	į,	į,	902.0109.18	411 bs.



8' ASSEMBLY, OPTION B

Top:4 - 24"W x 24"H cages

Bottom: 2-48"W x 30"H double door cages

Without Platform -	÷	-	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	-	902.0109.19	436 lbs.
Mobile Platform	-	-	÷	-	÷	-	÷	÷	÷	÷	÷	÷	÷	÷	-	902.0109.20	471 lbs.
Stationary Platform	÷	4	÷	-	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	902.0109.21	469 lbs.



8' ASSEMBLY, OPTION C

Top: 4 - 24"W x 24"H cages

Middle: 2 - 36"W x 30"H cages, 1 - 24"W x 30"H cage

Bottom: 2 - 48"W x 30"H double door cages

Without Platform	-	÷	÷	÷	÷	-	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	902.0109.22	562 lbs.
Mobile Platform -	-	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	902.0109.23	597 lbs.
Stationary Platform		÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	902.0109.24	595 bs.



8' ASSEMBLY, OPTION D

Top: 1 - 36"W x 30"H cage, 2 - 30"W x 30"H cages

Bottom: 1 - 60"W x 36"H double door cage, 1 - 36"W x 36"H cage

Without Platform - - - - - - - - - - 902.0109.25 450 lbs.

Mobile Platform - - - - - - - - - - - 902.0109.26 487 lbs.

Stationary Platform - - - - - - - - 902.0109.27 485 lbs.

9' STAINLESS STEEL CAGE ASSEMBLIES



9' ASSEMBLY, OPTION A

Top: 3 - 36"W x 30"H cages

Bottom: 1 - 72"W x 36"H double door cage,

1 - 36"W x 36"H cage

 Without Platform
 902.0110.19
 496 lbs.

 Mobile Platform
 902.0110.20
 542 lbs.

 Stationary Platform
 902.0110.21
 539 lbs.



9' ASSEMBLY, OPTION B

Top: 2 - 30"W x 30"H cages, 2 - 24"W x 30"H cages

Bottom: 1 - 48"W x 30"H double door cage,

2 - 30" W x 36"H cages

 Without Platform
 - - - - - - 902.0110.22
 456 lbs.

 Mobile Platform
 - - - - 902.0110.23
 494 lbs.

 Stationary Platform
 - - - - 902.0110.24
 492 lbs.



9' ASSEMBLY, OPTION C

Top: 2 - 30"W x 24"H cages, 2 - 24"W x 24"H cages

Middle: 2 - 30"W x 24"H cages,

2 - 24"W x 24"H cages

Bottom: 3 - 36"W x 30"H cages

 Without Platform
 - - - - 902.0110.25
 619 lbs.

 Mobile Platform
 - - - 902.0110.26
 665 lbs.

 Stationary Platform
 - - - 902.0110.27
 662 lbs.



10' ASSEMBLY, OPTION A

Top: 4 - 30"W x 30"H cages

Bottom: 2 - 60"W x 36"H double door cages Without Platform - - - - 902.0112.13 576 lbs. Mobile Platform - - - - 902.0112.14 617 lbs. **Stationary Platform** - - - - 902.0112.15 615 lbs.



10' ASSEMBLY, OPTION B

Top: 5 - 24"W x 24"H cages Middle: 4 - 30"W x 24"H cages

Bottom: 1 - 72"W x 36"H cage, 1 - 48"W x

36"H double door cage

Without Platform - - - - 902.0112.16 743 lbs. Mobile Platform - - - - 902.0112.17 790 lbs. **Stationary Platform** - - - 902.0112.18 787 lbs.



10' ASSEMBLY, OPTION C

Top: 5 - 24"W x 24"H cages Middle: 4 - 30"W x 30"H cages

Bottom: 1 - 48"W x 30"H double door cage,

2 - 36"W x 30"H cages

Without Platform - - - - 902.0112.19 710 lbs. Mobile Platform - - - - 902.0112.20 757 lbs. **Stationary Platform** - - - 902.0112.21 754 lbs.

12' STAINLESS STEEL CAGE ASSEMBLIES



12' ASSEMBLY, OPTION A

Top: 4 - 30"W x 30"H cages, 1 - 24"W x 30"H cage **Bottom:** 1 - 72"W x 36"H double door cage, 2 - 36"W x 36"H cages

Without Platform - - - - - - - - - - - - 902.0114.13 644 lbs. - - - 902.0114.14 722 lbs.



12' ASSEMBLY, OPTION B

Top: 6 - 24"W x 24"H cages

Middle: 4 - 30"W x 30"H cages, 1 - 24"W x 30"H cage

Bottom: 3 - 48"W x 30"H double door cages

Without Platform - - - - - - - - - - - 902.0114.16 576 lbs. Mobile Platform - - - - - - - - - - - - 902.0114.17 Stationary Platform - - - - - - - - - - - 902.0114.15 719 lbs. Stationary Platform - - - - - - - - - - - - - 902.0114.18 615 lbs.





14' ASSEMBLY, OPTION A

Top: 4 - 30"W x 30"H cages, 2 - 24"W x 30"H cages **Bottom:** 1 - 72"W x 36"H double door cage, 1 - 60"W x 36"H double door cage, 1 - 36"W x 36"H cage

Without Platform -	-	-	-	÷	-	-	÷	÷	÷	-	÷	-	-	-	-	÷	902.0117.13	813 lbs.
Mobile Platform	-	÷	-	÷	÷	÷	÷	-	÷	-	÷	÷	-	-	÷	÷	902.0117.14	877 lbs.
Stationary Platform	ı,	1	-	4	÷	÷	÷	4	ī,	÷	÷	÷	÷	÷	ī,	ů,	902.0117.15	874 lbs.

14' ASSEMBLY, OPTION B

Top: 7 - 24"W x 24"H cages

Middle: 4 - 30"W x 30"H cages, 2 - 24"W x 30"H cages

Bottom: 2 - 48"W	X	30)"I	10	do	ubl	e	do	or	ca	ge	s, .	2 -	3	6"	W x 30"H ca	iges
Without Platform -	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	902.0117.16	1002 lbs.
Mobile Platform	÷	÷	÷	-	÷	÷	÷	÷	÷	÷	-	÷	÷	÷	÷	902.0117.17	1064 lbs.
Stationary Platform	4	÷	-	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	902.0117.18	1061 lbs.

LOW STRESS CAGE OPTIONS

There are many accessories you can add to make Shor-Line cages even more low stress. All of these items can either be ordered when cages are built or as retrofits.

The standard latch is durable and gentle, but the Quiet Closing Latch (p39) is near silent. Available in single or double door. The Quiet-Time Cage Door Cover (p37) lets pets recover behind a blue, washable cover. Fold it up so you can peak at them.





Shor-Shelf© Cat Perching Shelf (p37) adds a 7"D shelf for feline lounging. Fits 18"W, 24"W and 30"W cages. Another option is the Kat Kave (p54) that provides a removable, washable concave bench that lets cats hide underneath and wiggle through the three openings or snuggle down in the concave top. Recommended for 30"W and larger cages.

INDUSTRY STANDARD CAGE SIZES

						Part We	eight
18" x 18"	÷	÷	÷	÷	÷	902.1818.70	34 lbs.
18" x 24"	÷	÷	-	÷	÷	902.1824.70	40 lbs.
24" x 18"	÷	÷	-	÷	÷	902.2418.70	42 lbs.
24" x 24"	÷	÷	-	÷	÷	902.2424.70	47 lbs.
24" x 30"	÷	÷	÷	÷	÷	902.2430.70	56 lbs.
24" x 36"	÷	÷	÷	÷	÷	902.2436.70	63 lbs.
30" x 24"	÷	÷	-	÷	÷	902.3024.70	56 lbs.
30" x 30"	÷	÷	÷	÷	÷	902.3030.70	64 lbs.
30" x 36"	÷	÷	÷	÷	÷	902.3036.70	73 lbs.
36" x 24"	÷	÷	÷	÷	÷	902.3624.70	70 lbs.
36" x 30"	÷	÷	÷	÷	÷	902.3630.70	73 lbs.
36" x 36"	÷	÷	÷	÷	÷	902.3636.70	79 lbs.
42" x 30"	÷	÷	÷	÷	÷	902.4230.70 SD	79 lbs.
42" x 36"	÷	÷	÷	÷	÷	902.4236.70 SD	83 lbs.
48" x 30"	÷	÷	÷	÷	÷	902.4830.70 SD	92 lbs.
48" x 30"	÷	÷	÷	÷	÷	902.4830.73 DD	95 lbs.
48" x 36"	÷	÷	÷	÷	÷	902.4836.70 SD	101 lbs.
48" x 36"	÷	÷	÷	÷	÷	902.4836.73 DD	103 lbs.
60" x 36"	÷	÷	÷	÷	÷	902.6036.73 DD	162 lbs.
72" x 36"	÷	÷	÷	÷	÷	902.7236.73 DD	198 lbs.

We can make almost any cage bank if you follow these guidelines: The width of each row needs to be the same. For example, two 24"W cages can sit on top of one 48"W cage. When deciding on how high to build cage banks, keep in mind those cleaning need to be able to reach to the back corners 28¼"D.

OTHER CAGE OPTIONS



CUSTOMIZING STANDARD CAGES

You can provide extra function to your standard cages by adding a tempered glass back or creating pass through cages for an additional charge and longer lead time.

The Glass Back is a tempered glass set into a Stainless Steel frame (see left). It is perfect for adoption units.

The Pass Through cage (see right) has a Stainless Steel door on each side, allowing technicians on both sides of the cage wall to access the pet. This is ideal for active treatment holding areas.



SPECIALTY CAGES

ISOLATION/PARVO CAGE

Benefits:


Isolates potentially infectious patients from healthy patients and uses a unique drainage system that makes clean-up fast and easy.

Features:

- Easy-to-clean, disinfectant safe polyethylene cage shell.
- Raised floor system keeps the patient elevated, minimizing contact with their waste.
- Lexan door splatter guard and raised bottom retaining lip helps to contain liquids.
- · Sloped rear drainage system.
- Interior dimensions: 35"W x 27½"H x 28"D.
- Exterior dimensions: 38¾"W x 31"H x 34"D (including drain).

Isolation/Parvo cage	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	-	925.3931.01	130 lbs.
Upper Isolation/Parvo Cage	÷	÷	-	-	-	÷	-	-	-	÷	-	÷	925.3931.02	130 lbs.
2 Unit Isolation/Parvo Cage-	÷	ī,	į,	÷	ī,	ī,	÷	ī,	ī,	ī,	į,	2	925.3931.03	260 lbs





MOBILE TRANSPORT UNIT

Benefits:

Mobility and design allow this unit to be used for receiving and releasing patients, moving them, as a temporary holding kennel, or even as an emergency exam and treatment table.

Features:

- Built like the Shor-Line modular cages, the mobile transport unit is insulated and finished with polished stainless steel side and top panels.
- The universal door is designed for right-hand or left-hand opening.
- Large 5" heavy-duty corrosion resistant casters let you maneuver the unit easily through most door openings.
- All casters feature locking mechanisms to hold the unit stationary when not in use.
- Full width bar handle for easy control.
- **SPECS:** 40¾"W x 38"H x 30¾"D

Mobile Transport Unit- - - - - - - - - - - - - - - - 902.0001.50 119 lbs.

▲ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

PLASTIC CAGES

STANDARD PLASTIC CAGES

Benefits:

A cost-effective alternative approach to animal cages, the plastic cages are corrosion-resistant and constructed of technologically advanced materials for durability and sanitation. More durable and serviceable than fiberglass or wood/laminate dog cages.





925.2430.12

925.4836.03

Features:

- One piece, rotationally molded polyethylene eliminates stress points and adds overall uniformity and rigidity.
- Plastic material resists stains, daily exposure to disinfectants and makes clean up a snap.
- Urine retaining lip catches spills.
- · Stainless steel doors and hardware.
- Optional raised PVC coated floors and high impact, polystyrene pans available.
- Medium cage: 24¼"W x 325/16"H x 28¾"D.
- Large cage: 48½"W x 34½"H x 28¾"D.
- Platforms sold separately on page 36.
- See "High Impact Pans for Plastic Cages" on page 36.







(Floors + Pans included)



6-Unit Assembly 925.6000.12 (Floors + Pans included) 2 Unit Assembly -- - - - 925.1000.02 175 lbs. 3 Unit Assembly -- - - - 925.3000.02 160 lbs. 4 Unit Assembly - - - - - - - 925.4000.02 148 lbs. 6 Unit Assembly - - - - - - - 925.6000.02 222 lbs. 2 Unit Assembly with Floor and Pans - - 925.1000.11 190 lbs. 3 Unit Assembly with Floor and Pans - - 925.3000.12 163 lbs. 4 Unit Assembly with Floor and Pans - 925.4000.12 152 lbs. 6 Unit Assembly with Floor and Pans - - 925.6000.12 244 lbs. Medium Cage- - - - - - - - 925.2430.02 42 lbs. Large Cage - - - - - - - - - 925.4836.03 86 lbs. Medium Cage with Floor and Pan - - - 925.2430.12 51 lbs. Large Cage with Floor and Pan - - - 925.4836.13 85 lbs.

PLASTIC CAGE ACCESSORIES

PLATFORM FOR PLASTIC CAGES

Benefits:

Two platform options. Casters provide easy maneuverability that aids in cleaning and bank rearranging. Adjustable feet in each leveling leg allows for easy leveling. Works with Plastic Cages (page 35).

Features:

- Platform comes in a black powder coat finish for durability.
- Choose 5" corrosion proof reinforced nylon locking casters with polyurethane wheels that will not "flat spot" or mar floors OR Stainless Steel leveling legs to complete your platform purchase.



48" Platform for Plastic Cages-	÷	÷	÷	÷	÷	÷	÷	-	÷	÷	÷	÷	725.4800.01	24 lbs.
72" Platform for Plastic Cages -	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	725.7200.01	31 lbs.
Caster with Brake	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	086.5012.11	5 lbs.
Leveling Leg Adapter	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷		702.0004.00	2 lbs.

HIGH IMPACT PAN FOR PLASTIC CAGES



Donofita

Plastic cage pan makes cleanup simple and fast without disturbing the patient. Works with Plastic Cages only. (See page 35)

Features:

- · Made of polystyrene.
- Ideal for patients experiencing containment problems.
- $\bullet\;$ Fits below cage floor to collect fluids and waste from patients.

Pan - - - - - - - - - - - - - - - 181.0018.00 6 lbs.

DIVIDER FOR LARGE PLASTIC CAGES



Benefits:


This removable cage divider converts a large cage into two medium cages. Works with Plastic Cages only. (page 35).

Large Cage	-	÷	-	-	÷	÷	-	÷	-	-	-	÷	-	314.0535.01	12 lbs.
Large Cage with Floor+Pan-	÷	-	-	÷	-	-	-	÷	÷	-	-	-	÷	314.0535.00	10 lbs.

PVC COATED FLOORS FOR PLASTIC CAGES

Benefits:

Raised floors slide into cage bottom, helping to keep patients clean and dry. Use two mediums for a large cage Works with Plastic Cages only. (page 35).



Medium Cage Floor with Legs	÷	÷	÷	÷	-	÷	-	-	-	÷	725.2128.01	12 lbs.
Medium Cage Floor without Legs	÷	÷	÷	÷	-	÷	-	-	-	÷	725.2128.00	10 lbs.

TAINLESS STEEL CAGE ACCESSOR

END & TOP PANELS



Benefits:

Top and End Panels are the easiest way to give your individual cage or cage assemblies an attractive, one piece finished look.

Features:

- · Constructed of the same high-quality Stainless Steel used on the cage itself.
- End and Top Panels are ordered separately and are easily attached at your facility.

End Panels for 18"H Cage	-	÷	÷	802.0018.51	10 lbs
End Panels for 24"H Cage	-	÷	÷	802.0024.51	12 lbs
End Panels for 30"H Cage	-	÷	÷	802.0030.51	14 lbs
End Panels for 36"H Cage	-	÷	÷	802.0036.51	16 lbs
Top Panel for 18" Cage -	-	÷	÷	802.1800.00	10 lbs
Top Panel for 24" Cage -	-	÷	÷	802.2400.00	12 lbs
Top Panel for 30" Cage -	-	÷	÷	802.3000.00	14 lbs
Top Panel for 36" Cage -	-	÷	÷	802.3600.00	16 lbs
Top Panel for 48" Cage -	-	÷	÷	802.4800.00	18 lbs
Top Panel for 60" Cage -	-	÷	÷	802.6000.00	20 lbs
Top Panel for 72" Cage -	-	÷	÷	802.7200.00	23 lbs

QUIET-TIME CAGE DOOR COVER



Benefits:

Instead of hanging old towels over your cage doors to calm aggressive or nervous dogs, use Shor-Line Quiet-Time Cage Door Covers. Most dogs stop their nuisance barking when you block their visibility of people and other animals. Quiet-Time Cage Door Covers provide some isolation and solitude for patients during treatment or recovery.

Features:

- Color-fast blue nylon construction is stain and snag resistant.
- 3" deep pocket fits snugly over the top of door and secured with plastic snaps.
- Clear vinyl window to display client/patient information.
- · Machine washable.

24"W x 24"H Cage Door	-	-	-	-	-	-	-	-	÷	÷	÷	÷	-	÷	179.2424.00	1 lbs.
24"W x 30"H Cage Door	-	-	-	-	-	÷	÷	-	÷	÷	÷	-	÷	÷	179.2430.00	1 lbs.
30"W x 30"H Cage Door	-	-	-	-	-	÷	÷	÷	÷	÷	÷	-	÷	÷	179.3030.00	1 lbs.
36"W x 30"H Cage Door		4	-	÷	÷	÷	-	÷	÷	÷	-	-	÷	÷	179.3630.00	1 lbs.

SHOR-SHELF® CAT PERCHING SHELF



Benefits:

The removable Shor-Shelf® allows cats to follow their natural instinct to jump and perch above the floor.

Features:

- The shelf is 7" deep and adjusts to fit all 18", 24" and 30" wide cages.
- Unique flex-ends with special non-slip pads automatically adjust to taper of kennel—no drilling or modification of cage required.

Shor-Shelf® Cat Perching Shelf - - - - - - - 802.0006.00 41 lbs.

DIVIDER FOR DOUBLE DOOR CAGES





Benefits:

There are now two options for cage dividers--Stainless Steel or heavy duty ABS. Both cage divider provide a quick, affordable method to convert 48", 60" and 72" wide double door Shor-Line cage into two smaller units.

Features:

- Provides heavy-gauge Stainless Steel construction.
- The double-door latch system removes quickly and easily when you need to slide a large patient in or out of the cage.
- The bracket at the back of the cage holds the door snug to maintain secure separation between the cage spaces.

24"H Double Door Cage - 29"W x 21"H	-	÷	÷	-	-	-	-	-	802.0024.00	12 lbs.
30"H Double Door Cage - 29"W x 27"H	÷	÷	÷	÷	÷	÷	÷	-	802.0030.00	14 lbs.
36"H Double Door Cage - 29"W x 33"H	÷	÷	÷	÷	÷	-	-	-	802.0036.00	17 lbs.

PVC COATED CAGE FLOORS

Benefits:

Keeps patients dry and clean.

Features:

- 14 gauge perforated sheet steel
- Openings are approximately %"-diameter after PVC coating.
- Non-toxic PVC coating is approximately 1/8" thick and seals entire floor.
- Floor height is approximately 21/4".



Floor, 18"W Cage	÷	-		÷	÷	÷	÷	÷	÷	÷	÷	÷	÷		÷	÷		317.0098.00	11 lbs.
Floor, 24"W Cage	÷		-	-	-	÷	-	÷	÷	-	÷	-	÷	÷	÷	-	-	317.0098.01	20 lbs.
Floor, 30"W Cage	÷		-	-	-	÷	-	÷	÷	-	÷	-	÷	÷	÷	-	-	317.0098.02	25 lbs.
Floor, 36"W Cage	÷	÷	-	-	-	÷	-	÷	÷	-	÷	÷	÷	-	÷	÷	-	317.0098.03	28 lbs.
Floor, 48"W Single	D	00	r C	ag	e -		-	÷	÷	-	÷	-	÷	÷	÷	-	-	317.0098.04	33 lbs.
Floors, 48"W Doub	ole	Do	or	Ca	ge	(2	pi	ece	es*) -	÷	-	÷	÷	÷	-	-	317.0098.05	41 lbs.
Floors, 60"W Doub	ole	Do	oor	Ca	ge	(2	pi	ece	es*) -	÷	÷	÷	-	÷	÷	-	317.0098.45	51 lbs.
Floors, 72"W Doub	ole	Do	or	Ca	ge	(2	pi	ece	s*) -	÷	÷	÷	÷	÷	-		317.0098.46	57 lbs.

^{*} These cages require 2 pieces. Part numbers above are 1 piece; they are Double Door cages.

THERMAL FORMED ABS DIVIDER





Features:

- The ABS divider provides lightweight durability and cleaning ease.
- The formed handle makes one-handed opening and closing easy.

30"H Double Door Cage -	÷	÷	÷	÷	÷	÷	÷	- 802.0030.01	30½" W x 27"H	1 lb.
36"H Double Door Cage -	ž.	÷	ú	1	2	÷	4	- 802 0036 01	30 688'W x 33"H	1 lb

LIGHTWEIGHT CAGE MAT

Benefits:

Flexible PVC flooring lifts the pet off the cage floor by providing a smooth, cushioned surface that is easy to clean yet comfortable to the pet.

Features:

- Two-level grid provides a sturdy floor. Sits a little more than ½" off the cage floor.
- Smooth floor texture resists fur snags, making the pet more comfortable.
- Made from 100% Virgin PVC that inhibits growth of bacteria.
- Resists most acids, alkalines and oils so it will work with common veterinary and shelter cleaning practices.
- Features excellent sound absorption properties.
- Lifts easily for cleaning and hosing down...no heavy floors to lift.
- Specs: Available to fit standard Shor-Line cage sizes. The product
 will arrive cut to fit the ordered size. It will rest up against the cage
 sides and front.



Floor, 18"W Cage	÷	-	÷	-	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	170.0000.00
Floor, 24"W Cage	÷	-	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	170.0000.01
Floor, 30"W Cage	÷	-	÷	-	÷	÷	÷	÷	-	÷	÷	÷	÷	÷	÷	-	÷	÷	-	÷	170.0000.02
Floor, 36"W Cage	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	170.0000.03
Floor, 48"W Single	D	00	r C	age	- 6	÷	÷	÷	-	÷	÷	÷	÷	÷	÷	-	÷	÷	-	÷	170.0000.04
Floors, 48"W Doub	le	Do	or	Ca	ge	(2	pi	ece	s*) -	÷	÷	÷	÷	÷	-	÷	÷	-	÷	170.0000.05
Floors, 60"W Doub	le	Do	or	Ca	ge	(2	pi	ece	s*) -	÷	-	÷	÷	÷	÷	÷	÷	-	÷	170.0000.06
Floors, 72"W Doub	le	Do	or	Ca	ge	(2	pi	ece	!s*) -	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	170.0000.07

WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

SQUEEZE RESTRAINT



Puts non-cooperative patients in a secure but tighter space, creating a safer vaccination and treatment environment.

Features:

- The squeeze mechanism is designed with two 1" diameter Stainless Steel handles affixed to a wire door panel, similar to our cage doors.
- The push/pull system allows the squeeze restraint to gently ease the patient to the front of the cage for treatment.
- When the wire door panel is pushed to the back of the cage, the handles discreetly blend in with the cage frame.

24" x 18" cage	-	-	÷	-	÷	-	÷	÷	-	-	÷	-	-	÷	÷	-	-	÷	924.0200.00	19 lbs.
24" x 24" cage	÷	÷	÷	÷	÷	÷	÷	÷	-	÷	÷	÷	-	÷	÷	÷	÷	÷	924.0200.01	22 lbs.
24" x 30" cage	-	-	÷	÷	÷	÷	÷	÷	-	÷	÷	÷	-	÷	÷	÷	÷	-	924.0200.02	25 lbs.
30" x 30" cage	-	-	-	÷	-	-	÷	-	-	-	-	÷	-	÷	-	-	÷	÷	924.0200.03	29 lbs.

STATIONARY PLATFORM FOR STAINLESS STEEL CAGES



See standard cage assemblies for applicable item numbers or call to speak with a sales representative about a custom configuration. (page 107)

Benefits:

Allows cleaning under cages and raises bottom cages to an easier access level.

Features:

- Adjustable feet in each leg easily facilitates leveling.
- For planning purposes, allow for a 9¼" height increase when adjustable feet are fully extended and an 8" height increase when they are not extended.
- 702.0004.00 Leveling Leg Adapter.

STAINLESS STEEL LITTER PANS



Benefits:

Heavy-gauge Stainless Steel to provide easy care and cleanup.

12¾"W x 20¾"L x 4"H- - - - - - - - - - - - - 190.9000.03 4 lbs.

12¾"W x 10¾s"L x 2½"H- - - - - - - - - - - - - - - 190.9000.08 2 lbs.

QUIET-CLOSING LATCH



Benefits:

The Silent Latch Mechanism eliminates noise and reduces animal stress. Can retrofit most Shor-Line cages.

MOBILE PLATFORM



See standard cage assemblies for applicable item numbers or call to speak with a sales representative about a custom configuration. (page 107)

Benefits

Platform provides easy maneuverability that aids in cleaning and bank rearranging. Easier access to bottom level cages.

Features:

- Large reinforced nylon casters and polyurethane wheels that will not "flat spot" or mar floors. Rotates 360° for easy maneuverability.
- All casters feature locking mechanisms to hold your kennel assembly stationary between moves.
- Allow 8½" height increase for mobile platforms when planning your space requirements.
- 086.5012.11 Caster with Brake.

UNIVERSAL CAGE ACCESSORIES

CAGE VALETS





Benefits:

Holds medications, toys, collars, leads, ID cards and forms.

Features:

- Stainless Steel tension clip secures your patient's paperwork.
- Polycarbonate material is crack and shatter resistant.

Small -5½"W x 10½"H x 3"D - - - - - - - - - - - 915.0200.04 1 lb. **Large- 9"W x 15"H x 3"D** - - - - - - - - - - - - - - 915.0200.05 2 lbs.

RECORD HOLDERS



Benefits:

Keep your records and notes in order.

Features:

- Twist and turn method attaches holders easily to the horizontal bar of Shor-Line and most other wire cage doors.
- Holders keep patient records securely attached to cage or kennel doors.

8½"**W** x **8**½"**H Tension Clip-** - - - - - - - - - - - - - 802.0010.05 1 lbs. **9**"**W** X **12**"**H Tension Clip-** - - - - - - - - - - - - - - - - 802.0010.06 2 lbs.

CAGE VALETS FOR GLASS DOOR



Benefits:


Holds medications, toys, collars, leads, ID cards and notes.

Features:

- Four suction cups hold valet securely to the glass door.
- Stainless Steel tension clip secures your patient's paperwork.
- · Polycarbonate material is crack- and shatter-resistant.

Small -5½"W x 10½"H x 3"D - - - - - - - - - - - - - - - 915.0200.11 1 lb. **Large-9"W x 15"H x 3"D - - - - - - - - - - - - - - - - - - 915.0200.10** 2 lbs.

STAINLESS STEEL CARD HOLDERS





Benefits:

Quickly and easily identify your patients.

Features:

- Three-sided pocket holds an index card.
- Twist and turn method attaches holders easily to the horizontal bar of most Shor-Line cages or other wire doors cages.

▲ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov